

## APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

R. Geider.  
of Rt. 1 Box 265 Gutherford

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Calapooia (Name of stream)

, a tributary of Umpqua N.

2. The amount of water which the applicant intends to apply to beneficial use is one fourth cubic feet per second. at the most. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic purposes, etc.)

4. The point of diversion is located 270 ft. S.E. of Pipe in center of Road from the corner or Thence W. 807.4 ft. to a 2" gal. Pipe <sup>(S.E. of W.)</sup> Thence South 283.7 ft. to Stone N.W. Corner, Claim 41 - Twp. 25 S. Sec. 8 R. 4 W.

Also described as being located N. 36° 01' E. 837.0 ft. from the N.W. corner of the same Old Sec. D.L.C. No. 41 (If preferable, give distance and bearing to section corner) being within the NE. corner, Block 1, lot 6 of Sec. 8 (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (Give smallest legal subdivision)

R. 4 W.M. in the county of Douglas

5. The Pipe Line to be 172.83 ft. (Main ditch, canal or pipe line) (Length in feet)

in length, terminating in the Block 5, lot 6 (Smallest legal subdivision) of Sec. 17

Tp. 25

R. 4 W.M., the proposed location being shown throughout on the accompanying map.

## DESCRIPTION OF WORKS

## Diversion Works

6. (a) Height of dam feet, length on top

and material to be used and character of construction

7. (a) Crush stone 100 ft. wide every 100 ft around dam

(b) Description of headgate

6 x 3/4 spring bars

Plated, ribbed, etc. number and size of openings

(c) If a pump is to be used give general description

Faccarizza Jet 1300 ft. per sec.

Stationary Outfit 3 H.P. Single Phase 100 ft

\*A different form of application is provided where storage works are contemplated.

\*\*Appropriation extends to appropriate water for the generation of electricity, with the exception of any right to water granted by the Hydroelectric Conservation Bill, all of the above terms may be secured, without loss, together with a right to杖水 (water passing through the pipe) for the purpose of irrigation.

Oregon

21509

Canal System or Pipe Line—*Pipes.*

7. (a) Give dimensions at each point of canal where materially changed in size, starting miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... in. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? *Yes*. Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use *Sec. 8 & 17 Sup. 258 R. 11. T. 12.*

Township <del>WILAMETTE</del>	Range	Section	Parties Tract	Number Acres To Be Irrigated
25 S.	4 W.	8	NE <del>SW</del> <del>SW</del> 4	4
25 S.	4 1/2 W.	17 8	SE <del>SW</del> SW 4	7 1/2

A Copy from My Warranty Deed.  
All of Lot (1) six (6) in Block one (1) and Lots Five (5)-Six (6)-Seven (7) Eight (8), and Nine (9) of Block Five (5)-of the Sutherlin Land and Lumber Company's Plat "B" as surveyed & filed and recorded in the Office of the County Clerk of said Douglas Co Oregon. Said Land being located in Sections 17 and 8 in Township 12 Range 4 W. W. M. and containing 24.35 acres more or less.

(If more space required, attach separate sheet)

(a) Character of soil *Sandy with Gravel*

(b) Kind of crops raised *Crops, Flowers, Shrubs, vines, Lett. Corn, etc.*

## Power or Mining Purposes—

9. (a) Total amount of power to be developed

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

Tp. *11*, R. *W. M.*  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? *No*

(g) If so, name stream and locate point of return

..... Sec. ..... Tp. ..... R. ..... W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

21509

Journal of Democracy | 13

### (c) Review of the

County having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_.

(b) If for domestic use state number of families to be supplied

11. Estimated cost of proposed works, £ 1500

12. Construction work will begin on or before May 20<sup>th</sup>

12. Construction work will be completed on or before June 10<sup>th</sup>

14. The water will be completely applied to the proposed use on or before Partially applied

3 hrs <sup>15<sup>th</sup></sup> June. Rest will be applied when I get the Pipe  
S/R sides.

#### Dictionary of conditions

Rozmazy.

**STATE OF OREGON,** }  
**County of Marion.** } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 2 1951

WITNESS my hand this 31st day of May 1951

**RECEIVED**

CHAS. R. MELICK TN

III - 21051

*Robert D. Corklin* STATE ENGINEER  
By Robert D. Corklin, Assistant to

JUL 2 1951  
**STATE ENGINEER**  
**SALEM, OREGON**

**PERMIT**

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,  
**SUBJECT TO EXISTING RIGHTS** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed Q.168 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from Calapooia River.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to a  
diversion of not to exceed  $2\frac{1}{2}$  acre feet per acre for each acre irrigated during the  
irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 21, 1951

Actual construction work shall begin on or before November 28, 1953 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1954

Complete application of the water to the proposed use shall be made on or before  
October 1, 1955

WITNESS my hand this 26th day of November, 1951

*L. E. Stuckin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 16, Oregon Laws 1933.

**PERMIT**

TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

District No.       

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,

on the 21 day of May,

1951, at 8:00 o'clock A.M.

Returned to applicant.

Corrected application received.

Approved:

November 2<sup>nd</sup>, 1951

Recorded in book No. 21509 of

Permit on page 14

H. G. F. STUCKIN

STATE ENGINEER

Drainage Basin No.       

Page       

Fees Paid.