APPLICATION FOR PREMIT

To Appropriate the Public Waters of the State of Oregon

	(, V. A. Nicksson
of	Sitkum, Oregon,
State o	of
followi	ng described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	f the applicant is a corporation, give date and place of incorporation
······································	I. The source of the proposed appropriation is East Fork of the Coquille River
***********	, a tributary of N. F. Coquille River
	The amount of water which the applicant intends to apply to beneficial use is $60/80$
cubic fe	et per second. (If water is to be used from more than one source, give quantity from each)
••3	The use to which the water is to be applied is 1771gation. sower, mining, manufacturing, domestic supplies, etc.)
4	. The point of diversion is located 170 ft. S. and 1040 ft. W. from the N. Z.
corner	of SET of the SET of Section 10, T. 28 S., R. 10 M.
A pi	pe post stands at said northeast corner.
••••••••••••••••••••••••••••••••••••••	

	(If preferable, give distance and bearing to section carner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being w	ithin the SE of the SE of the SE of the SE of Sec. 10 of Sec. 10 , Tp. 28 S.
R = 10	or W.)
•	The nine line
	(Miles or feet)
	h, terminating in the SNA OI the SNA of Sec. 11 28 3.
	W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Diversio	n Works
6 .	(a) Height of dam none feet, length on top feet, length at bottom
	feet; material to be used and character of construction (Loose rock, concrete, masonry,
	ish, timber crib, etc., warteway over or around dam)
(b) Description of headgate
	(Timber, concrete, etc., number and size of openings)
10) If water is to be removed give govern the same of th
ope) If water is to be pumped give general description 2 inch centrifugal pump rating 15 sprinklers lifting water 15 ft. Powered by
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.) horse electric motor.

^{*}A different form of application is provided where storage works are contemplated.

set. At headgets: width on top (at water line) feet; width on bottom feet; width on top (at water line) feet; depth of water feet fall per one thousend feet. (c) Length of pipe, 1580, ft.; size at intake, 4 in.; size at 1020 intake 2 in.; size at place of use 2 in.; difference in elevation be e and place of use, 15 ft. Is grade uniform? No Estimated cap 33/100 sec. ft. 8. Location of area to be irrigated, or place of use 7 Township 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 8. Location of area to be irrigated, or place of use 10. SE1, SE2, 30.30 28 S. 10 W. 10 NE2, SE2, 14.90 28 S. 10 W. 10 NE2, SE2, 30.30 29 S. 10 W. 10 NE2, SE2, 30.30 10 W. 10 NE2,	feet; depth of water and feet. (b) At miles from heads feet; width on bottom feet fall per one thousand (c) Length of pipe, 1580 ft.; size and place of use, 15 ft. Is gr 3/100 sec. ft. 8. Location of area to be irrigated, or place rownship Range Section Williamstic Nortelian Section	pate: width on top (at was feat; depth of d feet. e at intake, 4 se 2 in.; depth of at intake, 100 rade uniform? 100	water in.; size at 1020 lifference in elevation beta
Seek	miles from heads (b) At	pete: width on top (at was feat; depth of depth of depth. e at intake, 4 in.; depth of depth of depth. se 2 in.; depth of depth	water
feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 1580 ft.; size at intake, 4 in.; size at 1020 intake 8 in.; size at place of use 2 in.; difference in elevation be and place of use, 15 ft. Is grade uniform? no Estimated cap 33/100 sec. ft. 8. Location of area to be irrigated, or place of use Township statistic Section Perty-area Tract Number Acres to Be Irrigated. Section 10 NE2. SE4 30.30 28 S. 10 W. 10 SE4. SE4 30.30 28 S. 10 W. 11 SW2. SW4 14.33 Description of W. A. Nickason land accompanying application to appropriate water. The Est of the SE4 of Section 10, T. 28 S., R. 10 W. W. M. Coos County, Oregon. Accepting the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SW4 of the SW4 of Section 11, T. 28 S., R. 10 M., Coos County, Oregon.	feet; width on bottom feet fall per one thousand (c) Length of pipe, 1580 ft.; size ntake 2 in.; size at place of w and place of use, 15 ft. Is gr 3/100 sec. ft. 8. Location of area to be irrigated, or place Township Range Section Williamstic Meridian Section	feat; depth of d feet. e at intake, 4 se 2 in.; d rade uniform? no	water
feet fall per one thousand feet. (c) Length of pipe, 1580 ft.; size at intake, 4 in.; size at 1020 intake 8 in.; size at place of use 2 in.; difference in elevation be e and place of use, 15 ft. Is grade uniform? No Estimated cap 33/100 sec. ft. 8. Location of area to be irrigated, or place of use 7 Porty-acre Tract 8 Number Acres To Be Irrigated Section 10 NB\$. SB\$. 14.90 28 S. 10 W. 10 NB\$. SB\$. 14.90 28 S. 10 W. 10 SB\$. S\$. 30.30 28 S. 10 W. 11 SW\$. S\$. 34. 30.30 28 S. 10 W. 11 SW\$. S\$. SW\$. 14.33	feet fall per one thousand (c) Length of pipe,	d feet. e at intake, 4 se 2 in.; orade uniform? NO	in.; size at 1020 lifference in elevation beta
(c) Length of pipe, 1580 ft.; size at intake, 4 in.; size at 1020 intake 2 in.; size at place of use 2 in.; difference in elevation be and place of use, 15 ft. Is grade uniform? no Estimated cap 33/100 sec. ft. 8. Location of area to be irrigated, or place of use Township Resident Section Party-sere Tract Number Acres to Be Irrigated S. 10 W. 10 NE4, SE4 14.90 28 S. 10 W. 10 SE4, SE4 30.30 28 S. 10 W. 11 SW2, SW4 14.33	(c) Length of pipe,	se 2 in.; d rade uniform? no	lifference in elevation beta
intake in, size at place of use in, difference in elevation be e and place of use, 15 ft. Is grade uniform? No Estimated cap 33/100 sec. ft. 8. Location of area to be irrigated, or place of use Township Paragraph Section Forty-acre Tract Number Acres To Be Irrigated and Section 10 NB4, SE4 14.90 28 S. 10 W. 10 SE4, SE4 30.30 28 S. 10 W. 11 SW2, SW4 14.33 Description of W. A. Nickason land accompanying application to appropriate water. The E3 of the SB4 of Section 10, T. 28 S., R. 10 W. W. 44.00 135 on page 517 and the parcel described in Book 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SW4 of the SW4 of Section 11, T. 28 S., R. 10 M., Coos County, Oregon.	and place of use, 15 ft. Is graded, or place of use, 15 section of area to be irrigated, or place to be irrigated. Range E of Use Section Williamstra Moridian Section	se in.; d rade uniform? no	lifference in elevation beta
Estimated cap 33/100 Sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Porty-acre Tract Number Acres to Be Irrigated 28 S. 10 W. 10 NP4. SE4 14.90 28 S. 10 W. 10 SE4. SE4 30.30 28 S. 10 W. 11 SW4. SW4 14.33 29 S. 10 W. 11 SW4. SW4 14.33 49.52 Description of W. A. Nickason land accompanying application to appropriate water. The E5 of the SE4 of Section 10, T. 28 S., R. 10 W. W. W. Section 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the percel belonging to School District No. 65. Centaining 53.31 acres. Also the SW4 of the SW4 of Section 11, T. 28 S., R. 10 W. M., Coos County, Oregon.	sec. ft. 8. Location of area to be irrigated, or place Range E of North Section Williamste Meridian Section	rade uniform? NO	Estimated cape
Estimated cap 33/100 Sec. ft. 8. Location of area to be irrigated, or place of use Township Range Section Porty-acre Tract Number Acres to Be Irrigated 28 S. 10 W. 10 NP4. SE4 14.90 28 S. 10 W. 10 SE4. SE4 30.30 28 S. 10 W. 11 SW4. SW4 14.33 29 S. 10 W. 11 SW4. SW4 14.33 49.52 Description of W. A. Nickason land accompanying application to appropriate water. The E5 of the SE4 of Section 10, T. 28 S., R. 10 W. W. W. Section 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the percel belonging to School District No. 65. Centaining 53.31 acres. Also the SW4 of the SW4 of Section 11, T. 28 S., R. 10 W. M., Coos County, Oregon.	sec. ft. 8. Location of area to be irrigated, or place Range E of North Section Williamste Meridian Section	rade uniform? NO	Estimated cape
8. Location of area to be irrigated, or place of use Twenship Section Porty-sere Tract Number Acres to Be Irrigated 28 S. 10 W. 10 NE2, SE2 14.90 28 S. 10 W. 11 SW2, SW2 14.33 29 S. 10 W. 12 14.33 29 S. 10 W. 10 W. 12 14.93 20 S. 10 W. 10 W. 12 14.93 20 S. 10 W. 10 W. 12 14.90 20 S. 10 W	8. Location of area to be irrigated, or place Range E of the Section Williamstte Meridian	of use	
8. Location of area to be irrigated, or place of use Township Range Section Porty-area Tract Number Acres To Be Irrigated 28 S. 10 W. 10 NE2. SE2 14.90 28 S. 10 W. 11 SW2. SE2 30.30 28 S. 10 W. 11 SW2. SW2 14.33	8. Location of area to be irrigated, or place Pownship Range Range Williamstte Meridian Section		
8. Location of area to be irrigated, or place of use Township Range Section Porty-area Tract Number Acres To Be Irrigated 28 S. 10 W. 10 NE2. SE2 14.90 28 S. 10 W. 11 SW2. SE2 30.30 28 S. 10 W. 11 SW2. SW2 14.33	8. Location of area to be irrigated, or place Pownship Range Range Williamstte Meridian Section		
Township Range Section Porty-acre Track Number Acres To Be Irrical	Pownship Range Section Willemette Meridian		
28 S. 10 W. 10 NE2, SE2 14.90 28 S. 10 W. 10 SE2, SE2 30.30 28 S. 10 W. 11 SW2, SW2 14.33 39.53 Description of W. A. Nickason land accompanying application to appropriate water. The E2 of the SE2 of Section 10, T. 28 S., R. 10 W. W. 4 Coos County, Oregon. Accepting the parcel described in Book 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Centaining 53.31 acres. Also the SW2 of the SW2 of Section 11, T. 28 S., R. 10 W. M., Coos County, Oregon.			Transfer route to be striken.
Description of W. A. Nickason land accompanying application to appropriate water. The Ed of the SET of Section 10, T. 28 S., R. 10 W. W. M. Coos County, Oregon. Excepting the parcel described in Book 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the percel belonging to School District No. 65. Containing 53.31 acres. Also the SWT of the SWT of Section 11, T. 28 S., R. 10 W., Coos County, Oregon.		net. set	14.90
Description of W. A. Nickason land accompanying application to appropriate water. The En of the SET of Section 10, T. 28 S., R. 10 W. W. 4 Coos County, Oregon. Excepting the parcel described in Book 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SWT of the SWT of Section 11, T. 28 S., R. 10 W. M., Coos County, Oregon.	28 S. 10 W. 10	SE ¹ , SE-	30,30
Description of W. A. Nickason land accompanying application to appropriate water. The Es of the SE of Section 10, T. 28 S., R. 10 W. W. 4 Coos County, Oregon. Excepting the parcel described in Book 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SW1 of the SW2 of Section 11, T. 28 S., R. 10 W. M., Coos County, Oregon.	28 S. 10 #. 11	Sif4, Sif4	14.33
The Es of the SEs of Section 10, T. 28 S., R. 10 W. W. L. Coos County, Oregon. Excepting the parcel described in Book 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SWs of the SWs of Section 11, T. 28 S., R. 10 W., Coos County, Oregon.		à Mickegon land	
The Eg of the SE of Section 10, T. 28 S., R. 10 W. W. M. Coos County, Oregon. Excepting the parcel described in Book 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SW of the SW of Section 11, T. 28 S., R. 10 W., Coos County, Oregon.	Description of We application to app	ropriate water.	accombant ink
Coos County, Oregon. Excepting the parcel described in Book 131 on page 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SW2 of the SW2 of Section 11, T. 28 S., R. 10 M., Coos County, Oregon. (If more space required, attach separate sheet)	**	-	
Coos County, Oregon. Excepting the parcel described in Book 131 on page 135 on page 517 and the parcel described in Book 131 on page 401, of the deed records of Chos County. Also excepting the parcel belonging to School District No. 65. Containing 53.31 acres. Also the SW2 of the SW2 of Section 11, T. 28 S., R. 10 M., Coos County, Oregon. (If more space required, attach separate sheet)	The Et of the SE2 of Se	ction 10, T. 28 S	so, R. 10 W. W. M.
401, of the deed records of Chos County. Also excepting the percel belonging to School District No. 65. Containing 53.31 acres. Also the SW2 of the SW2 of Section 11, T. 28 S., R. 10 M., Coos County, Oregon. (If more space required, attach separate sheet)	Coos County, Oregon. Except	al described in F	Book 131 on page
the percel belonging to School District No. 65. Containing 53.31 acres. Also the SW1 of the SW2 of Section 11, T. 28 S., R. 10 M., Coos County, Oregon. (If more space required, attach separate sheet)	To abrover heat and the COL	Chos County ALE	so excepting .
Also the SW1 of the SW2 of Section 11, T. 28 S., R. 10 M., Coos County, Oregon. (If more space required, attach separate sheet)	the percel belonging to Scho	ol District No. 6	55. Containing
M., Coos County, Oregon. (If more space required, attach separate sheet)	EG GI COMAS.		
(If more space required, attach separate sheet)		OT DOCATOR TTE	
gondy losm	, 0000 00aney, 01080		
gondy losm			
gondy losm		The second secon	
gondy losm			
(a) Character of soil Sandy 109m		uired, attach separate sheet)	
(b) Kind of crops raised grass, clover, pasture	(a) Character of soil		

9. (a) Total amount of power to be developed

(b) Quantity of water to be used for power

.. sec. ft.

(c) Total fall to be utilized (Heid)

feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

of Sec.

 \dots , W. M.

(1)

(Legal subdivision)

Tp. ..., R. ..., R. ..., W. M. (No. E. or W.)

(f) Is water to be returned to any stream?(Yes or No)

(g) If so, name stream and locate point of return

, Sec. , Tp.

(h) The use to which power is to be applied is ...

(i) The nature of the mines to be served

II. (a) To supply	y the city of	Constitution of the state of th	***************************************
Charles all	County, having a proces	nt population of	***************************************
ut an estimated piops	Belon of	and in Dumaic Control	
(b) If for all	martir on pate monitor of	families to be supplied	:
	Charles Guidens M.	N. N. and M. S. M. Comp.	
11. Estimated co	of proposed works, \$10	00.00	
i i	work will begin on or befor		
		or before Sept. 15, 1952	
		he proposed use on or before	15, 1955

		(0-1: h	•
		(Signature of applicant)	
Remarks:		•	
			# ** * * * * * * * * * * * * * * * * *

,			
			• • • • • • • • • • • • • • • • • • • •
		······································	
•••••••••••••••••••••••••••••••••••••••		······································	* ** *** * *****
	······································		
•••••••••••••••••••••••••••••••••••••••			•• • • • • • • • • • • • • • • • • • • •
•••••••••••••••••••••••••••••••••••••••			• • • • • • • • • • • • • • • • • • • •
•			
	· · · · · · · · · · · · · · · · · · ·		•
		······································	
		······································	
		······································	
• • • • • • • • • • • • • • • • • • • •			
STATE OF OREGO	} ss .		
County of Marion,	,		
This is to certi	fy that I have examined the	foregoing application, together with	the accompany
maps and data, and re	eturn the same for		

STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall not exceed .Q. Tisk cubic feet per second measured at the point of diversion from the					
stream, or its equivalent in case of rotation with other water users, from	ast Fork Coquille Rive				
The use to which this water is to be applied is irrigation					
If for irrigation, this appropriation shall be limited to					
second or its equivalent for each acre irrigated and shall be i	further limited to a				
diversion of not to exceed 22 acre feet per acre for each a cre	rrigated during the				
irrigation season of each year,					
·					
	e de la companya de				
•	•••••				
and shall be subject to such reasonable rotation system as may be ordered by t	the proper state officer.				
and shall be subject to such reasonable rotation system as may be ordered by					
•					
The priority date of this permit is June 27, 1952 Actual construction work shall begin on or before November 28, 1	<u></u>				
The priority date of this permit is June 27, 1952	953 and shall				
The priority date of this permit is June 27, 1952 Actual construction work shall begin on or before November 28, 1	953 and shall				
The priority date of this permit is	953 and shall store				
The priority date of this permit is June 27, 1952 Actual construction work shall begin on or before November 28, 1 thereafter be prosecuted with reasonable diligence and be completed on or be October 1, 1954	953 and shall store				
The priority date of this permit is June 27, 1952 Actual construction work shall begin on or before November 28, 1 thereafter be prosecuted with reasonable diligence and be completed on or be October 1, 1951 Complete application of the water to the proposed use shall be made or	953 and shall efore and before				

Application No. 2 78 29

Permit No. 5 12 6

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Z7th day of June.

on the 27 th day of June 1952, at 1:00, o'clock P. M. Returned to applicant:

Approved:

Corrected application received:

Recorded in book No. 54

Permits on page 21561

CUAS. E. STAICKLIN

November 28, 1952

Drainage Basin No. '7

STATE ENGINEER

Fees Paid # 17.50