

To Appropriate the Public Waters of the State of Oregon

I,	e B. Begers	(Nume of applicant	********	
State of	Chilling and con-	•		
			•	permit to appropriate the
•	ed public waters of the S			
If the appl	icant is a corporation, giv			
1. The sou	rce of the proposed appro	oriation isappl	. , , , , , , , , , , , , , , , , , , ,	Dragen)
		, a tributary of	R	gue River
2. The am	ount of water which the a	pplicant intends to d	apply to beneficial	use is
cubic feet per sec	ond.			
	to which the water is to l	be applied isI	rrigation	
	nt of diversion is located			
		(Section or subdiv	rision)	· · · · · · · · · · · · · · · · · · ·
***************************************	······································	/	•••• •• •• •••••• • •••••• • • • • • • •	
		······································		
• • • • • • • • •	(If preferable,	give distance and bearing to	section corner)	
	Of there is more than one point of di			
being within the	SN 1/4 NR 1/4	t subdivision)	of Sec 3	, Tp 37 3
	W. M., in the county of			
5. The	Ditch and (Main dich, cana)	Fipe line	to be	1500 ft.
ir length, term s	ata can the Ra			
	W. M. the proposed le			
		SCRIPTION OF W		
Discress to Totalis				
Police Medical	ekter fam. nans	feet, length on	tep	feet, length at bottom
	reationatorial to be used o			Bucket as a section of the control
e e e e e e e e e e e e e e e e e e e	15 A. Somether proportion	Sump in rive	c	
	ton of headquite		pipe. One c	
		· • · ·		
i e Iter	er wit in elipsemped give ge	neral description	in Centrif	igal pump
	Siectrie motor.			i S ipe of ytim _{er i} T
	on what type of cogine o	r motor to be used total hear	d water is to be lifted one.	

**A different form of a part of the above forms may be secured with all cost together with instructions by a threshing the State Engineer Salem is 12 aM.

adgate. At hos	dgete: width on	top (at wate	r line)	
	feet; depth of v	oster	Jahann feet; grade	feet fall per o
oveand feet.			headgate: width on top (at wate	
	•		fest; depth of w	
	feet fal			, , , , , , , , , , , , , , , , , , , ,
	_	-	.; size at intake,	:
		•	•	•
	•		of use	
		75.	Is grade uniform? yes	Estimated capac
8. Location	•	rrigated, or j	place of use	
Township North or South	Range E. or W. of Willeston Muridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
				75 /
37 S	6.17	8	HR 1/4 KN 1/4	15
37 S	6.7	8	SR 1/4 NW 1/4	4
37 S	6 1	8	SW 1/4 NR 1/4	6
		د را		
·				
·-				<u> </u>
(a) C1	naracter of soil	•	oe required, attach separate sheet)	
			pasture, garden	
Power or Minin			, , , , , , , , , , , , , , , , , , , ,	
9. (a) To	otal amount of p	ower to be de	eveloped	theoretical horsepor
(b) Q	uantity of water	to be used for	r роwетse	c. ft.
(c) To	otal fall to be uti	lized	feet.	
			ans of which the power is to be	developed
		·····		
(e) Si	uch works to be l	ocated in		of Sec.
	, R		(Legal subdivision)	ŕ
			stream?	
			(Yes or No) point of return	
, (2)				

(i) The nature of the mines to be served

Beginning 28e feet North of the center of Section 8, Township 37 South Range 6 West of the Willamette Meridian, Oregon; running themse in a Southeasterly direction to a point on the West bank of the Applegate River, which is 600 feet Bast and 220 feet South of the center of said section; thence in a Northwesterly direction along the Westerly bank of the Applegate hiver to a point which is 141 feet Bast of the Southwest corner of the Northwest Quarter of the Northeast Quarter of the Northeast Quarter of the Northeast Quarter of said Section; themse Nest to said Southwest corner of the Southwest Quarter of the Northeast Quarter of said section; themse South to the point of beginning.

Those certain parcels of land situated in Section 8, Township 37 South, Range 6 West of the Willamette Meridian, described as follows:

Parcel I: The East half of the Northeast quarter of the Northwest quarter of said Section 8.

Parcel II: Beginning at the Northeast corner of the Southeast quarter of the Northwest quarter of said Section 8; and running thence West 660 feet to the Forthwest corner of the East half of the Southeast quarter of the Northwest quarter of said Section 8; thence South 530 feet; thence in a Southeasterly Direction to a point which is 1100 feet South of the joint of beginning; thence North 1100 feet to the joint of beginning;

Beginning at the Fortheast corner of the Southeast quarter of the Northwest quarter of Section 5; and running thence 3set 179 feet; thence in a Northwesterly direction to a point on the East line of the Fortheast quarter of the Northwest quarter of said Section 5; which point is 1100 feet North of the point of beginning; thence 1100 feet Fouth to the point of beginning.

STATE OF OREGON. (ss.

This is to certify that I have examined the foregoing application, together with the x-sometime ingraph and data, as for the same for

In order to the set correction this application rest be retirred to the State Erect correction on a topic on or before

WITHING SOME LEGICAL

day of

1

Suffering the State of A

STATE OF OREGON.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed									
		ase of rotation with							
The	use to which this t	oater is to be applie	d ie <u>ir</u>	rigation					
If fo	r irrigation, this ap	opropriation shall be	limited to	1/80	of o	ne cubic f	oot per		
	_	ach acre irrigated			_	•			
•		ring the irrigat	********						
			· · · · · · · · · · · · · · · · · · ·						
							•••		
			•••••						
	-	reasonable rotation isJw			by the proper	state offic	e r.		
Act	ual construction w	oork shall begin on a	or before	November 2		a1			
		th reasonable diliger of the water to the p							
		his 28th do							
Application No. 27400.	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20.2 day of Line.	to applicant:	•	November 28, 1952 Recorded in book No. 54 of Permits on page 21565	CHAS. E. STRICKLIN STATE ENGINEER	5.7 State Printing 86340		

Flee fait 415.0 State Printing 6