

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ~~Edward L. Thompson~~ ^{Wm} Edward L. Thompson
(Name of applicant)
of Route 1, Box 77
(Mailing address) Rainier

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rinearson Slough
(Name of stream)

, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.75 c.f.s.
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1555 ft. N and 75 ft. W from the SE corner of Section 2, T.7 N., R.3 E., S.1 E.
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N.E. 1/4 of S.W. of Sec. 2, Tp. 7 N., R. 3 E., S. 1 E.
(Give smallest legal subdivision)
R. 3 E. W. M., in the county of Columbia
(E or W)

5. The main line to be 1.000 miles or feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 of Sec. 2, Tp. 7 N., R. 3 E., S. 1 E.
(Smallest legal subdivision)
R. 3 E. W. M., the proposed location being shown throughout on the accompanying map.
(E or W)

DESCRIPTION OF WORKS

Division Works:

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet, material to be used and character of construction _____

(b) Description of headgate _____
(Material, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" pipe to be used throughout
(Size and type of pump)

*A plan of the works of application is provided where large works are contemplated.
**The applicant hereby certifies that the water for the appropriation is for the use of agriculture, with the exception of the use of the water for the purpose of generating power, and that the applicant is a resident of the State of Oregon.
1933-34

Canal System or Pipe Line--

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 800 ft.; size at intake, 4" in.; size at ft. from intake 4" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 8' ft. Is grade uniform? Yes Estimated capacity, 0.75 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 N.	R. 3 W.	2	N.E. 1/4 of S.W. 1/4	6.9
"	"	2	S.W. 1/4 of S.W. 1/4	0.5
"	"	2	N.E. 1/4 of S.W. 1/4	6.9
"	"	2	S.E. 1/4 of S.W. 1/4	6.9

Parcel 1. Part of the Northeast quarter of the Southwest quarter and of the Northwest quarter of the Southeast quarter of Section Two(2) in Township 7 North, Range 3 west of Willamette Meridian, more particularly described as follows: Beginning at a point 460 feet North 89° 48' West of Southeast corner of the Northeast quarter of the Southwest quarter, thence South 89° 48' East 460 feet to the Southeast corner of said Northeast quarter of the Southwest quarter; thence South 89° 48' East to the southerly bank of Rinearson Slough; thence Northwesterly along said slough bank to a point North 0° 28' 30" West of the point of beginning; thence South 0° 28' 30" East to the point of beginning, with a 20 foot easement on the Southwesterly side of the following described line: Beginning at a point in the center of the county road, being north 42° 07' East 240 feet from the Southeast corner of the Southwest quarter of the Southeast quarter, thence North 63° 48' West 300 feet to the true point of beginning, thence North 03° 48' West 903.66 feet less, to the west bank of creek, thence North 26° 12' East 12'

(Continued under Remarks)

Total 41.2

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised
 Power for Mining Purposes--

3. (a) Total amount of power to be developed
 (b) Quantity of water to be used for power
 (c) Total fall to be utilized
 (d) The nature of the works by means of which the power is to be developed
 (e) Such works to be located in of Sec.
 T. R. W. M.
 (f) Is water to be returned to any stream? Yes
 (g) If so, name stream and locate point of return
 Sec. Tp. R. W. M.
 (h) The nature of the power to be applied to
 (i) The purpose of the water to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2100

12. Construction work will begin on or before July 15, 1952

13. Construction work will be completed on or before July 15, 1952

14. The water will be completely applied to the proposed use on or before July 15, 1952

Wm. L. Thompson
(Signature of applicant)

Remarks: (Continued from item 8)

feet, more or less, to the South bank of Rinearson Slough; thence Northwesterly along said South bank of slough to a point S. 89° 48' East from the Northwest corner of the South half of said Southeast quarter; Also easement for joint use of 20 foot road right of way adjoining the Southwesterly side of the following described line: Beginning at a point in the center of county road, said point being North 42° 07' East 240 feet from the Southeast corner of the Southwest quarter of the Southeast quarter of said Section, thence North 63° 48' West 300 feet;

Parcel 2. Part of Lot 1 and of the North half of the southwest quarter of Section 2, Township 7 North Range 3 west of Willamette Meridian, more particularly described as follows: Beginning at a point 460 feet North 89° 48' West of the Southeast corner of the Northeast quarter of the Southwest quarter of Section 2, Township 7 N. R. 3 West of Willamette Meridian; thence North 0° 28' 30" west to the southerly bank of Rinearson Slough, thence Northwesterly along said southerly bank of the slough to a point on the East line of the Southeast quarter of the Northeast quarter of Section 3; thence South along the East lines of the Southeast quarter of the Northeast quarter and of the Northeast quarter of the Southeast quarter of said Section 3 to the Southeast corner of said Northeast quarter of the Southeast quarter; thence South 89° 48' East 2125.3 feet to place of beginning.

The Southeast quarter (SE $\frac{1}{4}$) of the Southwest quarter (SW $\frac{1}{4}$) of Section Two (2) in Township Seven (7) North, Range Three (3) West of the Willamette Meridian.

Also, A tract of land in Section Eleven (11) in Township Seven (7) North, Range Three (3) west of the Willamette Meridian, described as follows: Beginning at a point on the north line of said Section 11 where it intersects the southerly boundary line of the Rainier Drainage District at Station 118 as shown on the plat of said Rainier Drainage District, thence west on the north line of said Section 11 a distance of two hundred feet; thence at right angles south a distance of 200 feet; thence East and parallel with the north line of said section a distance of 200 feet; thence north 200 feet to the place of beginning.

I have examined the foregoing application, together with the accompanying

plans and maps, and find that the same conform to the provisions of the State Engineer's Act

and the rules of the State Engineer

20

Witness my hand and seal this _____ day of _____

1952

10

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.516 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rinearson Slough

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 9, 1952

Actual construction work shall begin on or before December 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 31st day of

December 1952

[Signature]

STATE ENGINEER

Application No. 21598

Permit No. 1

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 9 day of July

1952 at 8:00 o'clock A. M.

returned to applicant.

Approved:

December 31, 1952

Recorded in book No. 54 of

Permits on page 21598

[Signature] STATE ENGINEER

State Printing 2020