

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, A. V. McGarrick

(Name of applicant)

of P. O. Box 117, Central Point

(Mailing address)

State of OREGON

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream, storage, and a spring, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.51 c.f.s. cubic feet per second, being 0.01 c.f.s. from spring and 0.50 c.f.s. from unnamed stream.

**3. The use to which the water is to be applied is irrigation and stock (note) water from spring will be used for stock purposes only.

4. The point of diversion #1 is located 375 ft. N. and 480 ft. W. from the W1/4 corner of Section 29, being within SE1/4 NE1/4 of Section 30, T. 36 S., R. 2 W. 1/4. (this is to be a progressive diversion between #2 and #3 diversions) - #2 diversion is located 1760 ft. S. and 970 ft. E. from the W1/4 corner of Sec. 29, being within the SW1/4 SW1/4 of Sec. 29; #3 diversion is located 345 ft. S. and 480 ft. W. from N1/4 corner of Section 29.

being within the NE1/4 NW1/4 of Sec. 29, Tp. 36 S., R. 2 W., W. M. in the county of Jackson

5. The pipe line to be 600 feet in length, terminating in the SW1/4 SW1/4 of Sec. 29, Tp. 36 S., R. 2 W., W. M. the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

(a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction none - direct from stream by pump.

(b) Description of headgate none

(c) If water is to be pumped give general description 2" centrifugal pump powered by 2.5 H.P. electric motor with total lift of 15 feet.

A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of those quantities used by the State of Oregon, shall be secured, with all other permits, together with instructions by addressing the State Engineer, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 3 in.; size at ft. from intake in.; size at place of use 3 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? YES Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S.	2 W.	30	SE $\frac{1}{4}$ NE $\frac{1}{4}$	stock
36 S.	2 W.	29	NW $\frac{1}{4}$ NW $\frac{1}{4}$	2.0
36 S.	2 W.	29	NE $\frac{1}{4}$ NW $\frac{1}{4}$	14.0
36 S.	2 W.	29	SW $\frac{1}{4}$ NW $\frac{1}{4}$	11.0
36 S.	2 W.	29	SE $\frac{1}{4}$ NW $\frac{1}{4}$	2.0
36 S.	2 W.	29	NW $\frac{1}{4}$ SW $\frac{1}{4}$	4.0
36 S.	2 W.	29	SW $\frac{1}{4}$ SW $\frac{1}{4}$	4.0
			Total	40.0 acres

(If more space required, attach separate sheet)

(a) Character of soil Granite loam

(b) Kind of crops raised general farm produce

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No N. or S.) (No E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(No N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

1906
Description: as copied from Modification Agreement.

A. W. McCormick and Bernice McCormick

Tract A: Government Lots 4 and 5 and the Southeast Quarter of the Southwest Quarter of Section 30 and Government Lot 1 in Section 31, all in Township 36 South, Range 2 West of the Willamette Meridian, in Jackson County, Oregon.

Also, all of Orchard Home Plat "E" Subdivision of Jackson County, Oregon, lying South of U. S. Highway No. 99 and West of a line running North 20° 29' West through the quarter corner common to Section 20 and 29 in Township 36 South, Range 2 West of the Willamette Meridian, all in Jackson County, Oregon.

Tract B: Beginning at a point from which the quarter corner common to Section 20 and 29 in Township 36 South, Range 2 West of the Willamette Meridian bears South 20° 29' East 355.61 feet, said point lying on the north boundary line of D.L.C. No. 69 and Orchard Home Plat "E" and running thence North 20° 29' West 277.07 feet, more or less, to the Southeasterly boundary line of U. S. Highway No. 99; thence Southwesterly along the Southeasterly boundary line of said highway to the north boundary line of said D.L.C. No. 69 and Orchard Home Plat "E" to the point of beginning.

Subject to all roads, rights of way and easements of record or visible on the ground.

Subject to the effect, if any, of a portion or all of said tract being within the confines of Orchard Home Plat "E", as the same is filed of record.

10. (a) To supply the city of _____

_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

11. Estimated cost of proposed works, \$ 2,500.00

12. Construction work will begin on or before 1 year from date of priority.

13. Construction work will be completed on or before 2 years from date of priority.

14. The water will be completely applied to the proposed use on or before 3 years from date of priority.

X. C. W. Corum
(Signature of applicant)
PO Box 117 Central Point

Remarks: The water from #1 diversion (spring) will be used only for stock use in water trough, through 1 1/2 inch pipe 125 feet in length-- gravity flow--a progressive diversion will be used between #2 and #3 diversion points using a portable pump plant (sprinkler system).

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.51 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring, unnamed stream and reservoir to be constructed under Application No. R-27447, Permit No. R-1398.

The use to which this water is to be applied is stock and irrigation, being 0.01 cfs from spring for stock use and 0.50 cfs from stream and reservoir for irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1398.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 14, 1952

Actual construction work shall begin on or before December 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953.

Complete application of the water to the proposed use shall be made on or before October 1, 1953.

WITNESS my hand this 31st day of December, 1952.

[Signature] STATE ENGINEER

Application No. 27448

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of July 1952 at 8:00 o'clock A.M.

Returned to applicant:

Approved:

December 31, 1952

Recorded in book No. 54 of

1509

Permits on page

WAS. M. SCHUBERT STATE ENGINEER

[Handwritten initials]

Extended to Oct. 1, 1957