



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Spencer W. Alexander, of Alexander Department Store, Springfield, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .06125 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 2537.81 ft. S.78°17'10"W. and ft. from the S.E. corner of the E.M. Briggs D.L.C. No.67 in T.18.S. R.3.W. W.L.

being within the S.E. 1/4 of N.W. 1/4 & S.W. 1/4 of N.W. 1/4 of Sec. 2, Tp. 18.S. R. 3.W. W.M., in the county of Lane

5. The in length, terminating in the of Sec. of Tp. W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5 H.P. Electric.

*A different form of application is provided where storage works are contemplated
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

21617

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T.18.S.	R.3.W.	2	S.E. 1/4 of N.W. 1/4	3.75
T.18.S.	R.3.W.	2	S.W. 1/4 of N.W. 1/4	1.15
Description of Property.				
All of Block E. of the Plat of Willamette Heights Addition to Springfield, Lane County Oregon. Also all that part of Lot 2 of section 2 T.18.S. R.3.W. W.M. lying and being between the East bank of the Willamette River as the same is now located and the west line of, and adjoining Block E. of said Willamette Heights Plat.				

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised Fruit trees and Alfalfa.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)
 Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Number includes 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ 2,000.00
- ✓ 12. Construction work will begin on or before at once
- ✓ 13. Construction work will be completed on or before at once
- ✓ 14. The water will be completely applied to the proposed use on or before at once

Spencer W. Alexander
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.061 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 18, 1952

Actual construction work shall begin on or before December 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of December 1952

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, Chapter 76, Oregon Laws 1932

Application No. 27460

Permit No. 3161

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of July 1952 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

December 31, 1952

Recorded in book No. 54 of

Permits on page 21517

W. A. S. STATE ENGINEER

Drainage Basin No. Page

Fees Paid