Permit No 21632

1		WP	HE W	iters of	the	State	of	Oregon

1, There Tred Alone	***************************************
of Box 103 Marce	······································
State of, do hereby make application for	a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXI	
If the applicant is a corporation, give date and place of incorporation	
Man 1941	······································
1. The source of the proposed appropriation is	of stream)
a tributary of William	ette
2. The amount of water which the applicant intends to apply to benefici	ial use is
cubic feet per second 2 cm ff. the word	
**3. The use to which the water is to be applied is	uantity from each)
**3. The use to which the water is to be applied is (trigation, power, mining, m	nanufacturing, domestic supplies, etc.)
4 PM	
4. The point of diversion is located ft. and f	t from the
COTNET Of	
Fortable summer to be used along	this ember
ungth of more is property	e e e e e e e e e e e e e e e e e e e
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet	if necessary)
being within the W & NE 4 of Sec. 3	T_p .
R. , W. M., in the county of	
5. The CMain dich. canal or pipe line) to be	Astronomy for the
in length, terminating in the Smallest legal subdivision of Sec.	
R. \times \longrightarrow \mathbb{R} . W. M., the proposed location being shown throughout on \mathbb{R}	
(Z or W)	and the second of the second o
DESCRIPTION OF WORKS Diversion Works—	
6. (a) Height of dam feet, length on top	feet, length at bottom
feet; material to be used and character of construction	·
	a Low se Tropic of the tell make the
they of the controller one leter wasteway even or around domi-	
(1) Description of headgate	sae of open sys.
en e	
(c) If water is to be pumped give general description Secret 1984	ena simentina e
1800 and to perufferance architect to be used to tall head water of the tirred.	• (1)
2. Burchen	

TA Different form of application is provided where storage works are contemplated

**Application for permits to approximate water for the generation of electricity, with the exact not must consider not be made to the History-levels. Commission. Either of the above forms may be secured, without cost, together with instructions to addressing the note Engineer. Swein 3-52-4M.

21632 Canal System or S 7. (a) Gio		such point of	canal where materially change	d in size, stating miles from
			· line)	
thousand feet. (b) At	an agrandi an	milés from h	eadgete: width on top (at water	· line)
grede			feet; depth of w	ater feet,
			; size at intake,4	in.; size at
from intake	4 in;	size at place	of use	ference in elevation between
			Is grade uniform?	
8. Location		rigated, or p	lace of use	
Township North or South	Range E. or W. of Willemotte Moridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
145	5 W	33	Part of south half of ME. 40 g ME. 45	19.3
.'4	3`W	33	Located along mouth have fell 40 40 11643	
· '*	±7/J	<u> है</u> ह	Treated in n. 6 corner	097 1984
	<i>J</i> i,	, ह	On J. 6 mil but non	•
(a) Cho	aracter of soil	(If more space	e required, attach separate sheet)	
Power or Mining	nd of crops raised Purposes— tal amount of po		veloped	a.s. theoretical herepowe
(U)/Qu	antity of water t	o be used for	power see	e ft.
(e) To:	tel fall to be util	ized	(Head)	
			ins of which the power is to be	developed
le) Si	ch works to be lo	ocated in	ctegal subdivisions	of Sec.
To		or w 1 , W.	М.	
	water to be retui		(Yes of No)	
(g) H	so name stream	and locate p	oint of return	

 $G \times Tic$ use to which power is to be applied is

tor The nature of the mines to be served

21632



MONROE, DREGON

Item 8 for water right

Beginning at a half inch pipe at the northeast corner of Lot No. 13, Keeney's Addition to Monroe, Benton County, Oregon, which pipe is 395.3 feet south and 996.1 feet east of the quarter section corner on the north line of Section 33, T. 14 S., R. 5 W., W. M., in Benton County, Oregon, thence southerly along the east line of said Lot 13 if extended, 120 feet to a 1 inch iron rod; thence south 88 18 west 111.64 feet to a 1 inch iron rod on the east line of Front Street; thence south 4 132 east along the east line of said Front Street if extended, 317 feet; thence along the east line of the State Highway south 6° 20° east 47 feet; and south 8° 54° east 538.29 feet; thence on a 76.1 foot radius curve to the left along the inside line of the highway curve, 106.63 feet: thence southeasterly along the north line of said State Highway 53.18 feet to the center line of the Long Tom River; thence with the meanderings up the center of said stream to a point 1522.2 feet south 34 9 west of a point on the section line 511.5 feet south 0'8' west of the northeast corner of said section 33, thence northersterly to said point on said section line aforesaid; thence south 89° 36' west 1425.6 feet; thence north 114.5 feet; thence south 88° 18' west 236.39 feet to the place of beginning; EXCEPTING therefrom a parcel of land conveyed to W. M. Holloway by deed recorded in Book 82 at page 128 of Benton County Gregon Deed Records: ALSO EXCEPTING therefrom two parcels of land conveyed to T. Belchambers et ux by deeds recorded in Book 97 at page 290 and in Book 112 at page 778 of salid

Parcel II

Deed Records.

Commencing at a 1." pipe at the southwest corner of Lot 14 in heeney's Additions to Monroe, Benton County, Oregon, running thence easterly along the south line of said Lot 110 feet; thence southerly along the east line of said Lot, if extended, 40 feet; thence south 88' 18' west 111.84 feet to the east line of Front Areet; thence northerly along said east line to the place of extended all in Bouton County, Oregon.

The state of the s

in a star of the

				21632
			-land a same displacement of the same of the	terbops ive sings gronser, sees cause se
	e presuit por	della of		
		t 19		
the state of the s			and the second second	•
		ме во ое вирри	***************************************	r endigaĝo terasplo est es surantaux au i
			* 3	
11. Estimated and of proposed works,		Α		•
12. Construction work will begin on a		,	The second secon	·
13. Construction work will be comple		Λ	Λ	
14. The water will be completely appli	led to the pro	posed use on or	before Lug	ust 1,192
			U	
	· 	mouros	tends	Hou
		YX	Die	See Tre
Remarks:	•		, , ,	
		•		
	Total Control of the	***************************************	*************************	
	, 4	· · · · · · · · · · · · · · · · · · ·		•••••••••••••••••••••••••••••••••••••••
		••••••		
	•••••••••••••••••••••••••••••••••••••••	••••••		
	•••••••••••••••••••••••••••••••••••••••	•••••	······································	
	•••••••			•••••
	••••••	•••••		· · · · · · · · · · · · · · · · · · ·
	•••••••••••••••••••••••••••••••••••••••			••••
	•••••••••••••••••••••••••••••••••••••••			
	•••••			
				*** * * * ***** * * ***** * * ***** * *
			· · · · · · · · · · · · · · · · · · ·	• • •
* - * * * * * * * * * * * * * * * * * *		******		
			÷	
en e	• • • • • • • • • • • • • • • • • • • •		• •	
en e	• ••••	ere en		
			# 1 P	· .
ATE OF OREGON.				
County of Marion.				
This is to certify that I have examine	ed the foregoi	ng application,	together with th	e accompanying
ips and data, and return the same for				
In order to retain its priority this ap	oplication mu	st be returned to	the State Engin	eer, with correc-
			,	
WITNESS not hand this			10	

This is in surtify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

md shall not exceed 0.332 cubic feet per seco	nd measured at the point of diversion from th
treem, or its equivalent in case of rotation with other w	

The use to which this water is to be applied is	irrigation
If for irrigation, this appropriation shall be limited	
econd or its equivalent for each acre irrigatedand sh	all be further limited to a diversion
of not to exceed 22 acre feet per acre for	each acre irrigated during the irrigate
season of each year,	
	·
	•
	
·	
· · · · · · · · · · · · · · · · · · ·	
	······································
ed shall be subject to such reasonable rotation system as	may be ordered by the content of the
nd shall be subject to such reasonable rotation system as	
The priority date of this permit is July 23, 19	952
	952
The priority date of this permit is July 23, 19	December 31, 19.5 and shall
The priority date of this permit is July 23, 19 Actual construction work shall begin on or before	December 31, 19.5 and shall be completed on or before October 1.19.5.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

Compare and the second

Programme All

office of the State Engineer at Salem, Oregon, on the 23 rd day of Slut 1. 52 at 8:00 o'clock

M.

received in the

Teis instrument nas firs

Returned to applicant:

December 31, 1993 Recorded in book No. Permitten pater

STATE ENGINEER

THEOREM BOOKEN