

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Douglas V. Huby & Harold K. Heningway, by Harold K. Heningway, Agent of No. 11 Box 124, Lake Junction, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Unnamed stream

1. The source of the proposed appropriation is Unnamed Stream, a tributary of East Fork Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 1.0 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 700 ft. N and 660 ft. E from the SE corner of Section 23

being within the SE 1/4 SE 1/4 of Sec. 23, Tp. 40 S

R. 8 W. W. M., in the county of Josephine

5. The pipe and ditches to be 1/4 mile in length, terminating in the NE 1/4 SE 1/4 of Sec. 23, Tp. 40 S

R. 8 W. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam 5 feet, length on top 30 feet, length at bottom 20 feet; material to be used and character of construction Earth dam, plank facing, wasteway around.

(b) Description of headgate Valve in 3" pipe and timber, lft. by 1 ft. 1 ft. deep.

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipal, shall be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3.0 feet; width on bottom 2.0 feet; depth of water 0.8 feet; grade 6 feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 6 in.; size at 600 ft. from intake 6 in.; size at place of use 6" (Sump) in.; difference in elevation between intake and place of use, 11 ft. ft. Is grade uniform? yes Estimated capacity, 0.9 sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Williamsburg Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		
				Pri.	Suppl.	
40 S	8 W	23	NE 1/4 SE 1/4	10	10	—
40 S	8 W	23	SE 1/4 SE 1/4	15	15	—
40 S	8 W	23	NW 1/4 SE 1/4	17	—	17
40 S	8 W	23	SW 1/4 SE 1/4	8	4	4

(If more space required, attach separate sheet)

(a) Character of soil Kerby loam

(b) Kind of crops raised Hay & Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No. N or S) (No. E or W)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____ Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N or S) (No. E or W)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Claim No. 43, being parts of Sections 23 and 24 in Township
 40 South, Range 8 West of the Willamette Meridian. Beginning
 at a point 3 chains and 14 links South and 6 chains and 48
 links West from the quarter Section post on the line between
 said Sections 23 and 24, and running thence East 25 chains and
 8 links; thence North 34 chains and 50 links; thence West 10
 chains; thence North 17 chains and 50 links; thence West 15
 chains, and thence South 70 chains and 65 links to the point
 of beginning. Also less and excepting: Beginning at the Northwest
 corner of D. L. C. No. 43, run South 216.1 feet to an iron pipe
 at the Northeast corner of Lot 5; thence East parallel with the
 North line of D. L. C. No. 43, a distance of 990 feet to the
 East line of D. L. C. No. 43; thence North 216.1 feet to the
 Northeast corner of D. L. C. No. 43; thence West 990 feet to
 the point of beginning. Also less and excepting: Beginning
 at the Northeast corner of Lot 5, Section 23 on the West line
 of D. L. C. No. 43 and run South along West line of D. L. C.
 No. 43, 175 feet; thence Northeasterly along the now existing
 road to a point 250 feet due East of the point of beginning;
 thence West 250 feet, more or less, to the point of beginning;
 in Josephine County, Oregon.

All of William Sutherland D. L. C. #44 Being parts of Sections
 23, 24, 25, & 26 in Township 40 South, Range 8 West of the
 Willamette Meridian, Oregon; Being more particularly described
 as follows: To-wit- Beginning at a point 23 chains & 50 links
 East & 18 chains & 3 links South from the quarter Section Post
 on the line between said Sections 23 & 24, and running thence
 West 29 chains; thence North 15 chains & 60 links; thence West
 16 chains; thence South 45 chains & 51 links; thence East 43
 chains; thence North 30 chains to the place of beginning.

Municipal or Domestic Supply

To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19____

(b) for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed work: \$ 500.00
- 12. Construction work will begin on or before July 23, 1953
- 13. Construction work will be completed on or before July 23, 1954
- 14. The water will be completely applied to the proposed use on or before July 23, 1955

Douglas V. Hauby
~~By _____~~

Remarks: _____
and Harold K. Herminway,
R9 / Box 594 Park Junction Oregon
By Harold K. Herminway agent

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/50 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 24, 1952

Actual construction work shall begin on or before December 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1954

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 31st day of December 1952

[Signature] STATE ENGINEER

Application No. 27432

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of July 1952, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

December 31, 1952

Recorded in book No. 21636 of

Permits on page

[Signature] STATE ENGINEER

paid 6/1/52