

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John H. Sharp

(Name of applicant)

of Hender

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is spring, a tributary of Slate Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is domestic

4. The point of diversion is located 466 ft. N and 357 ft. S from the NW corner of the NW 1/4 SE 1/4 of Sec. 9

being within the SW 1/4 NE 1/4 of Sec. 9, Tp. 37 S

R. 7 W., W. M., in the county of Josephine

5. The pipe line to be 800 feet in length, terminating in the NW 1/4 SE 1/4 of Sec. 9, Tp. 37 S

R. 7 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate wooden box around spring with 1 1/2" pipe fitted with a valve

(c) If water is to be pumped give general description NONE

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... 800 ... ft.; size at intake, 1 1/2 ... in.; size at ... 80 ... ft. from intake ... 1 ... in.; size at place of use ... 3/4 ... in.; difference in elevation between intake and place of use, ... 20 ... ft. Is grade uniform? ... Y.N.S. Estimated capacity, ... 0.01 ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 37S, 7W, 9, NW1/4 SE1/4, domestic. Below table is a descriptive text: 'The Northerly 125 feet of the following: that part of the West half of the West half of the Northwest quarter of the Southeast Quarter of Section 9, Township 37 South, Range 7 West of the Willamette meridian, which lies North of the Redwood Highway, in Josephine County, Oregon'.

(If more space required, attach separate sheet)

(a) Character of soil ...

(b) Kind of crops raised ...

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec.

Tp. ... R. ... W. M.

(f) Is water to be returned to any stream? ...

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____ County, having a present population of _____ and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____ ONE
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200
- 12. Construction work will begin on or before August 18, 1952
- 13. Construction work will be completed on or before August 18, 1953
- 14. The water will be completely applied to the proposed use on or before August 18, 1954

John M. Shady
(Signature of applicant)

Wonder, Oregon

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring

The use to which this water is to be applied is domestic.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is September 6, 1951

Actual construction work shall begin on or before March 31, 1951 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 31st day of March, 1951

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 64 Oregon Laws 1951

Application No. 1000

Permit No. 21663

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6 day of September 1951, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1951

Recorded in book No. 26 of

Permits on page 21663

WAS. E. STICKELIN STATE ENGINEER

Drainage Basin No. 75 Page 7 of 7

Fees Paid