

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, CLACKAMAS FLAX GROWERS of CANBY, OREGON State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1936 State of Oregon

1. The source of the proposed appropriation is Melalla River, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is About 100 Gallons per minute cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 2772.85 ft. N. 72° 16' E. from the corner of Sec 10

being within the S.E. 1/4 of N.W. 1/4 of Sec. 10 Tp. 4 S

R. 1 E. W. M. in the county of Clackamas

5. The Pipe line to be 30 feet in length, terminating in the S.E. 1/4 of N.W. 1/4 of Sec 10 Tp. 4 S R. 1 E. W. M.

R. 1 E. W. M. the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion W... feet, length on top... feet, length at bottom

used and character of construction

and dam

Timber

number and size of openings

and give general description

15 Horses

Size and type of pump

15 horses

and type of engine or motor

When storage works are constructed... the water forms may be secured, with... must be made to the State Engineer, Oregon.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: T 4 S, R 1 E, Sec 10, S.E. 1/4 of N.W. 1/4 Sec 10, 31.5 Acres.

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam
(b) Kind of crops raised Strawberries- Beans- Peas- Cauliflower etc

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower
(b) Quantity of water to be used for power ... sec. ft.
(c) Total fall to be utilized ... feet.
(d) The nature of the works by means of which the power is to be developed
(e) Such works to be located in ... of Sec.

Tp. ... R. ... W. M.
(f) Is water to be returned to any stream? No
(g) If so, name stream and locate point of return
(h) The use to which power is to be applied is
(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ About \$3,000.00

12. Construction work will begin on or before June 1, 1952

13. Construction work will be completed on or before Aug. 2, 1952

14. The water will be completely applied to the proposed use on or before Aug. 2, 1952

CLACKANAS FLAX GROWERS

(Signature of applicant)

By Rufus Krasberger  
President - Manager

Legal description of the Clackamas Flax Growers' Property in application for  
for Water right - File No. 27520

A part of the South East Quarter of the North West Quarter of Section 10,  
T 4 S R 1 E. of the W.M. and more particularly described as follows: beginning  
at a stone with a cross marking the south east corner of said south east quarter  
of the North west quarter and center of section 10, thence north 1,316 feet  
tracing the north and south one-half section line to a point from which a 1/2 inch  
iron pipe bears west 77 feet; thence west 1,120 feet, tracing the north line of  
the south one-half of the north west quarter of said section 10 to a 3/4 inch iron pipe;  
thence south 1,194.5 feet on a line parallel with and 200 feet east of the west line  
of said south east quarter of the north west quarter to a point in the corner of  
the C.C. Knutson County Road from which point a 3/4 inch iron pipe bears north 38.1 feet  
thence south 31 degrees 50 minutes east 172.2 feet, tracing the corner of said  
road, east to a point in the south line of the north one-half of said section 10  
thence east 1,000 feet to the place of beginning, containing 37.87 acres more or less,  
subject to the rights of the public in the C.C. Knutson County Road, as shown on an  
easement from Walter H. Miller and Rebecca H. Miller to Clackamas Flax Growers  
Improve Co. Company of the County of Clackamas, State of Oregon, as shown on a plat  
recorded June 11, 1951 in Book 247 page 300 Deed records

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.394 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Molalla River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 4, 1952

Actual construction work shall begin on or before March 31, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 1st day of March, 1953

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 27520

Permit No.

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of Aug. 19 5:27 at 8 o'clock A. M. Returned to applicant:

Corrected application received:

Approved:

March 31, 1953 of Recorded in book No. 54.

Permits on page 21679

CLAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 52

Fees Paid