

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Frank J. Tetek (Name of applicant) of R1 Box 152 Scappoose (City and address) State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Scappoose Creek (Name of stream), a tributary of Scappoose Creek

2. The amount of water which the applicant intends to apply to beneficial use is 675 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supply, etc.)

4. The point of diversion is located 1080 S. 23° 45' W. F.G.T. ft. (N. or S.) and ft. (E. or W.) from the NW corner of Jessie Miles DC (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary.)

being within the NW 1/4 NW 1/4 of Sec. 3, Tp. 3N (Give smallest legal subdivision) (N. or S.) R. 2W, W. M., in the county of Columbia (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. of Tp. R. W. M., the proposed location being shown throughout on the accompanying map (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction. (Loose rock, brush, etc.) rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 30 gpm 100ft Head (Size and type of pump) Centrifugal 3 H.P. Electric motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 3-33-4M

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3N	2W	13	1/4 NW 1/4	10

Beginning at the Northwest corner of the 1/4 Section 13, Township 3 North, Range 2 West of the Willamette Meridian, Columbia County, Oregon; thence South 20° 56' West on the West line of said Willamette Donation Land Claim 613.24 feet to a point on the North line of Section 13, Township 3 North Range 2 West, being the point of beginning of tract to be described; running thence South 20° 56' West on the West line of said Willamette Donation Land Claim 392.09 feet; thence West 547.92 feet; thence North 100° East 192.11 feet; thence North 159° 24' East 105.12 feet; thence North 10° 14' East 70.72 feet to a point on the West line of said Section 13; thence North 80° 20' East 100 feet to the North line of Section 13, 84.06 feet to the point of beginning, reserving however, for the use of the public, a 25-foot strip along the West side thereof for public use, all in Section 13, Township 3 North Range 2 West of the Willamette Meridian, Columbia County, Oregon.

(If more space required, attach separate sheet)

(a) Character of soil *Clay loam & sandy loam*

(b) Kind of crops raised *Pasture*

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec
(Legal subdivision)

Tp., R., W. M.
(No. N or S) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N or S) (No. E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 700⁰⁰
- 12. Construction work will begin on or before Sept. 1 1952
- 13. Construction work will be completed on or before Sept 1 1953
- 14. The water will be completely applied to the proposed use on or before Sept 1 1953

Frank J. Tutek
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.075 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Scappoose Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer

The priority date of this permit is August 8, 1952

Actual construction work shall begin on or before March 31, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1955

WITNESS my hand this 31st day of March, 1953

Handwritten signature of State Engineer

STATE ENGINEER

Application No. 22537

Permit No. 21694

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of August, 1952, at 10:10 o'clock A.M.

Returned to applicant:

Approved:

March 31, 1953

Recorded in book No. 54 of

Permits on page 21694

CRAS. F. STRICKLIN STATE ENGINEER

Handwritten number 5-16A