

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Johnson Stock Co., of Malin, Klamath County, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Oregon May 18, 1906

1. The source of the proposed appropriation is Hilgore Springs and waste... age from irrigation above... point of diversion

2. The amount of water which the applicant intends to apply to beneficial use is 2.0 + 3.0 + 1.5 cubic feet per second... waste & drainage.

3. The use to which the water is to be applied is irrigation (supplemental)

4. The point of diversion is located 10.0 ft. S. and 12.0 ft. W. from the corner of Sec. 7, T. 1 S., R. 11 E.

(If preferable, give distance and bearing to section corner) being within the 1/4-1/4 of Sec. 7, T. 1 S., R. 11 E., W. M., in the county of Klamath.

5. The main ditch to be 1 1/2 miles in length, terminating in the 1/4-1/4 of Sec. 6, T. 1 S., R. 11 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— none

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 9.0 feet; width on bottom 3.0 feet; depth of water 2.0 feet; grade 0.4 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

8. Location of area to be irrigated, or place of use NE 1/4, NW 1/4, SW 1/4 - Sec. 6, T. 42 S., R. 11 E., W. M.

Township	RANGE E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	WILLAMETTE MERIDIAN			
<u>42 S.</u>	<u>11 E.</u>	<u>6</u>	<u>NE 1/4 - NW 1/4</u>	<u>40.0</u>
			<u>NW 1/4 - NW 1/4</u>	<u>40.0</u>
			<u>SW 1/4 - NW 1/4</u>	<u>40.0</u>
			<u>SE 1/4 - NW 1/4</u>	<u>40.0</u>
			<u>NE 1/4 - SE 1/4</u>	<u>40.0</u>
			<u>NW 1/4 - SE 1/4</u>	<u>40.0</u>
			<u>SW 1/4 - SE 1/4</u>	<u>40.0</u>
				<u>280.0</u>

(If more space required, attach separate sheet)

(a) Character of soil clay loam

(b) Kind of crops raised grain, alfalfa and row crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_  
(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? \_\_\_\_\_  
(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Under numbers 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before April 30, 1953
- 13. Construction work will be completed on or before April 30, 1955
- 14. The water will be completely applied to the proposed use on or before April 30, 1957

Johnson Steel Co.  
(Signature of applicant)

By William J. Hales  
Engineer

Remarks: This application is intended to legalize the use of this water on these lands where it has been used for many years. In filing this application the applicant does not waive or claim any vested rights appurtenant to said lands.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.00 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Kilgore Springs and waste and drainage, being 2.5 cfs. from Kilgore Springs and 2.5 cfs. from waste and drainage. The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water, and shall be still further limited to a diversion of not to exceed 5.00 c.f.s., and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 14, 1952 for 2 cfs.; August 27, 1952 for 3 cfs.

Actual construction work shall begin on or before March 31, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 31st day of March 1953

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 27549  
Permit No. 2674  
PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON  
Division No. District No.  
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of August 1952, at 1:00 o'clock P. M.  
Returned to applicant:  
Corrected application received:  
Approved: March 31, 1953  
Recorded in book No. 54 of Permits on page 21699  
CHAS. E. STRICKLIN STATE ENGINEER  
Drainage Basin No. 14 Page 16-C  
Fees Paid