

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fred K Lyster and Nellie Burton of Sutton Co. Road Tillamook, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek, a tributary of Sutton Creek

2. The amount of water which the applicant intends to apply to beneficial use is .02 cubic feet per second.

3. The use to which the water is to be applied is domestic

4. The point of diversion is located 9/4 ft. E and ft. from the N.W. corner of SW 1/4 SE 1/4 section 12 Twp. 2/S.R. 10.W.W.M. Tillamook, Oregon

being within the W 1/2 SE 1/4 sec of Sec. 12 Twp. 2.S. R. 10.W. W.M., in the county of Tillamook

5. The pipe line to be 1370 ft in length, terminating in the SE 1/4 SW 1/4 of Sec. 12 Twp. R. 10.W. W.M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 ft, length on top 4 ft, length at bottom 4 ft; material to be used and character of construction wood

rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate

(c) If water is to be pumped give general description 1/2 h.p. centrifugal pump electric motor approximately 20 ft

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1370 ft.; size at intake, 1 1/2 in.; size at 270 ft. from intake 1" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? **yes** Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
2.S.	10.W.	12	SE 1/4 SW 1/4	Dom.
2.S.	10.W.	12	NW 1/4 SE 1/4	Dom.
4.S.	10.W.	12	SW 1/4 SE 1/4	
Lyster	SE 1/4 SW 1/4	section 12 Twp. 2.S.R. 10.W.W.M.	Tillamook, Oregon.	
Also	NE 1/4 NW 1/4	" 13 " " " " " "		
Burton	SW 1/4 SE 1/4 and the NW 1/4 SE 1/4	section 12 Twp. 2.S.R. 10.W.W.M.	Tillamook, Ore.	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.020..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ...an unnamed creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 14, 1952

Actual construction work shall begin on or before March 31, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 31st day of March 1953

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 34, Oregon Laws 1933

Application No. 21550

Permit No. 21700

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of August 1952 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1953

Recorded in book No. 54 of

21700

Permits on page

CHAS. E. STRICKLIN
STATE ENGINEER

Drawing Book No. / Page / 8-A

Fee Paid