

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Floyd E. Duncan (Name of applicant) of Rte 2 Sand Lake Box 103 Claver 18 (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed (Name of stream), a tributary of Sand Lake

2. The amount of water which the applicant intends to apply to beneficial use is 0.08 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic including the irrigation of not to exceed 1/2 acre lawn & garden per family (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 375.53 ft. N and 175.16 ft. E from the S.W. corner of Sec. 29, Twp. 3, S. R. 10, W.W.M., Tillamook Co., Ore. (Section or subdivision)

(If preferable, give distances and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 of S.W. 1/4 of Sec. 29, Twp. 3, S. R. 10, W.W.M. in the county of Tillamook (Give smallest legal subdivision)

The Pipe line to be 175 x 10 ft. 20 ft. deep (Main ditch, canal or pipe line) (Miles or feet)

in the path, commencing at the N.W. 1/4 of S.W. 1/4 of Sec. 29, Twp. 3, S. R. 10, W.W.M. (Smallest legal subdivision)

the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

The work consists of a pipe line 175 feet length on top and 20 feet length at bottom

The material to be used and character of construction is 20 ft. deep concrete pipe

The proposed location being shown throughout on the accompanying map

General description of the proposed works

of which the works are contemplated

The proposed works are shown on the accompanying map

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 650 ft.; size at intake, 4 in.; size at 700 ft. from intake 4 to 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 65.7 ft. Is grade uniform? YES Estimated capacity, 0.3 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>3 S</u> WILLAMETTE MERIDIAN	<u>10 W</u>	<u>29</u>	<u>NW 1/4 SW 1/4</u>	<u>dom.</u>
			<u>SW 1/4 SW 1/4</u>	<u>dom.</u>

DESCRIPTION OF PROPERTY ON WHICH DWELLING OF APPLICANT IS LOCATED

Beginning at a point which is north - 1345 feet & east - 1103 feet from the section corner to sections 29, 30, 31, 32, township 3 south R.10 W. W. M. Tillamook county, Oregon thence north 89°45' west 209 feet; thence N-6-55-E, 192 feet; thence S-89-45-E, 253 ft, to the line of the county road, thence south westerly along line of county road to the point of beginning.

Recorded in Volume 85 of deeds on page 67, records of Tillamook County, Oregon.

--	--	--	--

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Heid)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp. R. W. M.

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied 7 11

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.0
- 12. Construction work will begin on or before Sept. 1952
- 13. Construction work will be completed on or before Sept. 1953
- 14. The water will be completely applied to the proposed use on or before Oct. 1953

Floyd E. Duncan
(Signature of applicant)

Remarks: The description of the land on which the various dwellings or occupancies are located, with the exception of Applicants dwelling, is shown on accompanying map and are designated as tracts of the recorded plat known as F. E. Duncan Tracts, records of Tillamook Co., Ore. - A Des. of Applicants dwelling location being a s. slip hereto attached.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream.

The use to which this water is to be applied is domestic, including irrigation, and shall not exceed 1/2 acre lawn and garden per family.

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 4, 1952

Actual construction work shall begin on or before March 31, 1953 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 31st day of March, 1952

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1943

Application No. 27613

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of September, 1952, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

March 31, 1952

Recorded in book No. 21 of

Permits on page 21751

STATE ENGINEER

Drainage Basin No. / Page 2

Fees Paid