

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, William Rufener
(Name of applicant)
of Route #1, Banks,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek
(Name of stream)

, a tributary of East Dairy Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.375
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N or S.) (E or W.)
corner of _____
(Section or subdivision)

S43°E 1980 feet from the north quarter corner of Section 32,
T2N, R3W, W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 32 Tp. 2N
(Give smallest legal subdivision) (N or S.)

R. 3W W. M., in the county of Washington
(E or W.)

5. The pipe line to be 1200'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NE 1/4 of Sec. 32 Tp. 2N
(Smallest legal subdivision) (N or S.)

R. 3W W. M., the proposed location being shown throughout on the accompanying map.
(E or W.)

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____
feet, material to be used and character of construction _____
(Specify type, concrete, masonry)

(Specify length of waterway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" centrifugal pump
15 H-P tractor - portable mounted, total head 150'
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be pumped)

*A different form of application is provided where storage works are contemplated.
**Application for permit to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the
Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,
Oregon.
5-2-43

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 4 in.; size at 600 ft. from intake 3 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? yes Estimated capacity 100 gal per sec. ft. Location of area to be irrigated, or place of use 30 acres

Township North or South	Range E or W of Williams-Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	3W	32	NW 1/4 NE 1/4	10.0
2N	3W	32	SE 1/4 NE 1/4	10.0
2N	3W	32	SW 1/4 NE 1/4	10.0

70 feet on each side of the centerline of the Wolf Creek Highway as said highway has been located over and across or adjacent to the said property, being determined by the said centerline from station 2317/09.7 to station 2320/01, which portion of the centerline is described as follows: Beginning at engineer centerline station 2317/09.7 opposite and 70 feet distant from which point the southwesterly line of the said strip of land intersects the north line of section 32, said point being 55 feet north; thence on a spiral curve left (the long chord of which bears S82°48'30"E 269.99 feet) 270 feet; thence on a 5730 foot radius curve left (the long chord of which bears S53°54'30"E 21.29 feet) 21.3 feet to station 2320/01 opposite and 70 feet distant northeasterly from which station the northeasterly line of the said 140 foot strip of land intersects the south line of the said 60 foot strip south of and parallel to the north line of section 32, containing 0.31 acre, of which 0.10 acre lies within the existing right of way and 0.21 acre lies outside the existing right of way.

(a) Character of soil silty clay loam
 (b) Kind of crops raised pasture, Hay, truck, grain

(c) Total amount of power to be developed horsepower
 (d) Quantity of water to be used for power sec. ft.
 (e) Total fall to be utilized feet.

(f) Nature of the machinery means of which the power is to be developed
 (g) Name of the person or persons to be employed
 (h) Name of the person or persons to be employed

(i) Name of the person or persons to be employed
 (j) Name of the person or persons to be employed
 (k) Name of the person or persons to be employed
 (l) Name of the person or persons to be employed

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500

12. Construction work will begin on or before Sept. 1, 1952

13. Construction work will be completed on or before June 1, 1954

14. The water will be completely applied to the proposed use on or before June 1, 1954

William Rufener
(Signature of applicant)

Remarks: Property Description: (vol. 212, p. 671, Washington County, Oregon, Deed Records) Beginning at a point in the county road 3.25 chains west from the northeast corner of Section 32, T2N, R3W, W.M.; thence West 10.75 chains to the northeast corner of a 40 acre tract now owned by Wade Armentrout; thence South on his east line 19.74 chains; thence S48°W 8.52 chains; thence N47°45'W 18.24 chains; thence North 12.65 chains to the northwest corner of said 40 acre tract in the county road; thence West 1.25 chains; thence South 40.65 chains to the south line of the north one-half of Section 32; thence N89°17'E 31.75 chains; thence North 40 chains to the place of beginning, containing 85 acres. Also a part of Section 32, T2N, R3W, W.M. described as follows: Commencing at the quarter corner between Section 32 and 29 and running thence South 12.65 chains; thence S47°45'E 18.24 chains; thence N48°E 8.52 chains; thence North 19.74 chains; thence West 20.00 chains to the place of beginning, containing 40 acres more or less. Except therefrom 8.16 acre portion conveyed on the 19th day of November 1941 to the State of Oregon, by deed recorded in volume 203, page 655.

Less the following (vol. 203, page 655) Beginning at a point which is engineer station center line 2312 410 opposite and 70 feet dist from which point the southwesterly line of the said strip of land intersects a line which is parallel to a 60 feet distant South of the north line of said Section 32, said point being 2.7 feet south and 129.8 feet west of the northeast corner of the NW 1/4 of Section 32, T2N, R3W, W.M.; thence along the arc of a spiral curve left (the long chord of which is 143°09'15"E 169.68 feet) a distance of 169.7 feet; thence along the arc of a 5000.57 foot radius curve left (the long chord of which is 347°51'E 609.34 feet) 610 feet; thence along the arc of a spiral curve left (the long chord of which spiral bears S347°12'42"E 610 feet) a distance of 640.5 feet to engineer station 2312 437, which is 20 feet distant from which station the said strip of land intersects the center line of said road, more or less.

..... (vol. 149) quarter of Section 32, T2N, R3W, W.M. ...

I hereby certify that I have examined the foregoing application and find that the same complies with the requirements of the law and that the applicant is entitled to the water hereinafter described.

