

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Henry J. Vander Zanden,
of Banks,
State of Oregon,

do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is West Dairy Creek

(Name of stream)

, a tributary of Dairy Creek.

2. The amount of water which the applicant intends to apply to beneficial use is 1.516
cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 567.2 ft. S and 1811.4 ft. W from the NE
(N. or S.) (E. or W.)
corner of Section 36, T2N, R4W, W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW_{1/4} NE_{1/4} of Sec. 36, Tp. 2N,
(Give smallest legal subdivision) (N. or S.)

R. 4 W, W. M., in the county of Washington
(E. or W.)

5. The 6" pipeline
(Main ditch, canal or pipe line) to be 4500'
(Miles or feet)
in length, terminating in the NW_{1/4} SE_{1/4} of Sec. 36, Tp. 2N,
(Smallest legal subdivision) (N. or S.)

R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wastewater over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3"
(Size and type of pump)

Electric 3 horse power 3 inch pump
(Size and type of engine or motor to be used, total head water to be lifted, etc.)
1/2 FT lift

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

21802

Canal System or Pipe Line--

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Yes Estimated capacity, 1.516 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2N	4W	36	NW $\frac{1}{4}$ NE $\frac{1}{4}$	3.0
2N	4W	36	NE $\frac{1}{4}$ NE $\frac{1}{4}$	3.3
2N	4W	36	SE $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
2N	4W	36	NW $\frac{1}{4}$ SE $\frac{1}{4}$	40.0
2N	4W	36	SW $\frac{1}{4}$ NE $\frac{1}{4}$	32.3
Total				121.3

Henry J. Vander Zanden description continued

(vol.283, p.614, Washington County, Oregon, Deed Records)

The northwest quarter of the southeast quarter of Section 36, T2N, R4W, W.M., together with a 30 foot easement lying along the southerly boundary of the real property now owned by the grantors for egress and ingress. (Gates at both ends)

Commencing at the northeast corner of the southeast quarter of Section 36, T2N, R4W, W.M., and running thence South 40 rods; thence West 80 rods to the land of Geo. and Frank Dooley; thence North 30 feet; thence East 80 rods to the place of beginning.

(a) Character of soil silt loam

(b) Kind of crops raised pasture, small crops, clover

Power or Mining Purposes--

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized (Head) feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

(Legal subdivision)

of Sec.

Tp. , R. , W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. , Tp. , R. , W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

In addition to what I have it will cost approx.
^(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000 or a little more

12. Construction work will begin on or before May 5, 1955.

13. Construction work will be completed on or before 1955

14. The water will be completely applied to the proposed use on or before

Henry J. Vander Griend

(Signature of applicant)

Remarks: Property Descriptions: (vol. 235, p. 771, Washington County, Oregon, Deed Records) Beginning at the southwest corner of the NW 1/4 of Section 36, T2N, R4W, W.M., and running thence along the west line of the NE 1/4 of said Section 36 NO°03'E 1483.7 feet more or less to the center of West Dairy Creek; thence following up the center of said creek with all the meanderings thereof in a northeasterly direction 460.0 feet more or less to the junction of said West Dairy Creek with the westerly end of a drainage ditch; thence following center of said ditch N58°04'E 147.0 feet more or less to the center of West Dairy Creek; thence following up the center of said West Dairy Creek with all the meanderings thereof in a northeasterly direction 283.0 feet more or less to the junction of the center of West Dairy Creek with the second drainage ditch; thence following up the center of said ditch N67°29'E 340 feet more or less to the center of West Dairy Creek with all the meanderings thereof in a northeasterly and northerly direction 980 feet more or less to a point on the north line of Section 36, which point bears N89°22'W 422.3 feet from the northeast corner of said section; thence along the section line S08°11'W 268 feet more or less to a point on the section line which is N88°54'W 154.5 feet from the northeast corner of said Section 36; thence on a line parallel with the east line of Section 36 South 825.5 feet; thence N89°11'W 30 feet; thence on a line parallel with the east line of Section 36 South 1338.5 feet to a point on the south line of the northeast quarter of said Section 36, which point bears S07°40'W 184.5 feet from the northeast corner on the east line of Section 36; thence along the south line of the northeast quarter of Section 36 S20°40'W 2458.0 feet to the place of beginning, containing 130.32 acres more or less. Except the following: Beginning at a point on the north line of Section 36, 11.0 feet more or less of the northeast corner of the section; thence S24°31'W 130 feet; then S45°00'W 110 feet; thence N84°54'W 600 feet to the center of West Dairy Creek; thence meandering easterly and northeasterly along said center of creek to the north line of the section; thence S03°11'W on the north section line 66.8 feet more or less to the place of beginning, containing 1.00 acres more or less.

Continued under Item 3

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application together with the accompanying maps and data, and return the same for in 19.....

In order to retain its priority, this application must be returned to the State Engineer with corrections on or before in 19.....

WITNESS my hand this

day of

19.....

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 1.516 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from West Dairy Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 29, 1952

Actual construction work shall begin on or before March 31, 1954 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1955

Complete application of the water to the proposed use shall be made on or before
October 1, 1956.

WITNESS my hand this 31st day of March 1953

Charles E. Kline
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 14, Oregon Laws 1933

Application No. 27692

Permit No. 21802

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 29th day of September
1952, at 8:00 o'clock A.M.
Returned to applicant:

Corrected application received:

Approved:

Date: 31, 1953

Recorded in book No. 21802

Permit on page 21802

C.H.E. No. 21802 STATE ENGINEER

Drainage Basin No. 2 Page 62 A2

Fees Paid