## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

	I,A_C_Lanback
of .	(Mailing address)  (Mailing address)  (Mailing address)
	te of
	owing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is South Umpqua River (Name of stream)
• • • • • • •	, a tributary of
os bi	2. The amount of water which the applicant intends to apply to beneficial use is .19
Cuo	(H water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is
	4. The point of diversion is located 100 ft. 8 and 100 ft. 5 from the
corn	er of Jacob Amsler D. L. C. No 51  (R. or W.)  (Bestion or subdivision)
ė	(Section or subdivision)
•	•
	(If preferable, give distance and bearing to section corner)
hain	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary
oeini	g within the Lot 3 SUND of Sec. 25 Tp. (Give smallest legal subdivision)
<i>R</i>	(E or W.)
	5. The pipeline to be 370 M (Main ditch, canal or pipe line)
in lei	ngth, terminating in the
R	W. M., the proposed location being shown throughout on the accompanying map
	DESCRIPTION OF WORKS
Diver	rsion Works
	6. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction.  (Loose rock, correcte masoury,
rock and	(b) Description of headgate  (Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give general description 3 in onto pumped give
C-24-0	(Size and type of pump)  (Size and type of pump)  (Size and type of engine or motor to be used, total head water in to be lifted, etc.

<sup>\*</sup>A different form of application is provided where storage works are contemplated

			line)	
vacant jees.			•	feet fall per one
(b) At	e e u e de la companie	miles from he	adgate: width on top (at wat	ter line)
	· ·			water feet;
	feet fal			
				in.; size at jt.
				ifference in elevation between
				Estimated capacity,
		,		
	•	irrigated on -1-	ace of use	
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
) s	4	25	Jacob Amsler DLD	
	-	-	Lot 4 3元 184 184 184 184 184 184 184 184 184 184	
district and another section of the section of				
			<b>y</b> half sec. wide an : c	
R 4 W., 1171.8 Thence No. 227 N 0°331	Excription:  M. except Be the along hte state of the stat	That part eginning at the west bound of the to the said right N 14°31'E 1	the NW cor. of said DLG ary of said claim; Ther he westerly right of we t of way line N 18°321, 35.1 ft., S 84°CO'E 11.	C No. 51 in sec. 6 11, 10 10 51; There is 1 1, 10 10 11; There is 1 1, 10 10 10; The is 1 1, 10 10; There is 1 1,
R 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26	Escription:  M. except B. Ct. along ht B. 47°49 E 48; Thence along the section of	That part eginning at eyest bound 9.7 ft. to the new said right with the new along said to 13 lying each	cf the Jacob Amsler DLO the Na cor. of said DLO ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., 3 84°00'E 11, rth line of the aforeca boundary to the place ast of the Dauth Umique	C.No. 51 in sec. 6 11.7 C.No. 51; Thence 1 12.3 at line of the line 12.7 77.1 ft., and 1 1.831 ft., and 1
R 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO Th	Escription:  M. except B. tt. along ht.  M. 47°49 E 48;  Thence along the strength of the section of the sectio	That part eginning at eginning at the west bounds 9.7 ft. to the ng said right N 14°31'E 12 with the nor along said tot 3 Lying and lot 4 of	cf the Jacob Amsler DLO the Na cor. of said DLO ary of said claim; Ther he westerly right of we t of way line N 18°321, 35.1 ft., S 84°00'E 11, rth line of the aforeca boundary to the place	C.No. 51 in meo. 6 11.7. C.No. 51; Thence . 1 2.7. At line of the . 15.2. At ft., and M.1.531
R 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26	Escription:  M. except B. t. along ht. S. 47°49 E 489; Thenes along it 170.7 ft., intersection 6. W. 447.6 ft. at part of LOLC No. 51 ar	That part eginning at eginning at the west bounds 9.7 ft. to the ng said right N 14°31'E 12 with the nor along said tot 3 Lying and lot 4 of	of the Jacob Amsler DLO the N. cor. of said DLO ary of said claim; Ther he westerly right of wa t of way line N 18°321, 35.1 ft., 3 84°CO'E 11. rth line of the aforesa boundary to the place ast of the D with Umpgus sec 25 T 30 D., R 4 J.	C.No. 51 in meo. 6 11.7. C.No. 51; Thence . 1 2.7. At line of the . 15.2. At ft., and M.1.531
N 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The	Excription:  M. except B.  St. along ht.  S 47°49 E 48°  Thence along intersection of the section of soil	That part of the p	of the Jacob Amsler DL6 the Na cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°00'E 11, rth line of the aforeca boundary to the place ast of the Dauth Umique sec 25 T 30 D., R 4 L. equired, attach separate sheet)	C.No. 51 in meo. 6 11.7. C.No. 51; Thence . 1 2.7. At line of the . 15.2. At ft., and M.1.531
N 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac  (b) Kind o	scription:  M. exceptBe ft. along ht s 47°49 E 48 f. Thenes alo i. 170.7 ft., intersection b 447.6 ft. cat part of 10 corp from the soil corp from the soil corp from the soil	That part eginning at eginning at the west bounds 9.7 ft. to the new said right N 14°31'E 12 with the new along said to 13 Lying and Lot 4 of the more space reliver bottom	of the Jacob Amsler DL6 the Na cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°00'E 11, rth line of the aforeca boundary to the place ast of the Dauth Umique sec 25 T 30 D., R 4 L. equired, attach separate sheet)	C.No. 51 in meo. 6 11.7. C.No. 51; Thence . 1 2.7. At line of the . 15.2. At ft., and M.1.531
R 4 W., 1171.8 Thence No. 227 N 0°331 to its N 89°26 ALSO The of said  (a) Charac (b) Kind of	scription:  M. exceptBe ft. along ht s 47°49 E 48 f. Thenes alo i. 170.7 ft., intersection b 447.6 ft. cat part of 10 corp from the soil corp from the soil corp from the soil	That part eginning at eginning at eyest bounds 9.7 ft. to the normal said right with the normal along said to 13 lying early of 10 the more space religious potton rasture and	of the Jacob Amsler DLO the NA cor. of said DLO ary of said claim; There he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°CO'E 11, rth line of the aforeca boundary to the place ast of the Duth Umpqua sec 25 T 30 D., R 4 A. equired, attach separate sheet) loam	C.No. 51 in meo. 6 11.7. C.No. 51; Thence . 1 2.7. At line of the . 15.2. At ft., and M.1.531
N 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac  (b) Kind of the company of t	scription:  M. except B.  ft. along ht.  S 47°49 E 48.  Thence along in 170.7 ft.,  intersection of the section of crops raised  Purposes—	That part eginning at eginning at eyest bounds 9.7 ft. to the new said right N 14°31'E 12 with the new along said to t 3 Lying early of the more space reliver bottom pasture and the said wer to be developed.	of the Jacob Amsler DLO the N. cor. of said DLO ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., 3 84°001E 11, rth line of the aforesa boundary to the place ast of the Douth Umague sec 25 T 30 D., R 4 L. equired, attach separate sheet) loam id Corage  loped	C. No. 51 in one. 6 11.  C. No. 51; Thence 11.  A line of the 116 10.  77.1 ft., 2nd 11.311 77.  It egivels.  A liverand inverted.
R 4 W., 1171.8 Thence Ho. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac  (b) Kind of the continuing 9. (a) Tot  (b) Que	The except Be to along hte state of the soil of crops raised property of posts and amount of posts and amount of posts and amount of posts and posts and amount of pos	That part eginning at e west bounds 9.7 ft. to the ng said right N 14°31'E 11 with the nor along said hot 3 Lying as nd Lot 4 of the more space re liver bottom rasture and over to be devel to be used for p	of the Jacob Amsler DL6 the NL cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., 3 84°00'E 11, rth line of the aforeca boundary to the place ast of the Dluth Umique sec 25 T 30 D., R 4 L. equired, attach separate sheet) loam of lorage	C. No. 51 in mero, 6 117.  C. No. 51; Thence . 1 2.  ne. N. 5060911 .13.3 ft;  77.1 ft., N. 15037  ft., and N. 1.5317  Mid Middle . 51; income  a diversal investment  1
N 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac  (b) Kind of the control of t	Thenes along the state of soil of crops raised amount of possible along the state of the state o	That part of the p	of the Jacob Amsler DLO the N. cor. of said DLO ary of said claim; There he westerly right of wa t of way line N 18°321, 35.1 ft., 3 84°CO'E 11. rth line of the aforesa boundary to the place ast of the Douth Umagua sec 25 T 30 D., R 4 A. equired, attach separate sheet) Loam d Corage	C. No. 51 in sec. filly C. No. 51; Thence of the A 15000011 10.0 ft; A line of the 115001 77.1 ft., and 115001 16 bit for fl; from a 16 entrolog.  C. No. 1500001 16 bit for fl; from a 16 entrolog.  C. S.
R 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac  (b) Kind of the control of t	Thenes along the state of soil of crops raised amount of possible along the state of the state o	That part of the p	of the Jacob Amsler DL6 the NL cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321; 35.1 ft., 3 84°00'E 11; rth line of the aforeca boundary to the place ast of the DLUth Umique sec 25 T 30 D., R 4 L. equired, attach separate sheet) loam of lorage  loped  lower sec	C. No. 51 in sec. filly C. No. 51; Thence of the A 15000011 10.0 ft; A line of the 115001 77.1 ft., and 115001 16 bit for fl; from a 16 entrolog.  C. No. 1500001 16 bit for fl; from a 16 entrolog.  C. S.
R 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac (b) Kind of wer or Mining 9. (a) Tot (b) Que (c) Tot (d) The	Thenes along the state of soil of crops raised amount of possible along the state of the state o	That part of the p	of the Jacob Amsler DL6 the Na cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°CO'E 11, rth line of the aforeca boundary to the place ast of the Dauth Umpore sec 25 T 30 D., R 4 A. equired strach separate sheet) loam id lorage  loped  ower feet.  Head  of which the power is to be	C. No. 51 in sec. filly C. No. 51; Thence of the A 15000011 10.0 ft; A line of the 115001 77.1 ft., and 115001 16 bit for fl; from a 16 entrolog.  C. No. 1500001 16 bit for fl; from a 16 entrolog.  C. S.
R 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac  (b) Kind of wer or Mining 9. (a) Tot  (b) Que  (c) Tot  (d) The	M. except Be ft. along hte state of the soil of crops raised Purposes—al amount of positive of the utility of water that fall to be utility on atture of the works to be loss.	That part of the p	of the Jacob Amsler DL6 the Na cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°00'E 11, rth line of the aforece boundary to the place ast of the Duth Umpara sec 25 T 30 D., R 4 A. equired stach separate sheet) loam id forage  loped  (Regal subdivision)	C. No. 51 in sec. 6 11.  C. No. 51; Thence 11.  A fine of the 11.6 1.7.  77.1 ft., and 11.311 77.  A liverand interior 1.  C. No. 6.
R 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac (b) Kind of wer or Mining 9. (a) Tot (b) Que (c) Tot (d) The	M. except B. It. along ht. along ht. It. along ht. It. Thenes along the state of th	That part eginning at e west bounds 9.7 ft. to the ng said right N 14°31'E 11 with the nor along said hot 3 lying ea nd lot 4 of the more space re iver bottom rasture an over to be devel to be used for p lized vorks by means ocated in corw.)	of the Jacob Amsler DL6 the Na cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°00'E 11, rth line of the aforece boundary to the place ast of the Dauth Umpque sec 25 T 30 D., R 4 L. equired, attach separate sheet) loam id Corage  loped  of which the power is to be  (Resal subdivision)	C. No. 51 in sec. 6 11.  C. No. 51; Thence 11.  A fine of the 11.6 1.7.  77.1 ft., and 11.311 77.  A liverand interior 1.  C. No. 6.
(a) Charace (b) Kind of said (c) Tot (d) The (e) Suc	M. except B. It. along ht. S. 47°49 E 48° Thenes along in 170.7 ft., intersection in 1447.6 ft. at part of the DLC No 51 arcter of soil of crops raised. Purposes—al amount of posantity of water to be utilized at the section of the works to be lower to be returned.	That part of the p	of the Jacob Amsler DL6 the Na cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°00'E 11, rth line of the aforece boundary to the place ast of the Bouth Umique sec 25 T 30 D., R 4 L. equired, attach separate sheet)  loam d forage  loped  (Regal subdivision)  (Legal subdivision)	C. No. 51 in sec. 6 11.  C. No. 51; Thence 11.  A fine of the 11.6 1.7.  77.1 ft., and 11.311 77.  A liverand interior 1.  C. No. 6.
M 4 W., 1171.8 Thence No. 227 N 0°33' to its N 89°26 ALSO The of said  (a) Charac (b) Kind of wer or Mining 9. (a) Tot (b) Que (c) Tot (d) The  (e) Suc	Excription:  M. except B.  It. along ht.  It. 47°49 E 48  It. 170.7 ft.,  Intersection  It. 447.6 ft.  Intersection	That part of the p	of the Jacob Amsler DL6 the Na cor. of said DL6 ary of said claim; Then he westerly right of wa t of way line N 18°321, 35.1 ft., S 84°00'E 11, rth line of the aforece boundary to the place ast of the Bouth Umique sec 25 T 30 D., R 4 L. equired, attach separate sheet)  loam d forage  loped  (Regal subdivision)  (Legal subdivision)	C. No. 51 in sec. 6 11.  C. No. 51; Thence 11.  A fine of the 11.6 1.7.  77.1 ft., and 11.311 77.  A liverand interior 1.  C. No. 6.

(i) The nature of the mines to be served

21	85
A (a) To marks the new contract to the contrac	
and an estimated population of	
(b) If for domestic use state number of families to be supplied	
(Amount of June 20 of Supplied	• • • • • • • • • • • • • • • • • • • •
11. Estimated cost of proposed works, \$_3.000,00	
12. Construction work will begin on or before	
13. Construction work will be completed on or before October 1 1954	
14. The water will be completely applied to the proposed use on or beforeOctober 1	
October 1	1954
a.C. Laubach	
Remarks: Note: This application was prepared from information	
obtained during a survey made by this office 1930.	
Bena 3. I ving	
County Surveyor	
•	-
en de la companya de La companya de la companya del companya de la companya de la companya del companya de la companya del la companya de la	
en e	
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoing application, together with the accompanyi	na
maps and data, and return the same for	<u>.</u>
In order to retain its priority, this application must be returned to the State Engineer, with corre	· ·c-
tions on or before .19	
WITNESS my hand this day of . 19	

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same,

T	he right herein	granted	l ie li	mited	to th	LE C1	nount	of u	pater	which d	an b	e apı				
_	I not exceed or its equivalen		•								_		-		-	he
	<u> </u>													WSAthe	X.99A	-
T	re use to which															
•••••		***************************************	••••••													
If	for irrigation, t	his app	roprie							L/80						er
second .	or its equiv	alent	for	each	acre	ir	riga	ted	and s	shall 1	oe fi	irth	er l	imite	d to a	
divers	ion of not t	o exce	ed 2	acr	e fe	et	per	acre	for	<b>ශ</b> ුදුරු ;	acre.	irr	igat	ed du	ring th	.e.
irrigat	tion season	of eac	h.ye	er,	• • • • • • • • • • • • • • • • • • • •	· <b></b> · · · · · · ·	· · · · <del>- • · · · • •</del>				· · · · · · • • • • • • • • • • • • • •	• • • • • • •	••••			
• • • • • • • • • • • • • • • • • • • •																
	*** * **** * * * * * * * * * * * * * * *		••	••••					· · · · · · · • • • • · · · · · · · · ·							
			•••••	•••••				<b></b>								
• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·			*	. <b></b>	•••	<b></b>	<b>.</b>								
•••••				••••	• • • • • • · · · · •	<b></b>		· · • • • • • • • • • • • • • • • • • •	*****							
and shal	l be subject to s													state o	fficer.	
	ne priority date					_			_		_	-	•		••	
	ctual constructi		_												<b>and</b> sh	all
	er be prosecute											ore .				
	r 1, 1955										, .					
	mplete applica	tion of	the u	nater i	o the	P THE	 ດ <del>ກ</del> ດຮ <i>ອ</i> ເ	i use	shall	he mad	le on	o <del>r</del> he	fore			
	r 1, 1956	ition of	ine u	Jule: (	.0 1711	e pr	орозеч	i use	3/1411	oe mada	ie on	01 0	:,016			
	ITNESS my ha	nd this	20	 th			 . £		Mag	-			<b>a</b> E >			
**	IINESS my na	nu inis	• 2	(41	0	lay (	ود اگر						9 53. 		<i>.</i>	
Par	mits for names days.			4 4- 41				. خدد د	ئەسىمى) يىز	خ. استخدمت دورون دورها		ئـــــا ام			ENGINEER	
rei	mits for power devel	opment are	e Bubjec	n to the	payme	ent of	annuai	fees as	provid	ed in sect	ionas 1 a	ind 1,	chapte	t 76, Oτe	gon Laws H	133.
ħ		v - 1	•	~~	•	41		:				fo				
	(3		in th	regor		-   -   -						0		VEER	, <del>1</del>	
	BLIC		ped i	'n, O	<u></u>	Z.		:						ENGE	3	
2 7	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	District No.	eceir	Saler	9.90			:				<b>.</b> =	<b>10</b>	STATE ENGINEER	Page 5∟	
21854	THE ON S	stric	rst r	r at :	10,00	7		:	ved:			T,	2185	NITS	7	
3 F	TE	Di	as fi	ineer	2	lock		:	recei		1953	ر. و	2	STRICKLIN	j	
n Nc	PERMIT PPRIATE THE RS OF THE OF OREGOI		nt w	Eng	o fu	> o'c	cant:	:	tion 1			ok N		- 1	. c	
Application No. 2775 6 Permit No. 21854	PROF		ите	state ,	d V	00	pplic	:	Jicai	•	May 29,	in bo	age .	is i	18in No. 15.00	
ppli erm	APF	No.	instr	the S	ر جر	9	l to a	:	da p	**i	1	ded	d uo	CHAS.	Bas	
, P	TO	Decession No.	This instrument was first received in the	office of the State Engineer at Salem, Oregon	on the 21.5t day of Uctober	1952, at 8.00. o'clock A	Returned to applicant:	;	Corrected application received:	Approved:		Recorded in book No.	Permits on page	)	Drainage Basin No. Fees Paid 15.00	
<u>{</u>		Dem	I	offic	on ti	3	Retu		Corr	Аррі		R	Pern		Drai Fees	ı

Application No. 2773