

Permit No. 21873

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, George E. Grier, of Harlan, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Yamhill River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .0500 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 1100' ft. S and 2060' ft. W from the NE corner of 35: T; 5S

being within the NW 1/4 of the NE 1/4 of Sec. 35, Tp. 5 S, R. 6 W, W. M., in the county of Yamhill

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map

DESCRIPTION OF WORKS

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ... (b) Description of headgate ... (c) If water is to be pumped give general description S.N.P. Electric

\*A different form of application is provided where storage works are contemplated \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 18 ft ft.; size at intake, 2 1/2 in.; size at 2 ft. from intake 6 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 15 ft ft. Is grade uniform? Yes Estimated capacity, 130 gal per min sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	6 W	35	NW 1/4 of the NE 1/4	2 Ac.
"	"	"	SW 1/4 of the NE 1/4	3 Ac.
Total to be Irrigated				5 Acres
Legal description from Abstract				

Being a part of the Charles B. Graves Donation Land Claim, Claim No. 57, Notification No. 5239, in Township 5 South, Range 6 West of the Willamette Meridian, in Yamhill County, Oregon, and said part being more particularly described as Beginning at an iron pin set 72 links north and 4.10 chains East of the North East corner of Block No. 1 in Addition to South Sheridan, Yamhill County, Oregon, and running South 70 1/4° East 7.57 chains; thence North 1° W. 9.95 chains to North line of said Donation Land Claim; thence North 77° West 7.32 chains; thence North 32° East 9.26 chains to the place of beginning, containing 5 acres, more or less.

(If more space required, attach separate sheet)

(a) Character of soil Chehalis Silty Clay Loam

(b) Kind of crops raised Garden and Alfalfa

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec

(Legal subdivision)

Tp. ...., R. ...., W. M.

(No N or S)

(No E or W)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. ...., Tp. ...., R. ...., W. M.

(No N or S)

(No E or W)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 700<sup>00</sup>
- 12. Construction work will begin on or before June 1953
- 13. Construction work will be completed on or before 1955
- 14. The water will be completely applied to the proposed use on or before 6<sup>th</sup> 1955

George E. Crisp  
(Signature of applicant)

Remarks: I will leave about 5 acres to be irrigated three or four times during the summer would use about a 5 H.P. Electric Motor 2 1/2" intake 2" outlet. would use about 5 or 6 sprinklers. about 700 feet pipe. about 10 gal water per sprinkler per minute

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Yamhill River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.05 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 17, 1953

Actual construction work shall begin on or before May 29, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 29th day of May 1953

Chas. E. Stricklin
STATE ENGINEER

Application No. 27786

Permit No. 21873

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of February 1953, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 29, 1953

Recorded in book No. 54 of

Permits on page 21873

CHAS. E. STRICKLIN STATE ENGINEER