

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, RALPH TAGGART of 1728 Evergreen Street, Walla Walla State of Washington, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Grande Ronde River, a tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 4 cubic feet per second.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 600 ft. West and 400 ft. North from the S.E. corner of NE 1/4 of SW 1/4 of Section 31, Tp. 2 S R. 39 E. W. M., and will be moved to different points as required along the stream to the east boundary of land

being within the NE 1/4 SW 1/4 and N 1/2 SE 1/4 of Sec. 31, Tp. 2 South R. 39 E, W. M., in the county of County

5. The pipe line to be 3/4 miles in length, terminating in the NE 1/4 NW 1/4 and N 1/2 NE 1/4 of Sec. 31, Tp. 2 S. R. 39 East W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description centrifugal pump with capacity of 600 gallons to 1200 gallons per minute maximum use

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... 3940 ... ft.; size at intake, ... 6 ... in.; size at ... ft. from intake ... in.; size at place of use ... 4 ... in.; difference in elevation between intake and place of use, ... small ... ft. Is grade uniform? ... Yes ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township (WILLAMETTE), Range (MERIDIAN), Section (31), Forty-acre Tract (NE 1/4 NE 1/4, SW 1/4 NE 1/4, SE 1/4 NE 1/4, NE 1/4 SW 1/4, NW 1/4 SE 1/4, NE 1/4 SE 1/4), and Number Acres To Be Irrigated (40, 40, 40, 21.22, 40, 40, 221.22). Includes a row for 'I am the owner of land as above described'.

(If more space required, attach separate sheet)

(a) Character of soil ... sandy loam

(b) Kind of crops raised ... grass, grain, peas

Power or Mining Purposes

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized ... feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. (Legal subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? ... (Yes or No)

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application for Domestic Use

10. (a) To supply

County, having a present population of _____ and an estimated population of _____ in 1953.

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 10,000.00
- 12. Construction work will begin on or before one year
- 13. Construction work will be completed on or before five years
- 14. The water will be completely applied to the proposed use on or before six years

Ralph J. Jorgensen
(Signature of applicant)

1728 Evergreen St. Walla Walla, Wash.

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 28, 1953

WITNESS my hand this 27th day of July, 1953.

CHAS. E. STRICKLIN

STATE ENGINEER

By *Robert D. Best*
Robert D. Best, Assistant

PERMIT

STATE OF OREGON,)

County of Marion,) ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Granda Ronde River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 4.0 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper authorities.

The priority date of this permit is November 13, 1952

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before Oct. 1, 1956.

WITNESS my hand this 21st day of August, 1953.

Charles E. Stricklin STATE ENGINEER

Application No. 27825

Permit No. 21886

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of November 1952 at 1:00 o'clock P. M.

Return to applicant:

Approved:

August 21, 1953

Recorded in book No. 55 of

Permits on page 21886

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 8 Page 12

Fees Paid \$31.60