e Public Waters of the State of Oregon

| 1. Wm B & Bob by plateh |
|--|
| Change of contract |
| of Eagle Paint |
| State of Oca goo do hereby make application for a permit to appropriate the |
| following described public unities of the State of Oregon, SUBJECT TO EXISTING RIGHTS: |
| If the applicant is a corporation, give date and place of incorporation |
| |
| - I aliant to ladia a line to Dia Ci |
| 1. The source of the proposed appropriation is Indian Circle Conservation of street, |
| Bear Guld & Storage Roservoir, & tributary of Logue River |
| 2. The emount of water which the applicant intends to apply to beneficial use is |
| cubic feet per second. Since these creeks they only during storen de |
| cubic feet per second. Since these creations by the control of the |
| (Drigation, Nower, mining, manufacturing, domestic supplies, etc.) |
| 4. The point of diversion is located ft and ft from the |
| 4. The point of diversion is located ft and ft from the from the |
| corner of (Bection or subdivision) indian Cr 55651 W 3080 fet from the |
| g. |
| Dyer Cr N 88 45 W 2200 fort treat the May 30 10 |
| (If preferable, give distance and bearing to section corner) |
| (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) |
| being within the of Sec. /E, Tp |
| R. 1 = W.M., in the county of Lackies |
| 5. The (Main ditch, canal or pipe line) to be 3 (Miles or feet) |
| |
| in length, terminating in the YV//4 NW/4 of Sec. 4, Tp. Nors |
| R. W. M., the proposed location being shown throughout on the accompanying map. |
| DESCRIPTION OF WORKS |
| Diversion Works— 6. (a) Height of dam |
| • |
| feet; material to be used and character of construction (Loose rock, concrete masonry |
| rock and brush, timber crib, etc., wasteway over or around dam) |
| (b) Description of headgate |
| |
| (c) If water is to be pumped give general description (Size and type of pump) |
| (Size and type of pump) |
| (Size and type of engine or motor to be used, total head water is to be lifted etc.) |

| | Canal System or Figs. Line. 2. (a) Give dimensions at each point of conal where materially changed in size, stating miles headquis. At headquis: width on top (at water line) | | | | | | | |
|---------|--|---|----------------|---|--|--|--|--|
| | | | | | | | | |
| el | | | | | | | | |
| | | | | | | | | |
| • | | | | | | | | |
| . 97 | | | | | | | | |
| 4- | | | | | | | | |
| | | • | | of usein.; diff Is grade uniform? | | | | |
| | | sec. ft. | | lace of use Sec 2 //a | | | | |
| - | Township Hurth or Booth | Benge E. er W. ef Wilmente Medica | Section | Party-eare Treet | Number Acres To Be Irri | | | |
| | 34 South | 1 East | 20 | SW/4 NE/4 | | | | |
| | , | | - | - SE //4 " | - 5° | | | |
| | 4 | | | 152 SE/2 | 1.5 | | | |
| | | , | | NW/2 " | 30 | | | |
| | | | • | - SW'4 " | 75 | | | |
| - | | | | NE' SWIA | | | | |
| _ | | | | N W/2 " | 15 | | | |
| | | | | - 30/2 | | | | |
| _ | | | ,. | SE14 | 3, | | | |
| | | | | 50 1/2 W/VE | | | | |
| | | | | | | | | |
| - | | | (If more space | ued under Remarks required, attach separate sheet) | And the second s | | | |
| | | | | er Alfalta - | | | | |
| P | ower or Mining | | I | <u> </u> | ······································ | | | |
| | 9. (a) Total amount of power to be developed theoretical horse | | | | | | | |
| | (b) Quantity of water to be used for powersec. ft. | | | | | | | |
| | (c) Total fall to be utilized feet. | | | | | | | |
| | (d) The | e nature of the u | vorks by mea | ns of which the power is to be d | eveloped | | | |
| | | | | | | | | |
| | (e) Suc | h works to be lo _ | cated in | (Legal subdivision) | of Sec. | | | |
| 7 | p(No. N. or 8. | , R. (No. E | , W.] | M. | | | | |
| | | | | (Yee or No) | | | | |
| | (9) 1) 3 | o, name stream | ana tocate p | oint of return | | | | |

÷

| municipal to Demostic | | | | | |
|---------------------------------------|---------------------------------------|--------------|------------------|---|--|
| | Control | | | w of | |
| | | | 4 | • | ng kalagana daa sadaa sa qala saqaa aana gaasaa yaasaa aana sa - 1 |
| · · · · · · · · · · · · · · · · · · · | | | | | |
| | | | | | Andreas and the second and the secon |
| 11. Belienstell is | | | | <u> </u> | 8 22 |
| 12. Construction | | | | of Par | ens t |
| 18. Construction | work will be | outpleted o | s or before | Year foll | zwiry. |
| 14. The water w | II be complete | y applied to | the proposed | use on or before | Zyaza filozo |
| dote of | permit | | | | ************************** |
| | | | | | algely, |
| Remarks | • • • • • • • • • • • • • • • • • • • | 4 4 | | 1 | Talal |
| -45 | W | 24 | -5h1/4 | 5E/1 | 18 . |
| | | , 41 | -5E/4 | 5w /a | 16 . |
| | | " | -5W/4 | 5W/2 | 24 |
| • | • | /1 | -NW/4 | , | 37 |
| •••• | •• | . • | -NE 14 | • | 33 |
| • | | | | NIN /2 | |
| • | ,• | • • | -5W/4 | NW 2 | |
| • • | | | | | 11 752 |
| S 12 00 4 | | | | • | |
| 10 | otion E | 0. | | المحار المحارف المحارف | |
| Tree ready | -17 4 Ca | . 32 | | | |
| | | | | | ÷ |
| | ٠.٠٠ | | | | |
| | 1. 2.7 6 | | | £. | |
| */*/ | | | , | | • |
| · · · · · · · · · · · · · · · · · · · | | | <i>*</i> | 4 | . |
| STATE OF OREGON County of Marion, | | | | | |
| , |) . sb.a. 7 % | | | | |
| maps and data, and ret | | | | vication, togethe | r with the accompanying |
| | | | | | |
| 4. | | | | | ate Engineer, with correc- |
| · | | | • | | 10 |
| | | | , v j | | |
| | | | **************** | **** ********************************** | STATE ENGINEER |

This is to certify that I have exemined the foregoing explication and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right hereta granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 115000 2054. Below feet purchased measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Indian Lake Reservoir to be constructed under Application No. R-26790, Permit No. R-1459. The use to which this water is to be applied is ______irrigation a diversion of 42 acre feet would or its equivalent for each acre irrigated ... during the irrigation season of each year and shall be further limited to a total diversion of not to exceed 1150.0 acre feet per and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is January 18, 1952 Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955. Complete application of the water to the proposed use shall be made on or before October 1. 1956 WITNESS my hand this 30th day of June eceived in the

> State Printing 86240 2424

Application No. 2:6.7.5 Permit No. 2192 PERMIT

TO APPROPRIATE THE

WATERS OF THE ST OF OREGON

office of the State Engineer at Salem, Oregon This instrument was first r

on the 18 day of JOM. 1952, at 8.00 o'clock

Returned to applicant:

June 30, 18

Approved:

Recorded in book No. Permits on page

CHAS. E. STRIC