

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

Ira E. and Marie Oren

(Name of applicant)

of 1736 Kane Street, Klamath Falls,

(City and county)

State of OREGON

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Blue Springs

(Name of stream)

a tributary of Seven Mile Creek & Klamath Lake

2. The amount of water which the applicant intends to apply to beneficial use is 1.04

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is supplemental irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 150 ft. N. and 0 ft. E. from the SW corner of NW 1/4-SW 1/4 of Sec. 24, T. 33 S., R. 6 E., W. M. at the head of the

(N. or S.)

(E. or W.)

(Section or subdivision)

Blue Springs Ditch as now located and constructed.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4-SW 1/4 of Sec. 24, Tp. 33 S.,

(Give smallest legal subdivision)

(N. or S.)

R. 6 E., W. M., in the county of Klamath,

(E. or W.)

5. The Main Ditch to be 3.5 miles

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the NW 1/4-SW 1/4 of Sec. 32, Tp. 33 S.,

(Smallest legal subdivision)

(N. or S.)

R. 7 1/2 E., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— Blue Springs Ditch Head Works as now constructed.

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water to be lifted, etc)

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line— Blue Springs Ditch as the same is now located and constructed.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? sec. ft.

Estimated capacity, $E\frac{1}{2}$ - $SW\frac{1}{4}$ and $W\frac{1}{2}$ - $SE\frac{1}{4}$, excepting a strip 360 feet in width East & West, along West side of Section 32, T. 33 S.,

8. Location of area to be irrigated, or place of use R. $7\frac{1}{2}$ E., T. 33 S., W. M.

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE MERIDIAN				
33 S.	$7\frac{1}{2}$ E.	32	$NW\frac{1}{4}$ - $SW\frac{1}{4}$	28.4 ✓
			$SW\frac{1}{4}$ - $SW\frac{1}{4}$	29.1
			$SE\frac{1}{4}$ - $SW\frac{1}{4}$	24.5
			$NE\frac{1}{4}$ - $SW\frac{1}{4}$	1.2 ✓
				83.2

(If more space required, attach separate sheet)

(a) Character of soil ... Sandy Loam
 (b) Kind of crops raised ... Grasses and Grains

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec

Tp., R., W. M.

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed works, \$ _____ Works Constructed.
- 12. Construction work will begin on or before _____ Works Constructed.
- 13. Construction work will be completed on or before _____ Works Constructed.
- 14. The water will be completely applied to the proposed use on or before _____ Lands now irrigated.

Ira F. Orem
Marie H. Orem

Remarks: This supplemental right will allow of delivering water to the lands with less difficulty than from Anna Creek from which lands now have a right. These lands have been irrigated through the Blue Springs ditch for many years and plenty of water is available from that source.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Blue Springs

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/50 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 5 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein, and shall be still further limited to a diversion of not to exceed 1.04 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1952

Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 30th day of June 19 53.

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1932.

Application No. 2696A

Permit No. 21928

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13 day of March 1952, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1953

Recorded in book No. 55 of

Permits on page

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 7 Page 8

Fees Paid 22.95