

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, L. W. Solomon, of Quincy, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring, a tributary of Beaver Creek.

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

3. The use to which the water is to be applied is Domestic use in a Grange Hall G.W.S.

4. The point of diversion is located 676.9 ft. S and 117.4 ft. W from the E. 1/4 corner of Section 34, T. 2 N., R. 4 W., W. 1/2 N.

being within the NE 1/4 of SE 1/4 of Sec. 34, Tp. 9 N., R. 4 W., W. M., in the county of Columbia.

5. The Pipe line to be 59° 32' E - 535' + 57° 50' E - 170' in length, terminating in the NE 1/4 of SE 1/4 of Sec. 34, Tp. 9 N., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ...

(b) Description of headgate ...

(c) If water is to be pumped give general description 1/2 HP Elec Motor ...

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission.

Canal/Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 705 ft.; size at intake, 1 1/4" in.; size at 5 ft. from intake 3/4" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 1.5 ft. Is grade uniform? Yes Estimated capacity, 0.01 sec. ft.

8. Location of area to be irrigated, or place of use NE 1/4 of SE 1/4 of Sec 34

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Beginning at the point of intersection of the Easterly boundary line of the Mayger-Quincy County Road and the North line of the Southeast Quarter of the Southeast Quarter of Section 34, Township 8 North, of Range 4 West of the Willamette Meridian; thence East on the North line of the Southeast Quarter of the Southeast Quarter of said Section 34 a distance of 460 feet; thence North 31° 38' West 250 feet to a point; thence West and parallel with the North line of the Southeast Quarter of the Southeast Quarter of said section 34 to the Easterly boundary line of the Mayger-Quincy County Road; thence Southeasterly on the Easterly line of said road to the point of beginning, EXCEPTING THEREFROM the following described parcel of land:- Beginning at the Southwest corner of said above described tract of land and running Easterly on the Southerly line of said tract--104.5 feet to a point; thence Northerly and parallel with the Westerly line of said tract;--104.5 feet to a point; thence running Westerly to the Westerly line of said tract to a point that is 100 feet Northerly from the point of beginning; thence Southerly on said West 100 feet to the point of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

Sec.

Tp.

R.

W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied 22 at Grange Hall
(Answer questions 11, 12, 13, and 14 in all cases) J.W.S.

- 11. Estimated cost of proposed works, \$ 150
- 12. Construction work will begin on or before June 1st, 1952
- 13. Construction work will be completed on or before Dec 31st, 1952
- 14. The water will be completely applied to the proposed use on or before Dec 31st, 1952

L.W. Solomon
(Signature of applicant)

Remarks:

Beginning at a point on the East line of the Mayger-Quincy County Road which is the Northwest corner of that tract of land conveyed by Emilie J. Erickson to L. W. Solomon by deed dated September 25, 1946, and recorded in Book 88 at page 590, Deed Records of Columbia County, Oregon, and from said point of beginning running Easterly on the North line of said Solomon tract 460 feet to the Northeast corner of said tract; thence running North 31°38' West 100 feet to a point; thence West-erly to a point on the East line of said county road which is 100 feet Northerly from the place of beginning; thence Southerly along the East line of said county road to the place of beginning, and all being in Section 34, Township 2 North, Range 4 West of the Willamette Meridian.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with correc-tions on or before _____, 19____.

WITNESS my hand this _____ day of April, 19____.

Ed. Humphrey
STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is Domestic and use in grange hall

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 27, 1952

Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 30th day of June 19 53

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 27246
Permit No. 21933

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of May 1952, at 8:00 o'clock A. M.

Returned to applicant:

April 2, 1953

Corrected application received:

Approved:

June 30, 1953 of

Recorded in book No. 55

Permits on page 21933

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. / Page 1/1

Fees Paid 20.00