

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, School Dist. #9C Coos County, Ore. Mill... of P.O. Box 509 Coos Bay, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a Spring, a tributary of Millicona River

2. The amount of water which the applicant intends to apply to beneficial use is 6.0 cubic feet per second.

**3. The use to which the water is to be applied is domestic supplies

4. The point of diversion is located 2500 ft. and 33 ft. from the corner of Section 5, T. 3 S., R. 7 E., Township 3 S., Range 7 E., being within the 1/4 of Sec. 5, Tp. 3 S., R. 7 E., in the county of Coos

5. The Pipe line to be 1/2 mile in length, terminating in the 1/4 of Sec. 5, Tp. 3 S., R. 7 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description ... By letter October 15, 1950 a catch basin which has a capacity of four gallons per minute. The spring is 250 ft from the storage tank. The storage tank is then located 600 ft from the school building. A pump has been installed in the catch basin, capacity 4 gal/min. through 2" gal pipe.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
25 South	11 W	8	Govt lot 12	-----
<p>Beginning at a point on the Northwesterly boundary of the right of way of the Coos River Secondary State Highway through lot 13 of Section 8, Township 25 South, Range 11 W.M., from which point the iron pipe at the Northwest corner of said section 8 bears N 66°-03½'W a distance of 2671.0 feet;— thence N35°-21'E a distance of 7.33 feet to an iron pipe; thence continuing N35°-21'E a distance of 313.07 feet to an iron pipe, thence S89°-05'E for a distance of 278.05' to an iron pipe on the appx. Southwesterly boundary of said highway right of way; thence following along the right of way as follows; S36°-33'E a distance of 516.85' to the point of beginning of a curve to the right of 161.0 foot radius; thence along said curve thru a central angle of 158°-38' for a distance of 445.72 feet; thence N57°-55'W for a distance of 230.36 feet to the point of beginning of a curve to the right of 1402.50 foot radius; thence along said curve thru a central angle of 5°-14' for a distance of 128.09 feet; thence N52°-39'W for a distance of 321.89 feet to the point of beginning.</p> <p>Containing 7.24 acres more or less and being a portion of lots 11, 12, and 13 in Section 8, Township 25 South, Range 11 W.M.</p>				

(If more space required attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized Head feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp. (No. N. or S.) R. (No. E. or W.) W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. (No. N. or S.) R. (No. E. or W.) W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of School Dist 9C
Coos County, having a present population of subject building covers
four classrooms
and an estimated population of of pupils. in 19

(b) If for domestic use state number of families to be supplied By letter Jan 8, 1953
120 SEAT SCHOOL

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000
- 12. Construction work will begin on or before July 10 1952
- 13. Construction work will be completed on or before Aug 10 1952
- 14. The water will be completely applied to the proposed use on or before Aug 25 1952

School Dist 9C Coos County
(Signature of Applicant)
M. W. Winslow Clerk Coos Bay

Remarks: Water to be used for supplying
new school.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is in school

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 15, 1952

Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 30th day of June 1953

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 27651
Permit No. 21939

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of Sept. 1952 at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1953

Recorded in book No. 55 of

Permits on page 21939

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. Page 6

Fees Paid 20.00