

See No. C-27835

Permit No. **21966**

**APPLICATION FOR PERMIT**

**To Appropriate the Public Waters of the State of Oregon**

I, Walter Gorge  
(Name of applicant)  
of Rt. 4, Box 596, Grants Pass  
(Address)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is House Reservoir & unnamed stream  
(Name of stream)  
, a tributary of Applegate River

2. The amount of water which the applicant intends to apply to beneficial use is 0.55  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 800 ft. S and 1500 ft. E from the W 1/4  
(N. or S.) (E. or W.)  
corner of Section 13  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 of Sec. 13, Tp. 37 S  
(Give smallest legal subdivision) (N. or S.)

R. 6 W, W. M., in the county of Josephine  
(E. or W.)

5. The pipe line to be 800 feet (portable)  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NW 1/4 SW 1/4 and E 1/2 of Sec. 13, Tp. 37 S  
(Smallest legal subdivision) (N. or S.)

R. 6 W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

**DESCRIPTION OF WORKS**

Diversion Works—

6. (a) Height of dam 8 feet, length on top 400 feet, length at bottom  
400 feet; material to be used and character of construction Earth fill, Red Clay  
(Loose rock, concrete, masonry)

Wasteway over.  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Valve in 4" pipe  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 4" centrifugal pump  
(Size and type of pump)

10 H. Electric motor. 10 foot lift  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) none feet; width on bottom            feet; depth of water            feet; grade            feet fall per one thousand feet.

(b) At            miles from headgate: width on top (at water line)            feet; width on bottom            feet; depth of water            feet; grade            feet fall per one thousand feet.

(c) Length of pipe, perforated 800 ft.; size at intake, 4 in.; size at 800 ft. from intake 4 in.; size at place of use 3" laterals in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, 1 sec. ft.

8. Location of area to be irrigated, or place of use           

Township North or South	Range E. or W. of Willamette Meridian	Section	Part-acre Tract	Number Acres To Be Irrigated
37 S	6 W	13	NW 1/4 SW 1/4	8
37 S	6 W	13	NE 1/4 SW 1/4	30
37 S	6 W	13	SE 1/4 SW 1/4	6
Total				44

**Description of property:**

The Southwest quarter of Section 13, Township 37 South, Range 6 West of the Willamette Meridian; less and excepting the following described parcels of land: Beginning at the Southwest corner of the Southwest quarter of Section 13 and running thence North 10 rods; thence from said starting point run East on South line of said Sec. 13, 60 rods; thence North 1 rod; thence Northwesterly 79.3 rods to a point on the West line of said quarter section, 52 rods North of the Southwest corner thereof; Also excepting a parcel of land beginning 12 rods South of the Northwest corner of the Southwest quarter of said Section 13; thence South 32 rods to the Northwest corner of a parcel of land conveyed to School Dist. No. 12 thence East 13 rods; thence North 32 rods to a point directly East of the point of beginning; Also excepting a parcel of land conveyed to School Dist. No. 12, beginning at a stake 44 rods South of the Northwest corner of the Southwest quarter of said Section 13; and running East 10 rods thence South 8 rods; thence West 10 rods; thence North            rods to the place of beginning.

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised Clover, fescue grass, pasture

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed            theoretical horsepower.

(b) Quantity of water to be used for power            sec. ft.

(c) Total fall to be utilized            feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed           

(e) Such works to be located in            of Sec.             
(Legal subdivision)

Tp.           , R.           , W. M.             
(No N or S) (No E or W)

(f) Is water to be returned to any stream?             
(Yes or No)

(g) If so, name stream and locate point of return           

           Sec.           , Tp.           , R.           , W. M.             
(No N or S) (No E or W)

(h) The use to which power is to be applied is           

(i) The nature of the mines to be served



PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.55 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under Application No. R-27885, Permit No. R-1167.

The use to which this water is to be applied is irrigation (supplemental)

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1167; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 3, 1952

Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 30th day of June, 1953.

Chas. E. Stricklin, STATE ENGINEER

Application No. 27885

Permit No. 21966

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of December, 1952, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 30, 1953

Recorded in book No. 55 of

Permits on page 21966

CHAS. E. STRICKLIN STATE ENGINEER