STATE ENGINEER BALEM OREGON

Permit No. 21996

To Appropriate the Public Waters of the State of Oregon

ADGI, PH. ZERSMAN (1997)							
(Plane of suplican)							
SCAPPOOSE CRESCE	***************************************						
State of	a permit to appropriate the						
following described public waters of the State of Oregon, SUBJECT TO EXIS	1. The source of the proposed appropriation is S. FORK OF SCAPPOOSE CRE'S (Mamo at stream) , a tributary of COLUMBIA RIVER 2. The amount of water which the applicant intends to apply to beneficial use is O.1						
If the amplicant is a composition vive date and place of incomposition	If the applicant is a corporation, give date and place of incorporation						
is the approxime is a corporation, give dute that place of incorporation							
1. The source of the proposed appropriation is S. FORK OF BURPOOSI	of stream)						
, a tributary of COLUMBIA RI	IVER						
2. The amount of water which the applicant intends to apply to benefici	al use is 0.1						
cubic feet per second. (If water is to be used from more than one source, give qu	uantity from each)						
**3. The use to which the water is to be applied is Irrigation (brigation, power, mining, n	nanufacturing, domestic supplies, etc.)						
4. The point of diversion is located 540 ft. S. and 637 f	t. lest from the R.						
corner of Section 15,	(L. Or W)						
(Section or subdivision)							
•	······································						
							
(If preferable, give distance and bearing to section corner)	······································						
	•••••						
being within the N.E. 1 of S.R. 2 (Give smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet being within the N.E. 1 of S.R. 2 of S.R. 2							
	(N or S.)						
R. 2 (i.e., W. M., in the county of Columbia							
5. The Main Pipe Line to be (Main ditch, canal or pipe line)	400 fest (Miles or feet)						
in length, terminating in the N.K. 2015, E. of Sec. 19	Тр. 3,						
R 2. W, W. M., the proposed location being shown throughout on the							
(2. or ₩ .)	pangunap.						
DESCRIPTION OF WORKS Diversion Works—							
6. (a) Height of dam feet, length on top	feet length at hottom						
	jeer, tengin at bottom						
feet; material to be used and character of construction	Conse rock, concrete, masonry,						
rock and brush timber crib. etc., wasteway over or around dam)							
(b) Description of headgate	en e						
(Timber, concrete, etc., number and	size of openings)						
(c) If water is to be pumped give general description growth:	of pump)						
Size and type of engine or motor to be used, total head water is to .							

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the flydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, 0-25-436

feet; decided fe	idth on to epth of war width on hot in.; si 10 c. ft. ea to be irrespondent to the control of t	ter	feet; grade seadgate: width on top (at wa feet; depth of usand feet. ; size at intake, of use N.E. OF 3.E. Porty-serv Tract N.E. of S.E. 130 feet; thence S.53° 130 feet; thence S.64° r of the County Road; the East line of Sectioning, EXCEPTING therefore the Northeset in of the	water feet; in; size at Any ft. lifference in elevation between Estimated capacity. Sec. 15 Number Acres To Be Irrisated 6.9 14 and 15,T.3 M.,R.2 he Northeast of the Satt 45'E. 205 feet; thence S., 20'E. 184 feet; thence M.55'E. 340 feet; thence N.55'E. 340 feet; thence Morth 20 feet out that part thereof
feet; decided in Betting that portion there and recorded in Betting that portion there and recorded in Betting the series of the	idth on hot feet fall 1 e, 400 Mi in.; s 10 c. ft. ea to be irr ange of the Meridian W. ginning oreg n; it in 15, it thence is less to it 55' N. 114 the more on he place County Roll that per Columbia.	iles from hetom	feet; grade seadgate: width on top (at wa feet; depth of usand feet. ; size at intake, 3" of use 3" of use 1" feet; depth of usand feet. N.E. Of S.E. Forty-scre Treet N.E. of S.E. corner between eactions ong the North line of the 1180 feet; thence S.53° 130 fe t; thence S.64° r of the County Road; the hence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefro	feet fall per one ter line) water feet; in; size at finy ft. lifference in elevation between Estimated capacity. Sec. 15 Number Acres To Be brigated 6.9 14 and 15,T.3 M.,R.2 he Northeast of the cout 45'E. 205 feet; thence 3.72 hence along center of 3.11 thence N.55'E. 340 feet; to on 15; thence North 20 feet om that part thereof
rade (c) Length of pip rom intake 3" stake and place of use, 0.1 sec 8. Location of arc Township Month or South Township Month or South 1. Be Columbia County, east of said Sect 30'K. 150.0 feet; 295 feet more or County mond N.12° N.72°45'E. 35 feet more or less to t contained in the Purcel 2: Al T.3 N:R.2 in , i.M. that portion ther and recorded in B	ginning oreg n; ion 15, i thence s less to is 55' N. 114 t more on he place County Roll that per Columbia.	per one thomain ft. ize at place ft. ize at place ft. igated, or p section 15 at the center thence all iesterly 3.40°00'E the center feet; the center feet; the center feet; the center freet; the center	Jeet; depth of usand feet. ; size at intake, 3" of use in; of yes lace of use N.E. OF 3.E. N.E. of S.E. corner between each ons ong the North line of the last line of Sectioning, EXCEPTING therefore the Northeset in of the last line of sectioning, EXCEPTING therefore	water feet; in; size at Any ft. lifference in elevation between Estimated capacity. Sec. 15 Number Acres To Be Irrisated 6.9 14 and 15,T.3 M.,R.2 he Northeast of the Satt 45'E. 205 feet; thence S., 20'E. 184 feet; thence M.55'E. 340 feet; thence N.55'E. 340 feet; thence Morth 20 feet out that part thereof
rade (c) Length of pip rom intake 3" stake and place of use, 0.1 sec 8. Location of arc Township Month or South 3 N. 2 Parcel 1: Be Columbia County, east of said Sect 30'K. 150.0 feet; 295 feet more or County noed N.12° N.72°45'E. 35 feet more or less to t contained in the Parcel 2: Al T.3 N:R.2 i., i.M. that portion ther and recorded in B	ginning oreg n; ion 15, i thence i the more or he place County Ro l that pe	per one thomain ft. ize at place ft. igated, or p section 15 at the center thence alc iesterly 5.40°00'E the center feet; the center feet; the center freet; the center	size at intake, 3" of use 3" of use in; d Is grade uniform? Yes corner between estimated N.E. of S.E. N.E. of S.E. corner between estimated not the North line of the County Road; thence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefore	in; size at Any ft. lifference in elevation between Estimated capacity. Sec. 15 Number Acres To Be Irrisated 6.9 14 and 15,T.3 M.,R.2 he Northeast of the out 45'E. 205 feet; thence S., and thence slong center of s. 11 thence N.55'E. 340 feet; thence M.55'E. 340 fee
Columbia County, east of said Sect 30'K. 150.0 feet; 293 feet more or County road N.12° N.72°45'R. 35 fee more or less to t contained in the Purcel 2: Al T.3 N:R.2, M.M. that portion ther and recorded in B	in.; si in.; si 10 c. ft. ea to be irr w. d. ginning oreg n; ion 15, i thence si less to t 55' W. 114 t more on he place County Ro 1 that pe	ize at place ft. igated, or p section 15 at the 2 in thence all westerly is 1.40°00'E the center 4 feet; the r les to of beginn od; erteon of	of use 3" in; d Is grade uniform? Yes Dace of use N.E. OF 3.E. Porty-serv Tract N.E. of S.E. corner betweeniesesions ong the North line of the line of the county Road; the hence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefore the Northeset in of the county Road; the count	Estimated capacity. Sec. 15 Number Acres To Be Irrigated 6.9 14 and 15,7.3 M.,R.2 he Northeast of the Last 45'E. 205 feet; thence 3.72 hence along center of s.11 thence N.55'E. 340 feet; to 15; thence North 20 feet om that part thereof
rom intake 3" Itake and place of use. O.1 sec. 8. Location of arc. Township sec. 3 N. 2 Parcel 1: Be Columbia County, east of said Sect. 30'K. 150.0 feet; 295 feet more or County moed N.12° N.72°45'E. 35 feet more or less to the contained in the Purcel 2: Al T.3 N:R.2 h., h.M. that portion there and recorded in B	ginning oreg n; ion 15, i thence is less to is 55' N. 114 t more on he place County Roll that pe . Columbia	ize at place ft. igated, or p section 15 at the 2 thence all westerly 3.40°00'E the center feet; the center of beginn od; erteon of	of usein.; d Is grade uniform? Yes Party-scre Treet N.E. of S.E.; corner between each ons ong the North line of th 1130 feet; thence S.53° 130 fe t; thence S.64° r of the County Road; th hence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefro	Estimated capacity. Sec. 15 Number Acres To Be Irrigated 6.9 14 and 15,7.3 M.,3.2 he Northeast of the Last 45'E. 205 feet; thence 3.32 hence along center of s.11 thence N.55'E. 340 feet; to 15; thence North 20 feet om that part thereof
Parcel 1: Be Columbia County, east of said Sect 30'K. 150.0 feet; 295 feet more or County road N.12°N.72°45'E. 35 fee more or less to t contained in the Parcel 2: Al T.3 N:R.2 h. M. that portion ther and recorded in B	ginning oreg n; ion 15, i thence s less to to 55' N. 114 t more on he place County Roll that pe . Columbia	at the 2 thence all sesterly S.40°00'E the center of beginness; erteon of	Is grade uniform? Porty-acre Tract N.E. of S.E. Corner between east ons ong the North line of the line of the county Road; thence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefore the Northeset in of the county Road; the Northeset in of the county Road; the East line of Sectioning, EXCEPTING therefore the Northeset in of the county Road; the Road Road Road Road Road Road Road Road	Number Acres To Be brigated 6.9 14 and 15,T.3 M.,R.2 he Northeast a of the saut 45'E. 205 feet; thence S.,2 hence along center of s.11 thence N.55'E. 340 feet; to 15; thence North 20 feet om that part thereof
8. Location of are 9. Loc	ginning oreg n; it thence is less to it more on he place County Roll that per Columbia.	at the 2 thence all sesterly S.40°00'E the center of feet; the cen	corner between each ons ong the Northeset in of Sectioning, EXCEPTING therefore	Number Acres To Be Irrigated 6.9 14 and 15,T.3 M.,R.2 he Northeast a of the Saut 45'E. 205 feet; thence S.,2 hence along center of s.12 thence N.55'E. 340 feet; to 15; thence North 20 feet om that part thereof
Parcel 1: Be Columbia County, east of said Sect 30'K. 150.0 feet; 295 feet more or County mond N.12°N.72°45'E. 35 fee more or less to t contained in the Parcel 2: Al T.3 N:R.2 h. M. that portion ther and recorded in B	ginning oreg n; ion 15, ion 15, ion 15, ion 16, ion 16	at the 2 thence alouesterly S.40°00'E the center of feet; the content of the center of the center than to of the center than t	N.E. of S.E. of the North line of the North Road; the Morth Section of the Northeset of the of the Section of the Northeset of the North	Number Acres To Be Uniquied 6.9 14 and 15,T.3 M.,R.2 he Northeast a of the saut 45'E. 205 feet; thence S.,2 hence slong center of sid thence N.55'E. 340 feet; thence North 20 feet
Parcel 1: Be Columbia County, east of said Sect 30'K. 150.0 feet; 295 feet more or County road N.12°N.72°45'E. 35 fee more or less to t contained in the Parcel 2: Al T.3 N:R.2 h. M. that portion ther and recorded in B	eginning oreg n; ion 15, i thence is less to i 55' %. 114 t more on he place County Roll that pe . Columbia	at the 2 thence alouesterly S.40°00'E the center of feet; the content of the center of the center than to of the center than t	N.E. of S.E. of the North line of the North Road; the Morth Section of the Northeset of the of the Section of the Northeset of the North	Number Acres To Be Uniquied 6.9 14 and 15,T.3 M.,R.2 he Northeast a of the saut 45'E. 205 feet; thence S.,2 hence slong center of sid thence N.55'E. 340 feet; thence North 20 feet
Parcel 1: Be Columbia County, east of said Sect 30'K. 150.0 feet; 295 feet more or County mond N.12°N.72°45'E. 35 feet more or less to t contained in the Parcel 2: Al T.3 N:R.2 h. M. that portion ther and recorded in B	ginning oreg n; ion 15, i thence is less to it 55'%. 114 t more on he place County Roll that pe . Columbia	at the thence all westerly S.40°00'E the center of feet; the content of beginners of the center of t	N.E. of S.E. of the North line of the Section of the Section of Section of the Northeset of the Northeset of the Section of the Section of the Northeset of the Section of the Section of the Northeset of the Section of the Sect	6.9 14 and 15,T.3 M.,R.2 he Northeast a of the Last 45'E. 205 feet; thence S.,22's hence along center of s.i. thence N.55'E. 340 feet; thence N.55'E. 340 feet; thence Morth 20 feet om that part thereof
Parcel 1: Be Columbia County, east of said Sect 30'K. 150.0 feet; 295 feet more or County mond N.12° N.72° 45'E. 35 feet more or less to t contained in the Parcel 2: Al T.3 N:R.2 m., m.M. that portion ther and recorded in B	ginning oreg n; ion 15, i thence is less to i 55' %. 114 t more on he place County Roll that pe .Columbia	at the thence all westerly S.40°00'E the center of feet; the content of beginnersd;	corner betweeniesetions ong the North line of the 1180 feet; thence S.53%. 130 fe t; thence S.64% of the County Road; the hence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefronths Northeset 2 of the	14 and 15,T.3 M.,R.2, he Northeast cof the Last 45'E. 205 feet; thence S. 2'E. 184 feet; thence S. 2's hence slong center of s. 1 thence N.55'E. 340 feet; ton 15; thence North 20 feet on that part thereof
Parcel 1: Be Columbia County, east of said Sect 30'E. 150.0 feet; 295 feet more or County mond N.12° N.72° 45'E. 35 feet more or less to t contained in the Parcel 2: Al T.3 N:R.2 h.,h.M. that portion ther and recorded in B	ginning oreg n; ion 15, i thence is less to i 55' %. 114 t more on he place County Roll that pe .Columbia	at the thence all westerly S.40°00'E the center of feet; the content of beginnersd;	corner betweeniesetions ong the North line of the 1180 feet; thence S.53%. 130 fe t; thence S.64% of the County Road; the hence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefronths Northeset 2 of the	14 and 15,T.3 M.,R.2, he Northeast cof the Lot 45'E. 205 feet; thence S. 25'E. 184 feet; thence S. 25'hence slong center of s. 15'thence N.55'E. 340 feet; ton 15; thence North 20 feet on that part thereof
east of said Sect 30'K. 150.0 feet; 295 feet more or County Road N.12'N.72'45'E. 35 feet more or less to t contained in the Parcel 2: Al T.3 N:R.2 h. h. h. that portion ther and recorded in B	ion 15, in thence is less to it 55' %. 114 t more on the place County Roll that per Columbia.	westerly S.40°00'E the center feet; the content of beginnered; erteen of	ong the North line of the line of the line feet; thence S.53%. 136 fe t; thence S.64% r of the County Road; the hence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefore the Northeset 2 of the	14 and 15,T.3 M.,R.2, he Northeast a of the Court 45'E. 205 feet; thence S. 25'E. 184 feet; thence S. 25'hence slong center of slightence N.55'E. 340 feet; thence N.55'E. 340 feet; ton 15; thence North 20 feed on that part thereof
east of said Sect 30'K. 150.0 feet; 295 feet more or County Road N.12°N.72°45'E. 35 feet more or less to the contained in the Parcel 2: Al T.3 N:R.2 m., h.M. that portion ther and recorded in B	ion 15, in thence is less to it 55' %. 114 t more on the place County Roll that per Columbia.	westerly S.40°00'E the center feet; the content of beginnered; erteen of	ong the North line of the line of the line feet; thence S.53%. 136 fe t; thence S.64% r of the County Road; the hence N.33°E. 60 feet; the East line of Sectioning, EXCEPTING therefore the Northeset 2 of the	he Northeast tof the column of the column of the column of the case of soint thence shows the case of
caroope on the	OT AT OFF	TOT OCT (TO:	50 at page 459 deed rec	County, Oregon, and a verse some hite, by lead it ten
(a) Cl			required, attach separate sheet)	
) <u>T</u>	
		Fysture) 	
ower or Mining Purpo			, ,	
9. (a) Iotal amo	unt of pow	er to be det	veloped	theoretical horseposer.
(b) Quantity	of water to	be used for	power s	sec. ft.
(c) Total fall	to be utiliz	ed	(Head)	
(d) The natur	e of the wo	orks by mea	ns of which the power is to b	e developed
		····	······································	
(e) Such worl	ks to be loc	ated in	(Legal subdivision)	of Sec.
p, R.				
			tream? (Yes or No)	
			oint of return	

(n) The use to	which poi	wer is to be	applied is	

summing of Domestic But		
2. (a) To supply th	I AN A	
	County, Seving a present populatio	of water
nd an ostimated population	6 of	
(b) If for domes		he annualist
	The state of the s	or supplied.
	Chamber debates \$1, 50, 50, and \$6 \$5.	
11. Bettenstof cost of	proposal works, \$ 1000	· Paris
12. Construction von	the roll bogin on or beforeInly	1.1953
13. Construction wes	k will be completed on or before	July 1954
14. The water will be	completely applied to the proposed	use on or before July 1954
		olph Jumare
		(Stampfo of applicant)
	* ***********************************	
Remarks:	destablished op 1018-00000480000000000000000000000000000	
•	,	
	······································	

	•••••	
	•	

•••••••••••••••••••••••••••••••••••••••		
······		
		· · · · · · · · · · · · · · · · · · ·
		······································
TATE OF OREGON,		
County of Marion,	88.	
This is to certify the	at I have examined the foreg	on, together with the accompanyin
	the same for	
are more, write i Cliff It		•••••••••••••••••••••••••••••••••••••••
In order to retain it	s priority, this application mus	od to the State Engineer, with correct
In order to retain it	s priority, this application mus	od to the State Engineer, with correct

STATE OF OREGON,

County of Marion

This is to civity that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		RIGHTS and the follow nted is limited to the s	~			to beneficial use
	• 7	6 cubic feet p				
		case of rotation with a				
rook						
•		•				
The	t use to which this	water is to be applied				
If f	or irrigation, this	appropriation shall be l		1/80		one cubic foot per
econd or	its equivalent for	each acre irrigatedar	d shall	be further	limited to	a diversion of
ot to	exceed 21 acre	feet per acre for	each acr	e irrigate	d during the	a irrigation
eason (of each year,		••••••••	***************************************		
·			••••		*	
•••••••••••••			*****			

••••				***********************		
	·		******	•••••••••••••••••••••••••••••••••••••••		
Act hereafter Cor	tual construction to be prosecuted with the majority of the ma	his permit is	before e and be co	mpleted on o	June 30, 1 r before Octob c on or before	1954 and shall er 1, 19.55 October 1, 1956
			601	rene	The	STATE ENGINEER
	n e	וו ריז ש		:	· •	. 6
Permit No. 21996	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 May of DECAMBEC., 1952, at 8:00 o'clock. A. M.	Returned to applicant:		Recorded in book No. 55 of Permits on page 21950	CHAS. E. STRICKLIN STATE ENGINEER State Printing 66240