

RECEIVED  
DEC 29 1952  
STATE ENGINEER  
SALEM, OREGON

Permit No. 22012

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, M.A. Compton  
(Name of applicant)  
of Elkton  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Umpqua River  
(Name of stream)  
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1.6  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located        ft.        and        ft.        from the  
(N. or S.) (E. or W.)  
corner of         
(Section or subdivision)  
North 21°15' West 2360 feet from the Southeast corner of Sec. 36 and  
and being in the NE 1/4 SE 1/4 of Sec. 36 and North 50°30' West 3660 feet  
from the Southeast corner of Sec. 36 and being in the NE 1/4 SW 1/4 of  
Sec. 36 all in Township 22 South, Range 8 West, W.M.  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the        of Sec.       , Tp. 22 S  
(Give smallest legal subdivision) (N. or S.)  
R. S W, W. M., in the county of Douglas  
(E. or W.)

5. The Sprinkling system to be         
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the        of Sec.       , Tp.         
(Smallest legal subdivision) (N. or S.)  
R.        W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam        feet, length on top        feet, length at bottom         
       feet; material to be used and character of construction         
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate         
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description one 2" and one 2" vent.  
(Size and type of pump)  
one 15 HP and one 10 HP Electric motors.  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

22012

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, 60 feet ft. Is grade uniform?  yes ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
22 S	8 W	36	NE 1/4 SW 1/4	29
"	"	36	SE 1/4 S 7 1/2	17
"	"	36	N 1/4 SE 1/4	26
"	"	36	SW 1/4 SE 1/4	17
"	"	36	NE 1/4 SE 1/4	16
"	"	36	SE 1/4 SE 1/4	16
				27

Beginning at the Northeast corner of Ira Wells DLC No. 56, Township 22 South, Range 8 West, W.M. which is the meander post on the right bank of the Umpqua River of the East boundary of Section 36 in said Township, and running thence South on East boundary of said claim No. 56, 55.0 chains and 25 links for Southeast corner claim No. 37 in Township 23 South, Range 8 West, W.M.; thence North 82° 30' West on South boundary of said claim No. 37, 56.0 chains and 24 links to a stake for corner; thence North 24 chains and 88 links for corner; thence West 3 chains and 80 links

(If more space required, attach separate sheet) (CONTINUED UNDER REMARKS)

(a) Character of soil ..... sandy-loam  
 (b) Kind of crops raised ..... hay, grain and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
 (Legal subdivision)

Tp. .... R. ...., W. M.  
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
 (Yes or No)  
 (g) If so, name stream and locate point of return .....  
 Sec. .... Tp. .... R. .... W. M.  
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....  
 (i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_ County, having a present population of \_\_\_\_\_ and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 8000.00
12. Construction work will begin on or before January 1, 1953
13. Construction work will be completed on or before April, 1954
14. The water will be completely applied to the proposed use on or before September 1, 1954

M. A. Compton (Signature of Applicant)

Remarks: \_\_\_\_\_

This project will be operated by a sprinkling system with the following equipment:

Table with 3 columns: Quantity, Description, and Size. Includes items like '1000 feet of main line pipe 5"', '2640 4"', '2760 3"', and '69 sprinklers 6 gpm.'

(CONTINUED FROM ITEM 8)

to a stake for corner; thence North 29 chains and 60 links to a stake for corner on right bank of Umpqua river; thence following the meanders of the right bank of said river South 76°30' East 2 chains and 16 links; South 79°3' East 15 chains; South 84° East 20 chains; South 85° East 10 chains; South 88°30' East 14 chains to point of beginning, containing 314.41 acres, more or less.

Also, Lots 4 and 5 and South half of the Southwest quarter of Section 31, Township 22 South, Range 7 West, W.M.

EXCEPTING that certain 60 acre tract conveyed to A.G. Langdon, as shown at page 295 of Book 3 deed records of Douglas County, Oregon. Also EXCEPT that certain 1.07 acres tract conveyed to Anton Werth as shown at page 524 of Book 74 deed records of Douglas County, Oregon. Also, subject to 40 foot roadway over and across said premises, containing 375.11 acres, more or less.

EXCEPT from the above described premises, that certain tract of land now in use as a burial ground and known as the Wells Cemetary, not exceeding one-half acre in area, together with a right of way for road purposed from the Public Road to said Cemetary.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.64 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 7, 1953

Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 30th day of June 1953

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 27968

Permit No. 22012

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of January 1953, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1953

Recorded in book No. 56 of

Permits on page 22012

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 4 Page 4/

Fees Paid 27.05