To Appropriate the Public Waters of the State of Oregon

de consessiones	Barl S. Keller
f	Rt. 1. Box 59 Warren, Oregon
Itate of	(Australia address)
	to appropriate the
	public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the appli	icant is a corporation, give date and place of incorporation
P O FESTA F PRÍST COURSE DO LA LABORA ESTA ASTRA D	
1. The sou	rce of the proposed appropriation is Un-mamed creek
egger 6 v k 6 0 ti Gr a e r r a dere p dip pa a antiqua signi	(Name of stream) a tributary of North Scappose Creek
2 The one	
	ount of water which the applicant intends to apply to Beneficial use is
ubic feet per sec	(If water is to be used from more than one source, give quantity from each)
**3. The use	to which the water is to be applied is Irrication (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	, manuacturing, domestic supplies, etc.;
4. The poi	nt of diversion is located 684 ft. No and 212 ft. I from the SW
orner of	E14 f he NW14 (Bection or subdivision)
	(Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If preferable, give distance and bearing to section corner)
eing within the I	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SSA Of the NM 1 of Sec. 34, Tp. 477 (Give smallest legal subdivision)
(E. or W.)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SPA Of the NM 1 of Sec. 34 , Tp. 417 (Give smallest legal subdivision) V. M., in the county of
(E. or W.)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SPA Of the NM 1 of Sec. 34 , Tp. 417 (Give smallest legal subdivision) V. M., in the county of
2	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SPA Of the NM 1 of Sec. 34, Tp. 477 (Give smallest legal subdivision) V. M., in the county of
(E. oc W.) 5. The n length, termina	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SPA Of the NM of Sec. 34, Tp. 417 (Give smallest legal subdivision) V. M., in the county of
(E. oc W.) 5. The n length, termina	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SPA Of the NM 1 of Sec. 34, Tp. 477 (Give smallest legal subdivision) V. M., in the county of
(E. or W.) 5. The 1 length, termino	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SPA Of the NM of Sec. 34, Tp. 417 (Give smallest legal subdivision) To be (Main ditch, canal or pipe line) (Miles or feed) Atting in the of Sec. Tp. (Smallest legal subdivision) W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS
(E. or W.) 5. The length, termino (E. or W.)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SSL of the NML of Sec. 34, Tp. 417 (Give smallest legal subdivision) V. M., in the county of
(E. or W.) 5. The 1 length, termina (E. or W.) liversion Works— 6. (a) Heig	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SS Of the Ni of Sec. 34, Tp. 417 (Give smallest legal subdivision) V. M., in the county of
(E. or W.) 5. The 1. length, termina (E. or W.) iversion Works— 6. (a) Heig	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SSL of the NML of Sec. 34, Tp. 417 (Give smallest legal subdivision) V. M., in the county of
(E. or W.) 5. The (E. or W.) (E. or W.) iversion Works— 6. (a) Height	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SSL of the NM of Sec. 34, Tp. 4N, Tp.
(E. or W.) 5. The n length, termina (E. or W.) Diversion Works— 6. (a) Heig	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SSL of the NM of Sec. 34, Tp. 4N, Tp.
(E. or W.) 5. The (E. or W.) (E. or W.) Diversion Works— 6. (a) Heig	(Main ditch, canal or pipe line) (Smallest legal subdivision) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Miles or feet) (Miles or feet)
(E. or W.) 5. The n length, termina (E. or W.) Diversion Works— 6. (a) Heig (b) Descrip	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) SS Of the NE of Sec. 34

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity with the exception of municipalities, must be made to the Oregon

3-33-4M

rangune, s	at hood	gate: width on	sop (at water	line)	****************	feet; width on botto
		eet; depth of t	water	feet; grad	le	feet fall per o
ousend f (b)		41.00.00.00.00.00.00.00.00.00.00.00.00.00	. miles from he	adgate: width on to	p (at water	line)
	. j	eet; width on l	bottom	feet;	depth of wa	ter fee
rade	******	feet fa	ll per one thou	and feet.		
				·	į.	n.; size at
			•			rence in elevation betwe
•			ft. Is	s grade uniform?		Estimated capaci
		sec. ft. I of area to be	irrigated, or pl	ace of use		
Town		Range Z. er W. eg			!	
Herth er	-	Willespette Meridian	Section	Forty-acre Tre		Number Acres To Be Irrigated
4 Nor	th	2 West	34	SE14.110c	-// //	10 acres
A WHA N	04	i et the You				mship 4 Morth.
नाइस्ट (∠ π68,	t of the 7	11]] ametta	Maridian CAT	numbe - C	A
hence	runn	ing South	30 71 Rest	1070 1 feet	thanas	North 860 50
nst T	365.1	feet to	occurrence of	1919.1 1000;	chence	40Ltu 200 20.
- 4 h	7074 1		n iron bit	e in the cent	er of the	ne County Road wh
9 T 110	DOID	t of degin	ining, ome	MINNING THANK	A Plant	the contam of an
ounty	מייי טח	MOPER JU	42 WEST 10]] TARE! thans	A Month	500301 Wass CO
861: J	i ne nc i	B South 44	U 2' KAMP	277 feats the	******	h 600 h 21 th
92. Š	feet:	thence Sc	nith 800 56	Test KED 2		the intersection
t the	ofar.	0.10.10.00	74 AM 04 2 20			
7 611 6	wIOI.			3460 000.2	Teet to	the inversection
นทุกเพ		esara soni	TEV POSO WI	.th the center	of the	ald County Pack
	g nor	rnersterly	ity romi wi Pand Shrith	.th the center westerly: run	of the	old County Road
outhe	g nor	thersterly long the c	rey rosa saith Senter es s	th the center westerly; run said old Count	r of the Ining the IN Road t	old County Rood ence Westerly and
outne ocate	g nor rly * d Nor	inersterly long the d th 10 30°	rey rown will grand South center ef s West 2873	th the center westerly; run said old Count feet and Sout	of the ining the y Road t h 860 50	old County Rood ence Westerly and to an iron nine) West 660 feet
outne ocate rom t	g nor rly = d Nor he cu	thersterly long the d th 19 30° erter corr	rey rown will some the senter of the content of the	th the center westerly; run said old Count feet and Sout South side of	of the ining the y Road t h 86° 50 Section	old County Rood ence Westerly and to an iron nine of West 660 feet
outne ocate rom t hence	g nor rly a d Nor he cu Test	thersterly long the d th 10 30° enter corr enly end S	Tey rown will south senter es senter es senter es se	th the centernwesterly; runsaid old Count feet and Sout South side of the cent	of the ining the ining the y Road to 50 50 50 50 50 50 50 50 50 50 50 50 50	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforessid; nu
outne ocate rom t hence	g nor rly a d Nor he cu Test iron	nersterly long the d th 1° 30° erter corr erly end 5 nice locat	ry rown will and South senter of the Boutherly with the bouth of the bouth l	th the centernwesterly; runsaid old Count feet and Sout South side of long the cent	of the ining the ining the y Road to the S60 50 Section of the CO feet of	old County Rood ence Westerly and to an iron nine of West 660 feet and county Roof of Toward and county Roof of the Roof
outne ocate rom t hence o an eginn	g Nor rly a d Nor he cu Test iron	the sterly long the o th 10 30* erter corr erly end S nice locat "unning +	rey rown will senter of a senter of the southerly a ted South lithert worth	th the centernwesterly; run said old Count feet and Sout South side of long the cent of 30' East 59 th 10 30' West	of the ming the ming the y Road to So So So the So	old County Rood ence Westerly and to an iron nine of West 660 feet aforeseid; rune old County Roof of to the place of
outher ocated rome to the note of the note ocated regions ocated r	g Nor rly a d Nor he cu Test iron ing,	the sterly long the o th 10 30* arter corr erly and S nine locat Running a	rey rown will and South senter of the Southerly whence Northerly therefrom	th the centernwesterly; run said old Count feet and Sout South side of 10 30' East 59 the 40 foot s	of the ining the ining the sy Road to South or of the South of the sylventry for	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; nume old County Road from the place of road described
outher ocated rom to hence o an eginn eginn eed f	R Nor rly a d Nor he cu Test inon inon A	the sterly long the o th 10 30* erter corr erly end 5 nice locat Punning * excepting nirew Jack	rend South senter of the Nest 2873 her of the South 1 thence Northere from the tet ux to	th the center westerly; run said old Count feet and Sout South side of long the cent in 10 30' West the 40 foot solumbia Coun	of the ining the y Road to be \$60 50 the for of the trin for ity, Orea	old County Rood ence Westerly and to an iron nine of West 660 feet aforeseid; rune old County Roof of to the place of
outher ocated rom to hence o an eginn eginn eed f	R Nor rly a d Nor he cu Test inon inon A	the sterly long the o th 10 30* erter corr erly end 5 nice locat Punning * excepting nirew Jack	rey rown will and South Senter of the South of South 1 there from the tet ux to a second of the seco	th the center westerly; run haid old Count feet and Sout South side of long the center of 30' East 59 the 40 foot solumbia Count of Deed record	of the ining the y Road to Section of the 50 feet for the trin for ity. Orea	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforeseid; rune old County Road from the place of to the place of road described on, recorded Apr
outher ocated rom to hence o an eginn eginn eed f	R Nor rly a d Nor he cu Test inon inon A	the sterly long the o th 10 30* erter corr erly end 5 nice locat Punning * excepting nirew Jack	rey rown will and South Senter of the South of South 1 there from the tet ux to a second of the seco	th the center westerly; run said old Count feet and Sout South side of long the cent in 10 30' West the 40 foot solumbia Coun	of the ining the y Road to Section of the 50 feet for the trin for ity. Orea	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforeseid; rune old County Road from the place of to the place of road described on, recorded Apr
outher ocated rom thence o an eginn esinn	R Nor rly a d Nor he cu Test inc. inc. rom A	ine sterly long the of the 10 30 arter correction sterly and some locate sunning arcenting mirew Jack 300k 65,	renter es senter en senter en senter es senter	th the center westerly; run haid old Count feet and Sout South side of long the center of 30' East 59 the 40 foot solumbia Count of Deed record	of the ining the ining the y Road to Section for the ity, Oregas, s.	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; nume old County Room the place of to the place of road described on, recorded Apr
outher ocated rom thence o an eginn esinnes for the following the follow	R Nor rly a d Nor he cu Test iron ina, rom A O, in	long the of th 10 30' erter correctly end S nice locat Running t excepting mirew Jack Book 65,	rend South senter of a senter of the southerly a ted South 1 therefrom the et ux to	th the center westerly; run said old Count feet and Sout South side of long the cent of 30' East 59 the 40 foot solumbia Count feed record	of the ining the y Road to be 86° 50° 50° 50° 60° 60° 60° 60° 60° 60° 60° 60° 60° 6	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; rune old County Roof from the place of to the place of road described on, recorded Apr
outher ocated rom thence o an eginn eainned f	R Nor rly a d Nor he cu Test inc. inc. rom A O, in	th 10 30' arter correctly and solve locate Punning to except in a mirew Jack 65, aracter of soil and of crops raise	rend South senter of a senter of the southerly a ted South 1 therefrom the et ux to	th the center westerly; run haid old Count feet and Sout South side of long the cent of 30' East 59 the 40 foot solumbia Count feed record	of the ining the y Road to be 86° 50° 50° 50° 60° 60° 60° 60° 60° 60° 60° 60° 60° 6	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; rune old County Roof from the place of to the place of road described on, recorded Apr
outner ocate rom t hence o an eginn eginn eai f , 194	R Norrely and Norr	long the of the 10 30' arter corrections and of crops raise Purposes—	rend South senter of the West 2873 her of the South 1 there from the tet ux to page 590 c	th the center westerly; run haid old Count feet and Sout South side of long the cent of 10 30' West the 40 foot solumbia Count frequired attach separate shows the stack se	of the mine the Manne the	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; rune old County Roof rom the place of to the place of road described on, recorded Apr
outher ocated rom to hence o an eginn eai fall 4	d Nor he du Test iron ing, rom A Chi (b) King (a) Total	th 10 30' erter correctly end soice locate sunning texcenting mirew Jack 65, aracter of soil Purposes— cal amount of p	rend South senter of the Nest 2873 her of the South 1 thence Northerefron the tet ux to page 590 consect of Strammed Str	th the center westerly; run said old Count feet and Sout South side of long the cent of 30' West 59 the 40 foot solumbia Count of Deed record required attach separate shows the management of the separate shows the separate	of the ining the ining the y Road to Section of the Control of the ining of the ining. Oreally, Oreall	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; number old County Rood Trom the place of to the place of road described fon, recorded Aproportion, recorded Aproportion of the place of the pla
outher ocated rom to hence o an eginn eai fall 4	R Norrely and Norrely and Norrely and Norrely and Norrely (a) Chi (b) King (a) Ton (b) Quantum (b) Qua	long the of the 10 30 arter corrections located and of crops raised amount of a matter of water antity of water continuating co	rend South senter of the Southerly sted South 1 therefrom the page 590 commer to be described for the be used for	th the center westerly; run said old Count feet and Sout South side of long the cent of 30' East 50 the 40 foot solumbia Count of Deed record required attach separate shape of power.	of the ining the ining the y Road to Section of the Control of the ining of the ining. Oreally, Oreall	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; number old County Rood Trom the place of to the place of road described fon, recorded Aproportion, recorded Aproportion of the place of the pla
outher ocated rom to hence o an eginn esinn esin	R Norrely and Norrely and Norrely and Norrely and Norrely (a) Chi (b) King (a) Ton (b) Quantum (b) Qua	long the of the 10 30 arter corrections located and of crops raised amount of a matter of water antity of water continuating co	rend South senter of the Nest 2873 her of the South 1 thence Northerefron the tet ux to page 590 consect of Strammed Str	th the center westerly; run said old Count feet and Sout South side of long the cent of 30' East 50 the 40 foot solumbia Count of Deed record required attach separate shape of power.	of the ining the ining the y Road to Section of the Control of the ining of the ining. Oreally, Oreall	old County Rood ence Westerly and to an iron nine of West 660 feet a 34 aforesaid; number old County Rood Trom the place of to the place of road described fon, recorded Aproportion, recorded Aproportion of the place of the pla
outher ocated rom to hence o an eginn esinn esin	d Nor he mu Test iron in A O, in Cho (a) Cho (b) Quantum (b) Quantum (c) Too (long the of the 10 30' arter corrections are senting aracter of soil and of crops rais antity of water of fall to be used fall	rend South senter of senter of senter of the southerly sted South 1 therefrom the tet ux to be seed. Strain seed. Strain seed. Strain seed.	th the center westerly; run said old Count feet and Sout South side of long the cent of 30' East 50 the 40 foot solumbia Count of Deed record required attach separate shape of power.	of the ining the special sect.	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of the red described for, recorded April the state of the state o
outher ocated rom to hence o an eginn eai f	d Nor he mu Test iron in A O, in Cho (a) Cho (b) Quantum (b) Quantum (c) Too (long the of the 10 30' erter corrector end some location of the matter o	rend South senter of senter of senter of the southerly sted South 1 therefrom the tet ux to page 590 consents by meaning to be used for silized.	th the center westerly; run said old Count feet and Sout South side of long the cent of 30' East 59 the 40 foot solumbia Count followed record required attach separate shout seloped	ser is to be defined to the second to the se	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of the red described for, recorded April the state of the state o
ocated rom to hence o an eginn egin egi	R Norriver and Nor	long the of the 10 30' erter corrector end some location of the matter o	rend South senter of senter of the Southerly sted South 1 therefrom the tet ux to page 590 conserts by meaning to be used for cilized.	th the center westerly; run said old Count feet and South So	sections to be designed to the section of the section for the	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of the red described for, recorded April the state of the state o
outner ocated rom to hence o an eginn egin egi	R Norriver and Nor	long the of the 10 30 arter corrections located sections and of crops raised and full to be understood the character of the c	rend South senter of the Nest 2873 her of the South 1 hence Northere from the therefrom the two to seed. Strammed Stramm	th the center westerly; run said old Count feet and South South South South South South South South South Seet 59 the 10 30' West the 40 foots Columbia Count Feed record required attach separate shows of Land rated at the pose seloped.	sections to be designed to the section of the section for the	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of road described fon, recorded April the ence of the state of th
outner ocated rom to hence o an eginn egin egi	R Norriver and Nor	long the of the 10 30 arter corrections located sections and of crops raised and full to be understood the character of the c	rend South senter of senter of the Southerly sted South 1 therefrom the tet ux to page 590 conserts by meaning to be used for cilized.	th the center westerly; run said old Count feet and South South South South South South South South South Seet 59 the 10 30' West the 40 foots Columbia Count Feed record required attach separate shows of Land rated at the pose seloped.	sections to be designed to the section of the section for the	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of road described fon, recorded April the ence of the state of th
outner ocate rom t hence o an eginn eginn egina egia g	R Norrely and Norr	long the of the 10 30 arter corrections and some locate and some locate and of crops rais. Purposes—and amount of partity of water all fall to be upon the character of the char	rend South senter of the Southerly sted South 1 therefrom the refrom the power to be described. Standard Strammore space of the used for collined security by mean to be used for collined security by mean to be used in the used for collined security by mean to be used for collined security.	th the center westerly; run said old Count feet and South South Side of long the center of 30' East 50 the 40 foot state 40 foot state 40 foot state and required attach separate shared of which the pose state of which the	sectors to be desired to the sectors to the sect	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of road described fon, recorded April the ence of the state of th
outner ocate rom t hence o an eginn eginn eginn g g	R Norrely and Norr	long the of the 10 30 arter corrections and some locate and some locate and of crops rais. Purposes—and amount of partity of water all fall to be upon the character of the char	rend South senter of the Nest 2873 her of the South 1 hence Northerefrom the therefrom the two to seed. Strammed Stramme	th the center westerly; run said old Count feet and Sout South side of long the cent of 30' East 59 the 40 foot solumbia Count of Deed record required attach separate shows of which the possible of	sectors to be desired to the sectors to the sect	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of road described fon, recorded April the ence of the state of th
courner courne	R Norrely and Norrely and Norrely and Norrely and Norrely and Inc. (a) The man and the ma	long the of the 10 30' erter corrector and Solventing and of crops rais and of crops rais and full to be unatity of water to be water to be returned to the character to be returned to the re	rend South senter of the Southerly sted South 1 therefrom the refrom the power to be described. Standard Strammore space of the used for collined security by mean to be used for collined security by mean to be used in the used for collined security by mean to be used for collined security.	th the center westerly; run said old Count feet and South South Side of Jone the cent of 30' East 59 the 40 foot stolumbia Count feed record required attach separate shows of which the power was of which th	sectors to be desired to the sectors to the sect	old County Rood ence Westerly and to an iron nine of the state of the place of the to the place of road described fon, recorded April the ence of the state of th
courner courne	R Norrely and Norrely and Norrely and Norrely and Norrely and Inc. (a) The man and the ma	long the of the 10 30 serier corrector and social amount of another of the character to be used full to be use	rend South senter of senter of senter of the Boutherly sted South 1 therefrom the tet ux to page 590 control of senter of the se	th the center westerly; run said old Count feet and South So	of the inner the y Road to 860 50 Section for the trin for ity. Orea sections to be desired to be de	old County Roed ence Westerly and to an iron nine of West 660 feet and Tounty Roed from the place of to the place of road described fon, recorded April to the place of the pl
outner ocate rom t hence o an eginn eginn eginn g g	R Nor rly a d Nor he au linz.	long the of the 10 30' erter corrector end so locate Running texcepting and of crops rais Purposes—follower to be under to be retained to be under to be under to be retained to be under to be under to be under to be retained to be under to be under to be retained to be under to be under to be under to be retained to be under to	rend South senter of senter of set 2873 her of the Boutherly sed South 1 hence Northerefrom the to be used for sed Stram sed Stram sed Stram sed Stram sed	th the center westerly; run said old Count feet and South South Side of long the center of 10 30' West the 40 foot so Columbia Count of Deed record required attach separate shows of which the pose seloped. The required attach separate shows of which the pose of the feet and the count of return the count	of the inner the y Road to 860 50 Section for the trin for ity. Orea sections to be desired to be de	old County Roed ence Westerly and to an iron nine of West 660 feet and Tounty Roed from the place of to the place of road described fon, recorded April to the place of the pl
ocate rom t hence o en leginn ded f , 194	R Nor rly a d Nor he au linz.	long the of the 10 30' erter corrector end so locate Running texcepting and of crops rais Purposes—follower to be under to be retained to be under to be under to be retained to be under to be under to be under to be retained to be under to be under to be retained to be under to be under to be under to be retained to be under to	rend South senter of the Southerly stad South 1 hence Northerefrom tet ux to page 590 consect to be used for colored in and locate page in an	th the center westerly; run said old Count feet and South South Side of long the center of 10 30' West the 40 foot so Columbia Count of Deed record required attach separate shows of which the pose seloped. The required attach separate shows of which the pose of the feet and the count of return the count	of the inner the y Road to 860 50 Section for the trin for ity. Orea sections to be desired to be de	old County Roed ence Westerly and to an iron nine of West 660 feet and Tounty Roed from the place of to the place of road described fon, recorded April to the place of the pl

•	Mundated or Demostic Supply—
	D. (c) To much the stand
in the feet of	(b) If for domestic use state number of templics to be married
to state of the second	(b) If for domestic use state number of families to be supplied.
-	12. Estimated that of proposed marks 2 800
	12. Construction work will begin on or before
• ,	12. Construction work will be completed on or before
	26. The water will be completely applied to the proposed use on or before \u/u/4 1,1955
	y Earl & Kellar
	(Migneture of applicant)
	Remarks:
•	

	<u> </u>
	· · · · · · · · · · · · · · · · · · ·
	STATE OF OREGON, County of Marion, ss.
	This is to certify that I have examined the foregoing application, together with the accompanying
	maps and data, and return the same for
	In order to retain its priority, this application must be returned to the State Engineer, with correc-
	tions on or before
	WITNESS my hand this day of
	STATE ENGINEER
	And the second s

STATE OF OREGON County of Marion,

d the foregoing application and do hereby grant the same, This is to certify that I have exemi

IUBJECT TO EXISTING RIC	•	* * * * * * * * * * * * * * * * * * *		
The right herein grants				
and shall not exceed0.			•	

	vater is to be applied is			
	propriation shall be limi			e cubic foot per
second or its equivalent for,ea	ach acre irrigated and	chall be still	further limited	l to a diversion
of not to exceed 2 acr	re feet per acre for	each acre irri	gated during th	ne irrigation
season of each year,				
			•	
	······································			• •
and shall be subject to such			ed by the proper st	ate officer.
The priority date of th	por note to annual series	mary 21, 1953	une 30, 1954	and shall
Actual construction w	oork shall begin on or be th reasonable diligence o	.,,0.0		
	of the water to the prope			
WITNESS my hand ti	his 30th day of	June - Coltica	£ . f. f.	STATE ENGINEER
	n the egon,		o	ENGINERIA
280/5 220#8 T THE PUBLIC IE STATE ON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21.57 day of ANUBLY 1953, at S.Ooo'clock A. M.		4 4	ATE ENG
280/5 220#8 220#8 [IT] 111 111 PUI	s first receiveneer at Salem Anuary	÷ •	× 220	STRICKLIN SI
	nent was fi ate Enginee day of L	::		<u> </u>
pplication No. PERM APPROPRIATE WATERS OF TI OF OREC	rument wa State Engi S7 day of S.Ooo'el	pplica	; 30. in boo	ផ្ទ
~ 'i	of the Sat.	ed to a	June 30, 1953 Recorded in book No. Permits on page	CHAS.
TOT	This instruction of the Stanton on the 2/27	Returned to applicant; Approved	Rec Permil	20 20 20 20 20 20 20 20 20 20 20 20 20 2
ki				