

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Charles A. Jenkins, of Route 3, Molokini, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream and reservoir, a tributary of Cozine Creek (S. Yamhill R.)

2. The amount of water which the applicant intends to apply to beneficial use is .04376 cubic feet per second.

**3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 900' +/- ft. N and 1230' +/- ft. E from the SW corner of Section 20; Twp. 4 S, R 4 W; W.M.

being within the SW 1/4 of the SW 1/4 of Sec. 20, Tp. 4 S, R. 4 W, W. M., in the county of Yamhill

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam 8' feet, length on top 100' feet, length at bottom ... feet; material to be used and character of construction Wood, rock, soil and concrete blocks

(b) Description of headgate Wood

(c) If water is to be pumped give general description 35 H.P. 1 1/2 H.P.

I will have 5, 7hp. sprinblers

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission...

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 2" in.; size at ft. from intake in.; size at place of use 2" in.; difference in elevation between intake and place of use, 12 to 20 ft. Is grade uniform? *yes* Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	4W	20	SW $\frac{1}{4}$ OF SW $\frac{1}{4}$	2 $\frac{1}{2}$ acres
"	"	"	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	1 acre
Total area to be irrigated				3 $\frac{1}{2}$ Acres
Legal Description is the South 4 Acres of Lot 11 of Fairlawn Subdivision a legally recorded subdivision				

(If more space required, attach separate sheet)

(a) Character of soil Willamette Silt Loam

(b) Kind of crops raised pasture, garden etc

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

20. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ 600
- ✓ 12. Construction work will begin on or before June 1st 1953
- ✓ 13. Construction work will be completed on or before July 1 - 1954
- ✓ 14. The water will be completely applied to the proposed use on or before Aug 1, 1954

Chas A Jenkins
(Signature of applicant)
A. R. 3 - McManville Coe

Remarks: no dam at present. Sump has been dug
in present channel of small stream.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____.

WITNESS my hand this _____ day of _____, 19____.

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.044 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under Application No. B-28036, Permit No. R-1474.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1474.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 27, 1953

Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 30th day of June, 1953

Chas. E. Stricklin STATE ENGINEER

Application No. 28037

Permit No. 22058

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of January, 1953, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 30, 1953

Recorded in book No. 56 of

Permits on page 22058

CHAS. E. STRICKLIN STATE ENGINEER