

R. 28056

Permit No. 22068

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, S. J. Cooper of 1805 Madrone Ave., Roseburg, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Champagne Creek & Reservoir, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.70 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ft. and ft. from the corner of S 48°28' E, 3041.6 Feet from the S.W. corner of the J. L. Arant Donation Land Claim No. 43, T27S, R7W, W. M.

being within the NW 1/4, SW 1/4 of Sec. 11, Tp. 27S, R. 7W, W. M., in the county of Douglas

5. The Pipeline to be 1300 in length, terminating in the SE 1/4, NE 1/4, Sec. 11 & SW 1/4, NW 1/4 of Sec. 10, R. 7W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 25 feet, length at bottom 30 feet; material to be used and character of construction Concrete and timber.

Wasteway over dam. (See accompanying application for permit to construct reservoir)

(b) Description of headgate Timber 4" X 12"

(c) If water is to be pumped give general description 4" Centrifugal direct connected to 7 1/2 H. P. Electric motor, Head 25 Feet.

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

22088

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1300 ft.; size at intake, 4 in.; size at ..... ft. from intake ..... in.; size at place of use 2 in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? Yes Estimated capacity, 0.70 sec. ft.

8. Location of area to be irrigated, or place of use SE $\frac{1}{4}$ , NE $\frac{1}{4}$ , NE $\frac{1}{4}$  SE $\frac{1}{4}$  & Lot 1, Sec. 10 } T27S, R  
SW $\frac{1}{4}$  NW $\frac{1}{4}$ , NW $\frac{1}{4}$  SW $\frac{1}{4}$ , & Lot 1, Sec. 11 } W.M.

Township	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27S	7W	10	SE $\frac{1}{4}$ NE $\frac{1}{4}$	13.0 Acres
27S	7W	11	SW $\frac{1}{4}$ NW $\frac{1}{4}$	33.0 Acres
27S	7W	11	NW $\frac{1}{4}$ SW $\frac{1}{4}$	4.5 Acres
27S	7W	11	SE $\frac{1}{4}$ NW $\frac{1}{4}$	2.3 Acres
27S	7W	11	NE $\frac{1}{4}$ SW $\frac{1}{4}$	1.0 Acres

Description of Land

Lot 1; the SE $\frac{1}{4}$  of the NE $\frac{1}{4}$ ; and the NE $\frac{1}{4}$  of the SE $\frac{1}{4}$  of Sec. 10, Lot 1; the SW $\frac{1}{4}$  of the NW $\frac{1}{4}$ ; and the NW $\frac{1}{4}$  of the SW $\frac{1}{4}$  of Sec. 11, and also beginning at the NE corner of Lot 1 of Sec. 11; thence running East 2.86 chains; thence South 47 chains; thence West 2.86 chains; thence North 47 chains to the place of beginning, and containing in the aggregate 200.53 acres and all being in Sec. 10 and 11 in Township 27 South, Range 7 West, W. M., save and except all that part of Lot 1, Sec. 10, T. 27 S., R. 7 W.,

(a) Character of soil Sandy Loam (CONTINUED UNDER REMARKS)  
(b) Kind of crops raised Hay and Grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in full)

- 11. Estimated cost of proposed works, \$ 600.00
- 12. Construction work will begin on or before May 1, 1953
- 13. Construction work will be completed on or before June 1, 1953
- 14. The water will be completely applied to the proposed use on or before June 19, 1958

*x J. J. Cooper*  
(Signature of applicant)

Remarks: Apparent overlap into SE $\frac{1}{4}$  NW $\frac{1}{4}$ , and NE $\frac{1}{4}$  SW $\frac{1}{4}$ , of Sec. 11, to which applicant has no title, is due to the fact that Sec. 10 & 11 were never subdivided. The requisite section and  $\frac{1}{4}$  section corners are missing, and the cost of that replacement for purposes of establishing the interior 1/16 corners would be prohibitive. Boundary line fences have been in place for 30 or 40 years and have been so generally accepted, that it is doubtful if they could be upset, even after a careful survey had established the correct lines. For this reason, also, the S.W. corner of the J. L. Arant Donation Land Claim No. 43, as the only identifiable, authentic government corner, was used as a tie for the point of diversion

*A. E. Evans*  
A. E. Evans  
Civil Engineer

(CONTINUED FROM ITEM 8)

W. M., lying West of a line beginning at the NW corner of the SE $\frac{1}{4}$  of the NE $\frac{1}{4}$  of Sec. 10, T., 27 S., Range 7 W., W. M., and running thence north to the North line of said Lot 1; also saving and excepting therefrom the following:  
Beginning at a point on the northerly right of way line of County Road #51 from which the SW corner of the J. L. Arant DLC #43 in T. 27 S., R. 7 W., W. M., bears N. 42 Deg. 49' W. 4101.5 ft.; thence S. 89 Deg. 23' E. 400.00 ft. along said right of way line to a 3/4" iron rod; thence N. 3 Deg. 54' W. 844.6 ft.; thence N. 33 Deg. 58' E. 473.0 ft.; thence S. 0 Deg. 58' W. along a fence line 271.0 ft. to the place of beginning, containing 3.01 acres, more or less, in the NW $\frac{1}{4}$  of the SW $\frac{1}{4}$  of Section 11, Township 27 S., Range 7 West, W. M. All in Douglas County, Oregon.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19 \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19 \_\_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.673 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Champagne Creek and reservoir to be constructed under Application No. R-28056, Permit No. R-1476.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1476,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 30, 1953

Actual construction work shall begin on or before June 30, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 30th day of June, 1953.

Chas. E. Stricklin
STATE ENGINEER

Permits for water development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 28057
Permit No. 22068

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 30th day of January

1953, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

June 30, 1953

Recorded in book No. 56 of

Permits on page 22068

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 16 Page 37

Fees Paid 156.00