*APPLICATION FOR PRINCEY

To Appropriate the Public Waters of the State of Oregon

1, Eharles Frank Vimerson
of Scappouse RH Box 24 9
State of, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is North Scapeos & Gre of (Name of streem)
a tributary of Scappoose Greek
2. The amount of water which the applicant intends to apply to beneficial use is 409. Por (150, 5)
cubic feet per second. (12 water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located
corner of
Beginning at the SW. Corner of the Mollagot C. in 31.6-0.50 med -569° 10' E 304.79' 1 knee \$ 54' 1= 324.5' Three N86° 09' E 972. g' mue
(If preferable, give distance and bearing to section corner) N 47 40, 560 to 18 but of diversion, each must be described. Use separate sheet if necessary)
being within the VE14 SW/4 of Sec. 1 Tp. 31V
R. $\mathcal{L}_{(\mathbf{K}, \mathbf{or}, \mathbf{W})}$, W. M in the county of
5. The (Main ditch, canal or pipe line) to be (Miles or feet)
in length, terminating in the
R (E. or w.) (W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction (Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description 4. P. Ectric no/on (Size and type of pump) 40 g gin. Centerfue at Pump. 6—6 7 and from these (Size and type of pump) (Size and type of engile): motor to be used total head water in to be litted, etc.

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

-	d feet.	Jeer, neber of	water	feet; grade	************************	jeet fall per one
	•	Meedes Rijopeas eas us come	miles from l	headgate: width on top (at	water line)	
		•		feet; depth		
		feet fo	*		oj water	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			-	•		
			•	.; size at intake,		
			•	of usein	• • •	
rtake a	ind place	e of use,	ft.	Is grade uniform?		Estimated capacity,
•	**********	sec. ft.				
	Locati	on of area to be	irrigated, or	place of use		
	raship	Range E w W. of Willamette Meridian	Section	Porty-acre Tract	Number	Acres To Be Irrigated
73	<i>N</i>	2W	Sec!	NE1/4 SW14	6	
				- NW4 SW4		
						
roper	ty on	which water i	s to be use	d is a part of that m	ore explicit	ly described by
eing 94.79 . 85°	the S. Test;	Corner of thence S. 1. 10.10 feet	the Malcolm	ne of the West 2 of the Mee 2 W; W M: Columbia McKay Donation land () Columbia there S. 3 point of beginning of	clain; thenc 17 3. 347 f the follow	e S. 69° 10' E. 180 fert; thence ring described
eing Oh.79 . 85* roper olumb ook 9 eet; reek; istan	the S. feet; lu! W ty; Sa ia Riv. 9 page thence thence of	thence 31. 10.10 feet id point bein er Highway wi 264 Columbia N. 67° 43' We along the company to the columbia to the columb	the Malcolm to the true to the inter th the Sout County Dee a distance enter of sa thence S/	point of beginning of section of the Wester, there's there's section of the Wester, there's line of a tract of Records. Thence Note of 410.42 feet to a did Scappoose Creek as 9 E. a distance of 1 ce required, attach separate sheet)	clain; thence have been to the follow ly right of of land as 85° LL W. point in the follows; N. 30.00 feet;	e S. 69° 10' E. 2.80 feat; thencing described way line of the described in a distance of 1 to center of Sca 34° 49' E. a
eing Oh.79 . 85° roper olumb ook 9 eet; reek; istan	the S. feet; hil W ty; Sa ia Rive 9 page thence thence of Char	N. Corner of themce S1* . 10.10 feet id point bein er Highway wi 264 Columbia N. 67° 43' We along the composition of the control of the con	the Malcolm Label 252 to the true the inter th the Sout County Dee a distance center of sa thence Sout	point of beginning of section of the Wester there is a tract decords. Thence Note of 410.42 feet to a did Scappoose Creek as the section of t	clain; thence have been to the follow ly right of of land as 85° LL W. point in the follows; N. 30.00 feet;	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 34° 49' E. a thence N. 37° 0
eing Oh.79 . 85° roper olumb ook 9 eet; reek; istan	the S. feet; hil W ty; Sa ia Rive 9 page thence thence of Char	N. Corner of themce S1* . 10.10 feet id point bein er Highway wi 264 Columbia N. 67° 43' We along the composition of the control of the con	the Malcolm Label 252 to the true the inter th the Sout County Dee a distance center of sa thence Sout	point of beginning of section of the Wester, there's there's section of the Wester, there's line of a tract of Records. Thence Note of 410.42 feet to a did Scappoose Creek as 9 E. a distance of 1 ce required, attach separate sheet)	clain; thence have been to the follow ly right of of land as 85° LL W. point in the follows; N. 30.00 feet;	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 34° 49' E. a thence N. 37° 0
eing Oh.79 85° roper olumb ook 9 eet; reek; istan	the S. feet; lil! W ty; Sa ia Riv: 9 page thence thence of a) Charles b) Kind or Minir	thence S1. 10.10 feet 10.10 feet 10 point bein 204 Columbia 1. 67° 43' We along the columbia 1. 67° 643' W	the Malcolm Language By 252 to the true the inter the Sout County Dee a distance enter of sa thence S/	point of beginning of section of the Wester there is a tract of Records. Thence Note of 410.42 feet to a did Scappoose Creek as S. E. a distance of 1 ce required, attach separate sheet)	clain; thence have been to the following of land as both the follows; N. 30.00 feet; (CONTINUE)	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 84° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh.79 85° roper olumb ook 9 eet; reek; istan	the S. feet; lil! W ty; Sa ia Riv: 9 page thence thence of a) Charles b) Kind or Minir	thence 3. 1. 10.10 feet 10.10 feet 10 point bein 204 Columbia 10.67° 43' We along the columbia 10.67° 60.45 feet; 10 acter of soil	the Malcolm Language By 252 to the true the inter the Sout County Dee a distance enter of sa thence S/	point of beginning of section of the Wester there is a tract of Records. Thence Note of 410.42 feet to a did Scappoose Creek as S. E. a distance of 1 ce required, attach separate sheet)	clain; thence have been to the following of land as both the follows; N. 30.00 feet; (CONTINUE)	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 34° 49' E. a thence N. 37° 0
eing Oh.79 85° roper olumb ook 9 eet; reek; istan	the S. feet; lil! W ty; Sa ia Rive 9 page thence of a) Charles of the ce of	thence S. 1. 10.10 feet 10.10 feet 10 point bein 204 Columbia 11. 67° 43' We along the columbia 1360.45 feet; 10 ferops raised 10 point bein 10 point bein 204 Columbia 10 for bis the columbia 204 Columbia 205 Columbia 206 Columbia 206 Columbia 207 Columbia 208 Colu	the Malcolm Share 252 to the true the inter th the Sout County Dee a distance enter of sa thence S/I (if more specific	point of beginning of section of the Wester there is a tract of Records. Thence Note of 110.12 feet to a did Scappoose Creek as 19 E. a distance of 1 ce required attach separate sheet) **Chalis Cap look **Eveloped**	clain; thence have been to the following of land as both the follows; N. 30.00 feet; (CONTINUE)	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 84° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 . 85 · roper olumb ook 9 eet; reek; istan	the S. feet; lil! W ty; Sa ia Rive 9 page thence of a) Charles of the ce of	thence S. 1. 10.10 feet 10.10 feet 10 point bein 204 Columbia 11. 67° 43' We along the columbia 1360.45 feet; 10 ferops raised 10 point bein 1	the Malcolm Share 252 to the true the inter th the Sout County Dee a distance enter of sa thence S/I (if more specific	point of beginning of section of the Wester there is a tract of Records. Thence Note of 110.12 feet to a did Scappoose Creek as 19 E. a distance of 1 ce required attach separate sheet) **Chalis Cap look **Eveloped**	clain; thence the follow ly right of of land as so the follows; No. 30.00 feet; (CONTINUE) theo	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 84° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 . 85 · roper olumb ook 9 eet; reek; istan	the S. like I was ty; Sa ia Riv. 9 page thence of thence of the contract of the contract of the contract is a contract in the	thence 31. 10.10 feet 10.10 feet 10 point bein 10 feet 11 point bein 12 feet 12 feet 13 feet; 14 feet 15 feet; 16 ferops raised 16 ferops raised 16 point bein 16 point bein 17 purposes— 18 purposes— 19 purposes— 10 purposes—	the Malcolm to the true the inter the the Sout County Dee a distance enter of sa thence S/	point of beginning of section of the Wester there is a tract of Records. Thence Note of 410.42 feet to a did Scappoose Creek as 14 Scappoose Creek as 15 E. a distance of 1 correquired attach separate sheet) **Relation Comparison of the Compariso	clain; thence the following right of of land as so the follows; No. 30.00 feet; (CONTINUE) theo	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 84° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 . 85 · roper olumb ook 9 eet; reek; istan	the S. like I was ty; Sa ia Riv. 9 page thence of thence of the contract of the contract of the contract is a contract in the	thence 31. 10.10 feet 10.10 feet 10 point bein 10 feet 11 point bein 12 feet 12 feet 13 feet; 14 feet 15 feet; 16 ferops raised 16 ferops raised 16 point bein 16 point bein 17 purposes— 18 purposes— 19 purposes— 10 purposes—	the Malcolm to the true the inter the the Sout County Dee a distance enter of sa thence S/	point of beginning of section of the Wester there is the mester to a mester the mester to a mester the mes	clain; thence the following right of of land as so the follows; No. 30.00 feet; (CONTINUE) theo	e S. 69° 10' E. 380 fert; thencing described way line of the described in a distance of 1 se center of Sca 84° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 . 85 · roper olumb ook 9 eet; reek; istan	the S. lile wity; Saia Rive 9 page thence of thence of the for Minimal (a) T (b) Q (c) T (d) T	thence 31. 10.10 feet 10.10 feet 10 point bein 10 feet 11 point bein 12 feet 12 feet 13 feet; 14 feet 15 feet; 16 ferops raised 16 ferops raised 16 point bein 16 point bein 17 purposes— 18 purposes— 19 purposes— 10 purposes—	the Malcolm the By 252 to the true the inter the the Sout County Dee a distance enter of sa thence S/ (If more specific	point of beginning of section of the Wester there is the mester to a mester the mester to a mester the mes	clain; thence the following right of of land as so the follows; No. 30.00 feet; (CONTINUE) theo	e S. 69° 10' E. 380 fert; thenching described way line of the described in a distance of 1 se center of Sca 34° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 . 85 · roper olumb ook 9 eet; reek; istan	the S. feet; lil! W ty; Sa ia Rive 9 page thence of a) Char b) Kind or Minir (b) G (c) T (d) T (e) S	thence 31. 10.10 feet 10.10 feet 10 point bein 10.10 feet 11 point bein 1204 Columbia 11. 67° 43' We along the columbia 1360.15 feet; 1360.1	the Malcolm to the true the inter the the Sout County Dee a distance thence S/ (If more specification to be used for to be used for to be used in	point of beginning of section of the Wester there is the rester the rester the rester of the required attach separate sheet) The rester of the	clain; thence have sec. ft.	e S. 69° 10' E. 380 fert; thenching described way line of the described in a distance of 1 se center of Sca 34° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 85 roper olumb ook 9 eet; reek; istan	the S. I feet; lil! W ty; Sa ia Rive 9 page thence thence of a) Charles or Minir (a) T (b) G (c) T (d) T	thence 31. 10.10 feet 10.10 feet 10 point bein 10.10 feet 11 point bein 1204 Columbia 11. 67° 43' We 1204 along the columbia 1360.15 feet; 1	the Malcolm to the true the inter the the Sout County Dee a distance thence S/ (If more specification over to be dee r to be used for to tilized works by med located in .x. or w.)	point of beginning of section of the Wester there is a tract of Records. Thence Note of 110.12 feet to a did Scappoose Creek as the second of E. a distance of 1 ce required, attach separate sheet) **Records** **Copy ** ** **Copy ** ** **Copy ** ** ** ** ** ** ** ** ** **	clain; thence have sec. ft.	e S. 69° 10' E. 380 fert; thenching described way line of the described in a distance of 1 se center of Sca 34° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 85 roper olumb ook 9 eet; reek; istan	the S. feet; lil! W ty; Sa ia Rive 9 page thence of thence of thence of (a) Charles (b) Kind (c) T (d) T (e) S	thence 3. 1. 10.10 feet 10.10 feet 10 point bein 10.10 feet 10 point bein 10 point bei	the Malcolm Share 252 to the true the inter th the Sout County Dee a distance thence S/I (If more specification tilized works by med located in .x.orw.) turned to any started	point of beginning of section of the Wester there is the rester the rester the rester of the required attach separate sheet) The rester of the	clain; thence have sec. ft.	e S. 69° 10' E. 380 fert; thenching described way line of the described in a distance of 1 se center of Sca 34° 49' E. a thence N. 37° 0 D UNDER REMARKS
eing Oh. 79 85 roper olumb ook 9 eet; reek; istan	the S. feet; lil! W ty; Sa ia Rive 9 page thence of thence of thence of (a) Charles (b) Kind (c) T (d) T (e) S	thence 3. 1. 10.10 feet 10.10 feet 10 point bein 10.10 feet 10 point bein 10 point bei	the Malcolm Share 252 to the true the inter the the Sout County Dee a distance thence S/I (If more specification control be used for tilized works by med located in . x. or w.) turned to any serial and locate in	point of beginning of section of the Wester there is the rester the rester the rester the rester of the rester to a section of the Wester to a section of the Wester to a section of the received as the rester of the required attach separate sheet) The required attach separate sheet) The required attach separate sheet) The rester of the rester of the rester of the required attach separate sheet) The rester of the res	clain; thence the follow of Sec. ft.	e S. 69° 10' E. 380 fert; thenching described way line of the described in a distance of 1 le center of Sca 34° 49' E. a thence N. 37°.0 UNDER REMARKS

STATE ENGINEER

M. (a) To supply the sing of	
County of	
an estimated population of	be annually of familiar to be supplied
(b) If for domestic use stat	le humber of jamilies to be supplies
11. Estimated cost of proposed w	serks, \$
	n en or before \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
13. Construction work will be o	completed on or before $\frac{\sqrt{y}}{\sqrt{953}}$
14. The water will be completely	y applied to the proposed use on or before
	· Charles to Original
	x Charles & Jimesson
	Item 8) E. a distance of 291.52 feet; thence N. 47.
-beginning, Gontains 6.0 acr	***************************************
	-
STATE OF OREGON,	
County of Marion,	
County of Marion, This is to certify that I have	
County of Marion, This is to certify that I have	examined the foregoing application, together with the accompanying for
County of Marion, This is to certify that I have maps and data, and return the same	y, this application must be returned to the State Engineer, with corr

STATE OF OREGON,

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

				•	mount of						
	not exceedQs its equivalent			_	•						
······	-										
The	tue to which t	his wate	r is to b	e applied	l ie	irriga	tion	••••••	•••	••••••	
		*******	··••••••	·····		••••••••••	······	··-		••••	
	or irrigation, th				Timitad to	1/80			ef or	ne cuhic	foot ner
	r ita aquival										
	on of not to		_		_						
rigati	Lon season of	f each	yoar.	•••••		• • • • • • • • • • • • • • • • • • • •	••••••		••••••	·•••••••••••••••••••••••••••••••••••••	
			······································	••••••		•••••		•	••••••	********	•
			·····	•••••••		•••••		•••••	••••		• •
			······································			•••••					
			······································			••••••••••••••••••••••••••••••••••••••			•••••	•••••	
d •hall	be subject to s	uch reas	onable +	otation s	ustem as s	nau he or	dered l	ou the m	roper si	tate offi	cer.
	e priority date (•			_		
	tual constructio	-									
	r be prosecuted										
	.,										
Со	mplete applicat	ion of th	re wate	r to the	proposed 1	ıse shall	be mad	e on or l	oefore .	Octobe	r 1, 19
		····	······································		••••						
WI	ITNESS my har	ed this	30th	da	y of	Min	.		19.53	. L.	1
					40.	Me.	ر ساند		rcc	STATE E	NGINEER
Peri	mits for power develo	pment are	subject to t	the payment	of annual fee	m as provide	d in secti	ons 1 and 1	L, chapter	76, Orego	n Lews 1933
			the gon,	- -				* *	5	H.	···
i i	ııc		ed in			:	;	:	78	ENGINEE	
	# c i	.	eceiv Salem	20		•	· •	:	2207	STRUCKLIN	Page
8	PUBLIC FATE	No.		6 6	,	ived:	:	ις. 23	₩	RIC	
2078		istrict No	irst r	.9					1 1	E	: :
22078	IIT THE HE ST SON	District No.	was first r joineer at L	of Feb.	7 CK	n rec	:	2 S	•		m
No. 22078	RMIT LATE THE OF THE ST OREGON	District No	nent was first r ite Enoineer at L	day of Fabruary	7 CK	cation rec	•	18.30, 15		H	
rmit No. 22078	RMIT LATE THE OF THE ST OREGON		strument was first r re State Enoineer at S	ed day of Feb.	7 CK	application rec		June 30, 1953	r page	١	
Permit No. 22078	PERMIT APPROPRIATE THE WATERS OF THE ST OF OREGON		his instrument was first r	e 3 cd day of Feb.	ed to applicant:	ected application rec	oved:	June 30, 15	its on page	H	
	RMIT LATE THE OF THE ST OREGON	Division No. District No	This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the 3 cd day of Feb.	ed to applicant:	Corrected application received	Approved:	June 30, 15	Permits on page	H	Drainage Basin No. 3 Fees Paid 15.00