

To appropriate the Public Waters of the State of Oregon

I, Leslie L. Garrison and Annie J. Garrison

(Name of applicant)

of 3263 S. E. Haef Rd., Milwaukie 22,

(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream, Sec. 13, T.2.S.,

(Name of stream)

R.1.E., W.M., a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125

cubic feet per second.

Change by Ltr. 22 Dec 52

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic and commercial irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

of one acre.

4. The point of diversion is located 1600 ft. S. and 1900 ft. W from the N.

(N. or S.)

(E. or W.)

corner of Benoni B. Rogers D.L.C. No. 37. Measurements are from scale

(Section or subdivision)

on original survey map.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the R.1.E. SW $\frac{1}{4}$ of NE $\frac{1}{4}$ by Ltr. 22 Dec 52 of Sec. 13, Tp. 2 S.

(Give smallest legal subdivision)

(N. or S.)

R. 1 E. W. M., in the county of Clackamas

(E. or W.)

5. The main pipe line to be 200 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the N.E. $\frac{1}{4}$ of Sec. 13, Tp. 2 S.

(Smallest legal subdivision)

(N. or S.)

R. 1 E. W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam two feet, length on top 5 feet, length at bottom

4 feet; material to be used and character of construction two 2 x 12 timbers dropped

(Loose rock, concrete, masonry)

in concrete slots for easy removal

(rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 2 x 12 timbers can be removed by lifting them

(Timber, concrete, etc., number and size of openings)

out of slots in concrete piers.

(c) If water is to be pumped give general description 1 centrifugal pump, 1000 gal. per

(Size and type of pump)

hour, 1 $\frac{1}{2}$ in. suction, 4 foot lift, 1 in. discharge, 8 ft. lift, stationary,

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

1 sprinkler 10 gal. per minute

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

22105

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 1 in.; size at 200 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 7 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use Estimated by authority of Ltr. 22 Dec 52

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	1 East	13	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	0.50 acres
2 South	1 East	13	SW $\frac{1}{4}$ OF NE $\frac{1}{4}$	0.25 acres
			Total	0.75 acres

Beginning at a point 684.42 feet east of the intersection of the northwesterly line of the Benoni B. Rogers D.L.C. No. 37, T.2.S., R.l.E. of the W.M., with the northeasterly line of the Rinearson and Milwaukie Road commonly known as the River Road, said point of intersection being north 52° east 944.75 feet, more or less from the northwesterly corner of said D.L.C. on the easterly bank of the Willamette River; thence along said northwesterly line of said D.L.C. north 52° east 459.92 feet to the southwesterly line of the right of way of the P.E.P. railway Co., (east side railway); thence south 41°17' east along said right of way 194.04 feet; thence south 52° west 453.37 feet; thence north to the place of beginning.

(If more space required, attach separate sheet)

(a) Character of soil River bottom loam

(b) Kind of crops raised household garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No N. or S.) (No E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No N. or S.) (No E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

11. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

12. Estimated cost of proposed works, \$ 250,00 _____

13. Construction work will begin on or before May 15, 1952 _____

14. Construction work will be completed on or before May 1, 1953 _____

15. The water will be completely applied to the proposed use on or before June 1, 1953 _____

Leslie S. Harrison
(Signature of applicant)
Conrad J. Harrison

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.0034 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 10, 1952

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 21st day of August, 1953.

Chas. E. Stricklin STATE ENGINEER

Application No. 2-7903

Permit No. 22105

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of December, 1952, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 22105

CHAS. E. STRICKLIN STATE ENGINEER