

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Carl G. Carnahan of Richland State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Little Eagle, Spring Conundrum, Ethel and Summit Creeks, a tributary of Eagle Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.62 cubic feet per second. The total from all sources 70% from Little Eagle & 10% from each of the others

*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ft. and ft. from the corner of see remarks

being within the of Sec. Tp.

R. W. M., in the county of Baker

5. The main ditch to be about ten miles in length, terminating in the of Sec. 11, Tp. S S R.

R. 45 E W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— None

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Headgates at each point of diversion from each stream

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 feet; width on bottom 4 feet; depth of water 1.5 feet; grade 0.02 feet fall per one thousand feet.

(b) At 0.21 miles from headgate: width on top (at water line) 6 feet; width on bottom 4 feet; depth of water 1.5 feet; grade 0.02 feet fall per one thousand feet.

(c) Length of pipe, none ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Wilmamete Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
9S	45E	11	SE NW	15
9S	45E	11	SE NW	10
<i>By authority of Letter Feb 14, 1953, The above is changed to:</i>				
9 South	45 East	11	SE 1/4 of NW 1/4	17 acres
			SW 1/4 of NW 1/4	8 acres
			<i>Total =</i>	<u>25 acres</u>
				25 acres

(If more space required, attach separate sheet)

(a) Character of soil silty-clay loam

(b) Kind of crops raised hay and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply

10. (a) To supply the city of _____

_____ County, having a present population of _____

and an estimated population of _____ in _____

(b) If for domestic use state number of families to be supplied _____

(Amount of water to be supplied)

11. Estimated cost of proposed works, \$ _____ all constructed and in use.

12. Construction work will begin on or before _____

13. Construction work will be completed on or before _____ already constructed

14. The water will be completely applied to the proposed use on or before June 1, 1953

All ditch rights are taken care of.

Carl L. Carnahan
(Signature of applicant)

Remarks: This application is for a flood water right from Little Eagle, Spring

Creek, Conundrum Creek, Ethel Creek and Summit Creek. Water is picked up from

Little Eagle, Ethel Creek, Spring and Conundrum Creeks in an old established

Spring creek canal which is now known as the ~~XXXXX~~ ditch and emptied into Summit Creek near

the McBride Panger Station in Sec. 21, Twp. 7S, R. 45E. It is then picked up

Spring Creek lower down in another canal, also known as ~~XXXXX~~ ditch and distributed to the

land from which this land as shown on map can be irrigated.

Diversion point from Little Eagle SE 1/4 SW 1/4 Sect. T. 7 S. R. 44 E. W. M.

From Conundrum Creek NE 1/4 NE 1/4 sect 13 T. 7 S. R. 44 E. W. M.

Ethel Creek NE 1/4 NE 1/4 Sect. 19 T. 7 S. R. 45 E. W. M.

Summit Creek SE 1/4 NE 1/4 Sect. 34. T 8 S. R. 45 E. W. M.

Carnahan Lateral diverts out of The Spring Creek ditch NE 1/4 SW 1/4 Sect. 2 T. 9 S. R. 45 E. W. M.

See Powder River adjudication maps No 17, 18, 28 and Map for Section 9 S. R. 45 E. W. M.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 14 19 53
April 6 19 53

WITNESS my hand this 14th 3d day of May 19 53

CHAS. E. STRICKLIN
STATE ENGINEER

By *Chris L. Wheeler*
Chris L. Wheeler, Assistant

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.62 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Little Eagle, Spring Command, Ethel and Summit Creeks, being 0.434 cfs. from Little Eagle, 0.062 cfs. from Spring Command, 0.062 cfs. from Ethel & 0.062 cfs. from Summit Creek.

The use to which this water is to be applied is, irrigation of not to exceed 25 acres

If for irrigation, this appropriation shall be limited to 1/10 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3/4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 13, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August, 1953

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 27953

Permit No. 22108

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of December, 1952, at 8:00 o'clock A. M.

Returned to applicant:

May 14, 1953

Corrected application received:

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 218

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 5 Page 15

Fees Paid \$25.00