

Permit No. 22110

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, GEORGE TAYLOR of 39 J ST NORTH LAKEVIEW OREGON State of

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is WHITE ROCK CREEK, a tributary of THOMAS CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 5.4 cubic feet per second.

**3. The use to which the water is to be applied is IRRIGATION

4. The point of diversion is located ... ft. and ... ft. from the corner of No. 1 N 60° 56' E 161.20 ... No. 2 S 28° 30' E 2057.8 ... No. 3 S 55° 55' E 3296.9

being within the ... of Sec. ... Tp. ... R. ... W. M. in the county of ... 5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet: material to be used and character of construction ... rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate ... (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description ... (Size and type of pump) ... (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

22110

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4 feet; width on bottom 2 feet; depth of water 1 feet; grade 1 feet fall per one thousand feet.

(b) At NeCharger miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 ²	20E	27	NW NW	19.7 ✓
			SW NW	10.8 ✓
			SE NW	32.8 ✓
			SW NE	31.4 ✓
			NW SE	26.7 ✓
			NE SW	12.6 ✓
			SW SE	27.2 ✓
			SE SE	3.0 ✓
			NW SW	6.5 ✓
			SE SW	4.8 ✓
"	"	34	NW NE	16.0 ✓
			NE NE	13.0 ✓
			SE NE	6.2 ✓
			SW NE	3.0 ✓
				174.0

(If more space required, attach separate sheet)

(a) Character of soil Gravelly Loam

(b) Kind of crops raised Hay & Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____

_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

Municipal or Domestic Supply

10. (a) To supply the city of _____ County, having a present population of _____ and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

11. Estimated cost of proposed works, \$ 2000⁰⁰

12. Construction work will begin on or before March 1947

13. Construction work will be completed on or before June 1947

14. The water will be completely applied to the proposed use on or before June 1947

Ben Taylor
(Signature of applicant)

Remarks: _____

Ben Taylor
Legal Descriptions from Assessor's Records
NE 1/4 Sec 34- T37S R20E
26 - 37 - 20 except the NE 1/4 NE 1/4
and 0.2 acres R/W
27 - 37 - 20 except 4.83A R/W
SW 1/4 Sec 37
NE 1/4 NE 1/4, NE 1/4 NE 1/4, SW 1/4 NE 1/4 Sec 35- 37- 20
25.17 acres R/W and ground fee

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.342 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from White Rock Creek

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 29, 1952

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August 19 53.

Chas E Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.

Application No. 27960

Permit No. 22110

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of December

19 52 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 22110

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 13 Page 46A

Fees Paid 31.25