B

AN THE RESERVE THE PROPERTY OF THE PROPERTY OF

Public Waters of the State of Oregon

	R. Wesselman	application (in the control of the c
yRoute A	(Making addraw)	**************************************
State of	do herob	y make application for a permit to appropriate the
following described	public waters of the State of Orego	m, Subject to existing rights:
If the applica	mt is a corporation, give date and pl	ace of incorporation
1 The source	e of the proposed appropriation is	McKay Creek
		y of Dairy Creek
	nt of water which the applicant inter	0.05
	•	
cubic feet per secon	id(M water is to be used it	rom more than one source, give quantity from each)
**3. The use to	o which the water is to be applied is	1rrigation (Errigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point	of diversion is located ft.	
corner of	(Bection	n or subdivision)
		east corner of the Jacob Hoover
	. 	
	(If preferable, give distance and	bearing to section corner)
	If there is more than one point of diversion, each mus	bearing to section corner) t be described. Use separate sheet if necessary)
being within the	If there is more than one point of diversion, each mus	bearing to section corner) t be described. Use separate sheet if necessary)
being within the	If there is more than one point of diversion, each mus	t be described. Use separate sheet if necessary)
being within the R. 2 W , W (E. or W.) 5. The	(Give smallest legal subdivision) M., in the county of Washington pipeline (Main ditch, canal or pipe line)	to be 4500 ft.s. (Miles or feet)
being within the R. 2 W , W (E. or W.) 5. The	(Give smallest legal subdivision) M., in the county of Washington pipeline (Main ditch, canal or pipe line)	to be 4500 ft.s. (Miles or feet)
being within the R. 2 W, W (E. or W.) 5. The in length, termina	(Cive smallest legal subdivision) M., in the county of Washington (Main ditch, canal or pipe line) ting in the NW4SW4 (Smallest legal subdivision)	to be 4500 ft.s. (Miles or feet)
being within the R. 2 W , W , W (E. or W.) 5. The in length, termina R. 3W (E. or W.)	(Give smallest legal subdivision) (A. M., in the county of	to be 4500 ft. of Sec. 12 , Tp. 1N (N. or S.) g shown throughout on the accompanying map.
being within the R. 2 W , W , W , S. The in length, termina R. 3W (E or W.) Diversion Works—	(Cive smallest legal subdivision) "Mashington" "Mashington" "Mashington" "Mashington "Mashi	to be 4500 ft. of Sec. 12 , Tp. 1N (N. or S.) g shown throughout on the accompanying map.
being within the R. 2 W , W , W , S. The in length, termina R. 3W (E or W.) Diversion Works—	(Cive smallest legal subdivision) "Mashington" "Mashington" "Mashington" "Mashington "Mashi	to be 4500 ft. of Sec. 12 , Tp. 1N (N. or S.) g shown throughout on the accompanying map.
being within the R. 2 W , W (E. or W.) 5. The in length, termina R. 3W (E. or W.) Diversion Works— 6. (a) Heig	(Give smallest legal subdivision) (A. M., in the county of	to be described. Use separate sheet if necessary) of Sec. 7. , Tp. 1N (N. or S.) to be 4500 ft. (Miles or feet) of Sec. 12. , Tp. 1N (N. or S.) g shown throughout on the accompanying map. I OF WORKS ngth on top feet, length at bottomer of construction
being within the R. 2 W , W (E or W.) 5. The in length, termina R. 3W (E or W.) Diversion Works— 6. (a) Heig	(Give smallest legal subdivision) (A. M., in the county of	to be described. Use separate sheet if necessary) of Sec. 7. , Tp. 1N (N. or S.) to be 4500 ft. (Miles or feet) of Sec. 12. , Tp. 1N (N. or S.) g shown throughout on the accompanying map. I OF WORKS ngth on top feet, length at bottor er of construction
being within the R. 2 W , W (E. or W.) 5. The in length, termina R. 3W (E. or W.) Diversion Works— 6. (a) Heighton termina rock and brush, timber cr	(Cive smallest legal subdivision) (A. M., in the county of	to be described. Use separate sheet if necessary) of Sec. 7. , Tp. 1N. (N. or S.) to be 4500 ft.a. (Miles or feet) of Sec. 12. , Tp. 1N. (N. or S.) g shown throughout on the accompanying map. I OF WORKS ngth on top feet, length at bottom (Loose rock, concrete, masonrement of construction) Timber, concrete, etc., number and size of openings)
being within the R. 2 W , W (E. or W.) 5. The in length, termina R. 3W (E. or W.) Diversion Works— 6. (a) Heig rock and brush, tumber er (b) Descrip	(Cive smallest legal subdivision) (A. M., in the county of	to be described. Use separate sheet if necessary) of Sec. 7. , Tp. 1N. (N. or S.) to be 4500 ft. (Miles or feet) of Sec. 12. , Tp. 1N. (N. or S.) g shown throughout on the accompanying map. I OF WORKS ngth on top feet, length at bottom er of construction (Loose rock, concrete, masonry

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon. 1-13-4M

^{*}A different form of application is provided where storage works are contemplated.

(c) Length of omintake and place of	; depth of so	miles from her	Jest; grade	er line)
(c) Length of om intake	; width on b	nities from her ottom per one thous	ndgute: width on top (at wat	er line)
(c) Length of om intaketake and place of	; width on bo	per one thous	feet; depth of	
(c) Length of om intaketake and place of	pipe,	per one thous		•
(c) Length of om intaketake and place of	pipe,	_	/	
om intaketake and place of	• •		size at intake,	in.; size at
take and place of	•	•	f use in.; d	
	use,		grade uniform?	
	sec. ft.			
8. Location of	area to be i	rrigated, or pla	ace of use	
Twenship Herik er South W	Range E. or W. of Thusette Moridian	Geotlen	Forty-eare Treat	Number Acres To Be Irrigated
ln	5 W	12	- swłswł	9.0
וא	3W	12	SE l sw _l	15.1
ln	5 W	13	- NASNAS	3.1 -
ln	3W	13	- nełnwł	6.0
ln	3W	13	nwinei	11.2
lN	3W	13	ne{ne{	9.2
JM	3 W	12	- SW4SB4	1.8
1N	3 W	12	- SE4SE4	6.9
1N	2₩	18	- MM ⁴ MM ⁴	5.7
	· · · · · · · · · · · · · · · · · · ·		Total	68.0
		(If more mece	required, attach separate sheet)	
(a) Chara	icter of soil		Dam	
(b) Kind	of crops raise	ed pastu	re and cannery cro	ps
Power or Mining P	_			
			veloped	•
			power	sec. jt.
			(Hesd)	•
(a) The i	iature of the	works by mean	ns of which the power is to l	se developed
(a) South		laastad im	٠ -	
			(Legal subdivision)	ој Sec
(No. N. or S.)	•	,	m. tream?	

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

		a or Demostic Supply— 22120
	10.	(a) To emply the city of
-	,	County, having a present population of
and i		finated population of
**************************************		(b) If for domestic use state number of families to be supplied
	11	Estimated cost of proposed works, \$ \$4000.00
		Construction work will begin on or beforeApril_1953
		Construction work will be completed on an independent April 1956.
	14.	The water will be completely applied to the proposed use on or beforeApril, 1956
4 830,,,,,	**********	X James Consens'
line of 564.7 f contain	th eet ing Beg	43.95 feet to an iron; thence S86°49'E 1773.5 feet to the center e county road; thence in the center line of said road N13°21'E to an iron; thence N10°14'E 76.5 feet to the place of beginning, 33.76 acres, more or less. inning at a point in the center line of the county road, said point
being S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said	sai 27. ce Beg R2 sai fee W 1 ter N32	47'W691.02 feet and S86'48'E 4642.2 feet from the northwest corner d Jacob Hoover D.L.C.; thence S86'48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to an iron; thence feet to the center line of the to the center line of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 w, W.M., Washington County, Oregon S14'09'W 691.02'feet from the corner of the said Hoover claim; thence S14'09'W along the east line of the to a stone; thence S87'll'W to a stone; thence S1735'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21'48'E 337.3 feet; thence continuing in the center ad N13'21'E 653.2 feet; thence S86'48'E 1889.8 feet to an iron; Thence S86'48'E 2276.4 feet to the place of
being S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence	sai 27. ce Beg R2 sai fee W 1 ter N32	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence S67*11'W t to a stone; thence S1*35'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence S86*48'E 1889.8 feet to an iron; thence S86*48'E 2276.4 feet to the place of
seing S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence	sai 27. ce Beg R2 sai fee W 1 ter N32	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence S67*11'W t to a stone; thence S1*35'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence S86*48'E 1889.8 feet to an iron; thence S86*48'E 2276.4 feet to the place of
seing S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence	sai 27. ce Beg R2 sai fee W 1 ter N32	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence S67*11'W t to a stone; thence S1*35'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence S86*48'E 1889.8 feet to an iron; thence S86*48'E 2276.4 feet to the place of
seing S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence	sai 27. ce Beg R2 sai fee W 1 ter N32	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence S67*11'W t to a stone; thence S1*35'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence S86*48'E 1889.8 feet to an iron; thence S86*48'E 2276.4 feet to the place of
seing S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence	sai 27. ce Beg R2 sai fee W 1 ter N32	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence S67*11'W t to a stone; thence S1*35'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence S86*48'E 1889.8 feet to an iron; thence S86*48'E 2276.4 feet to the place of
seing S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence	sai 27. ce Beg R2 sai fee W 1 ter N32	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence S67*11'W t to a stone; thence S1*35'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence S86*48'E 1889.8 feet to an iron; thence S86*48'E 2276.4 feet to the place of
being S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence beginni	sai 27. ce Beg R2 sai fee W 1 ter ro N32 ng.	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence feet to an iron; thence feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence S67*11'W t to a stone; thence S1*35'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence S86*48'E 1889.8 feet to an iron; thence S86*48'E 2276.4 feet to the place of
seing S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence beginni	sai 27. ce Begg R2 stifee W 1 ter ro N32 ng.	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence 6 feet to an iron; thence N85*48'W 1889.8 feet to the center line nty road; thence N13*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing I3.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W 691.02 feet from the corner of the said Hoover claim; thence S14*09'W along the east line d Hoover claim a distance of 870 feet to a stone; thence \$57*11'W to a stone; thence \$1735'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence \$86*48'E 1889.9 feet to an iron; 7.6 feet to an iron; thence \$86*48'E 2276.4 feet to the place of sold road N1 thence S8
seing S of the South 3 of the c the pla Also: In TlN, northea of the 2327.4 N79°54' the c en of said thence beginni	sai 27. ou ce Begg R2 sai fee W 1 terro N32 ng.	d Jacob Hoover D.L.C.; thence \$86°48'E 1828.4 feet to an iron; thence 6 feet to an Iron; thence \$85°48'E 1889.8 feet to the center line nty road; thence \$81°21'E 53.5 feet; thence \$810°14'E 276.5 feet to of beginning, containing 13.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon \$12°09'W \$91.02 feet from the corner of the said Hoover claim; thence \$14°09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence \$87°11'W t to a stone; thence \$1335'E 657.0 feet to a stone; thence in of said road \$82.48'E 337.3 feet; thence continuing in the center of \$13.21'E 653.2 feet; thence \$86°48'E 1889.8 feet to an iron; 7.6 feet to an iron; thence \$86°48'E 2276.4 feet to the place of OF OREGON. Ss. ty of Marion, Ss. t
seing S of the South 3 of the c the pla Also: in TlN, northea of the 2327.4 N79°54' the c en of said thence beginni	sai 27. ou ce Beg R2 sai fee W 1 ter ro N32 ng.	d Jacob Hoover D.L.C.; thence S86*48'E 1828.4 feet to an iron; thence 6 feet to an iron; thence 816*48'W 1889.8 feet to the tenter line inty road; thence N15*21'E 53.5 feet; thence N10*14'E 276.5 feet to of beginning, containing 13.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon S14*09'W solico2 feet from the corner of the said Hoover claim; thence S14*09'W along the east line d Hoover claim a distance of 870 feet to a stone; thence 387*11'W to a stone; thence S13*55'E 657.0 feet to a stone; thence 947.8 feet to a point in the center of the county road; thence in of said road N21*48'E 337.3 feet; thence continuing in the center ad N13*21'E 653.2 feet; thence \$86*49'E 1889.9 feet to an iron; 7.6 feet to an iron; thence S86*48'E 2276.4 feet to the place of OF OREGON. Ss. Sy of Marion. Ss. Sis is to certify that I have examined the foregoing application, together with the accompanying it data, and return the same for
seing S of the South 3 of the che pla Also: In TlN, northea of the 2327.4 N79°54' the cen of said thence beginni	sai 27. ou ce Beg R2 sai fee W 1 ter ro N32 ng.	d Jacob Hoover D.L.C.; thence \$86°48'E 1828.4 feet to an iron; thence 6 feet to an Iron; thence \$85°48'E 1889.8 feet to the center line nty road; thence \$81°21'E 53.5 feet; thence \$810°14'E 276.5 feet to of beginning, containing 13.96 acres. inning at a stone on the east line of the Jacob Hoover D.L.C. #46 W, W.M., Washington County, Oregon \$12°09'W \$91.02 feet from the corner of the said Hoover claim; thence \$14°09'W along the east line of Hoover claim a distance of 870 feet to a stone; thence \$87°11'W t to a stone; thence \$1335'E 657.0 feet to a stone; thence in of said road \$82.48'E 337.3 feet; thence continuing in the center of \$13.21'E 653.2 feet; thence \$86°48'E 1889.8 feet to an iron; 7.6 feet to an iron; thence \$86°48'E 2276.4 feet to the place of OF OREGON. Ss. ty of Marion, Ss. t

ution and do heroby grant the same,

and shall streem,	he right heroin gran Luist exceed	case of volation with a	nount of water or second measu ther water user	which can be appoint at the point at the poi	of diversion from the
T	he use to which this	water is to be applied	is irrige	tion	······································
second o	r its equivalent for	appropriation shall be leach acre irrigatedar	d shell he f	arther limited	toa.diversionof
•	•	·			
	•				
					-
T A	he priority date of t	reasonable rotation synhis permit iswork shall begin on or	February 11	, 1953 21, 1954	and shall
C	omplete application	ith reasonable diligence of the water to the proting this	posed use shall	be made on or be	fore October 1, 1956
Application No. 28085 Permit No. 2212.0	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of February. 1953, at 6100 o'clock H. M.	Returned to applicant:	Approved: August 21, 1953 Recorded in book No. 56 of	Permits on page 66 L. 20 CHAS. E. STRICKLIN State Printing 66340

State Printing 86340 2 e. 7 o