

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Leo E. Sanders, of the State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wilson River, a tributary of Tillamook Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.41 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 149.46 ft. S and 1037.42 ft. W from the corner of Between sections 22 and 23 Twp. 1. S. R. 9. W. W. M. Tillamook Oregon

being within the NE 1/4 SE 1/4 of Sec. 22, Tp. 1. S. R. 9. W. W. M., in the county of Tillamook

5. The Pipe line to be 800 ft in length, terminating in the SE 1/4 NE 1/4 and SW 1/4 NE 1/4 of Sec. 22, Tp. 1. S. R. 9. W. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 7. H.P. Elec Centrifugal 2 inlet 4" outlet

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 800 ft ft.; size at intake, 4" in.; size at _____ 800 ft. from intake 4" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? yes Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Partly-acre Tract	Number Acres To Be Irrigated
1.S.	9.W.	22	SE $\frac{1}{4}$ NE $\frac{1}{4}$	15.60
1.S.	9.W.	22	SW $\frac{1}{4}$ NE $\frac{1}{4}$	15.00
1.S.	9.W.	22	NW $\frac{1}{4}$ SE $\frac{1}{4}$.20
1.S.	9.W.	22	NE $\frac{1}{4}$ SE $\frac{1}{4}$	2.00
			To a	32.80

(If more space required, attach separate sheet)

(a) Character of soil _____ Sandy Riverbottom

(b) Kind of crops raised _____ Grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower.

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.
(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____
(Legal subdivision)

Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? _____
(Yes or No)

(g) If so, name stream and locate point of return _____
_____, Sec. _____, Tp. _____, R. _____, W. M. _____
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) For domestic use state number of families to be supplied _____

11. Estimated cost of proposed works, \$ _____ 2500.

12. Construction work will begin on or before _____ Nov 12 19____

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before _____

Leo B. Bander
(Signature of applicant)

Remarks: _____ The system has been in use for several years,
_____ and the owner is now applying for a right.

The Southeast quarter of the Northeast quarter and the East half of the Southwest quarter of the Northeast quarter of Section Twenty-two (22), in Township 1 South of Range 9 West of Willamette Meridian.

Also beginning at the Northeast corner of the East half of the Southeast quarter of the aforesaid Section 22, and running thence West 80 rods; thence South 165 feet; thence East 80 rods to the East line of said Section; thence North 165 feet to the place of beginning.

Also, all of the land lying between the South line of the East half of the Southwest quarter of the Northeast quarter of the aforesaid Section 22 and the Wilson River.

Also, all of the land lying between the line of the fence running North and South and 24 feet East of the East line of said Section 22 and said east line of said section and on the North side of said Wilson River, said fence being the fence now enclosing said lands on the East and located on a line 24 feet, more or less, east from the point designated for the quarter-section corner on the East side of said section by G. S. Coates, County Surveyor, in the year 1918, said point being marked by an iron pipe driven in the ground by said surveyor.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.41 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Wilson River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 23, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August, 1953

Chas. E. Stricklin STATE ENGINEER

Application No. 48/38

Permit No. 22146

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of February, 1953, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 22146

CHAS. E. STRICKLIN STATE ENGINEER