

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, CHARLES MONROE GREENWELL

of Route # 3 Box 282 Tigard, State of OREGON, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is FANN O CREEK, a tributary of TUALATIN RIVER

2. The amount of water which the applicant intends to apply to beneficial use is approximately 3,000 gal per day

3. The use to which the water is to be applied is Irrigation of garden and lawn

4. The point of diversion is located 135 ft. At N 23° 50' E - 135.25 and N 13° 31' W - 134.2 and 559° 33' W - 152 to 1 P and Point of Div. from corner of Lot 14 of the Amended Plat of North Twp. Secs. 2 & 3 T 25, R 1 W W.M., Co., Ore. Additional - a duly recorded subdivision in Washington County - 85 ac to the northeast corner of said Lot 14

being within the NW 1/4 of the NW 1/4 of Sec. 2, Tp. 25

R. 1 W, W. M., in the county of Washington

5. The 3/4" pipe to be 200' max. in length, terminating in the NW 1/4 of the NW 1/4 of Sec. 2, Tp. 25

R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Shallow well Centrifugal

type, suction pipe 1/4 in, discharge pipe 3/4 in, motor 1/2 H.P. electric, Capacity 300 gal per hour Pump will be portable.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

22177

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, 200 ft.; size at intake, 1 1/4" in.; size at 10 ft. from intake 3/4" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 8 to 10 ft. Is grade uniform? Yes Estimated capacity, 800 gph sec. ft.

8. Location of area to be irrigated, or place of use 1.29 Ac at S South of point of Div.

Township North or South	Range N. or W. of Wisconsin Meridian	Section	Four-acre Tract	Number Acres To Be Irrigated
all of Lot 14, Amended Plat of North Tigardville Addition, except that part conveyed to Gerald J. Fitzpatrick by deed Recorded December 27, 1946 in Box 269, Page 341, Deed Records, in the County of Washington and State of Oregon according to the above recorded map and plat (herefore 1.29 acres				
25	1 W	2	NW 1/4 NW 1/4	1.29

(If more space required, attach separate sheet)

(a) Character of soil Banner loam

(b) Kind of crops raised Vegetable (Garden)

Power or Mining Purposes—

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_

(Legal subdivision)

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No N or S)

(No E or W)

(f) Is water to be returned to any stream? \_\_\_\_\_

(Yes or No)

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M.

(No N. or S.)

(No E or W)

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

11. Estimated cost of proposed works, \$ 175 00

12. Construction work will begin on or before June 1 1953

13. Construction work will be completed on or before June 5 1953

14. The water will be completely applied to the proposed use on or before ~~June 5 1953~~

The week following grant of Rights

Charles Monroe Greenleaf  
(Signature of applicant)

Remarks: This water will be used to irrigate garden and lawn during the dry summer & fall months.

The method of irrigation will be by sprinklers. The lawn type will be used with a spray distance of 5 to 50 ft. There won't be more than 3 sprinklers used at any one time.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 8, 1953

WITNESS my hand this 3th day of April, 1953

CHAS. V. STRICKLIN  
STATE ENGINEER  
By Ed K. Humphrey  
Ed K. Humphrey, Assistant  
dg

**PERMIT**

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fazio Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 10, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 21st day of August, 1953

*Chas. E. Stricklin*  
STATE ENGINEER

Application No. 28182

Permit No. 22177

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of March, 1953, at 8:00 o'clock A. M.

Returned to applicant:

April 8, 1953

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 22177

CHAS. E. STRICKLIN  
STATE ENGINEER