## To Appropriate the Public Waters of the State of Oregon

1880 1,1, 7						
tate of9xnaini						
ollowing described public w	sters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:					
If the applicant is a con	If the applicant is a corporation, give date and place of incorporation					
1. The source of the pr	oposed appropriation isEsllogg_Greak					
	, a tributary of <b>Villamette Mver</b>					
2. The amount of wate	r which the applicant intends to apply to beneficial use is					
ubic feet per second	(If water is to be used from more than one source, give quantity from each)					
**3. The use to which th	(If water is to be used from more than one source, give quantity from each)  e water is to be applied is					
	8. 53° 01° E. 1509.05 ft. from ion is located ft. and ft (E. or W.)  D.L.C. #38, T. 1 S., R. 1 E., W.W.  (Section or subdivision)					
	(If preferable, give distance and bearing to section corner) than one point of diversion, each must be described. Use separate sheet if necessary)					
eing within the S.B	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  **RaBa**  Of Sec. 1, Tp. 28  (Give smallest legal subdivision)					
reing within the S.B, W. M., in the	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  **RaBa**  (Give smallest legal subdivision)  COUNTY of Classicase					
R. 1 B, W. M., in the	(If preferable, give distance and bearing to section cerner)  than one point of diversion, each must be described. Use separate sheet if necessary)					
R. 1 B, W. M., in the	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  **RaBa**  (Give smallest legal subdivision)  COUNTY of Classicase					
R. 1 B, W. M., in the (E.o. 7.)  5. The	(If preferable, give distance and bearing to section cerner)  than one point of diversion, each must be described. Use separate sheet if necessary)					
R. 1 B, W. M., in the (E. o. W.)  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  NaMa					
seing within the S.B	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  In I					
seing within the S.B	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  NaMa					
seing within the S.W. A.  R. 1 B, W. M., in the (E. o. W.)  5. The	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  In I					
seing within the S.B	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  I all a county of Sec. 1 , Tp. 28  (Give smallest legal subdivision)  (Main ditch, canal or pipe line)  (Smallest legal subdivision)  (DESCRIPTION OF WORKS  feet, length on top feet, length at bottomial to be used and character of construction  (Loose rock, concrete, mason					
seing within the S.W	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  I all a county of Sec. 1 , Tp. 28  (Give smallest legal subdivision)  (Main ditch, canal or pipe line)  (Smallest legal subdivision)  (DESCRIPTION OF WORKS  feet, length on top feet, length at bottomial to be used and character of construction  (Loose rock, concrete, mason					
neing within the S.B	(If preferable, give distance and bearing to section corner)  than one point of diversion, each must be described. Use separate sheet if necessary)  Malla 2. of Sec. 1 , Tp. 2.8  (Give smallest legal subdivision) (N. or S.)  county of 010.0 km mall.  to be (Miles or feet)  of Sec. , Tp. (Smallest legal subdivision) (N or S.)  the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  feet, length on top feet, length at bottomial to be used and character of construction (Loose rock, concrete, masor sy over or around dam)					

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon. 3-53-4M

The second secon

Canal System or	Pipo Lina-		A Secretary of the Control of the Co	
			senti where materially char	nged in size, stating miles
hoodeste. At her	danter saldth on t	ne fot wete	r line)	fact: enlitth on h
			feet: grade	
			readjusts: width on top (at me	
1404a ) (140a ) (140a ) (140a ) (140a)	feet; width on bo	tion	feet; depth of	soster
grade	foot full	per one tho	usend feet.	
(c) Lengt	h of pipe,		.; size at intake,	in.; size at
from intake		ine at place	of use in.;	difference in elevation be
intake and place	of use,	ft.	Is grade uniform?	Estimated ca
•	sec. ft.	•	•	•
		rigated, or 1	place of use	
Township North or South	Storage R. or V. of Willegette Meridien.	Becken	Porty-eare Tract	Number Acres To Be Irriga
2.5	18	1	8,2, 1 1,2, 2	1.09
**************************************				
		· · · · · · · · · · · · · · · · · · ·		
		····		
***************************************		<del></del>		
**************************************		· · · · · · · · · · · · · · · · · · ·		
		(If more spe	see required, attach separate sheet)	
(a) C	haracter of soil	8110	leas	
(b) K	lind of crops raise	i Lawn	4 Plowers	
Power or Minir	ng Purposes-			
9. (a) T	otal amount of po	wer to be d	eveloped	theoretical horse
(b) G	uantity of water t	to be used fo	r power	. sec. ft.
(c) T	otal fall to be util	ized	feet.	
			eans of which the power is to	be developed
(e) S	such works to be le	ocated in	3	of Sec
	, R		(refer bringiamen)	
			stream?(Yes or No)	•
(g) I	j so, name stream	and locate	point of return	
			, Tp(No. N. or	

Municipal or D	Connectic Supply 22	186
20. (a) T	to supply the city of	
-	County, Resing a present population of	**********
end as estimet	ed population of in 19	
<b>(b)</b> 1	If for domestic use state number of families to be supplied	
9.0 T-41		
	nested cost of proposed sporks, \$	
	truction work will begin on or beforeANTAL le_1988	
13. Cons	truction work will be completed on or before Fall 1, 1965	**********
14. The 1	water will be completely applied to the proposed use on or beforeJuly 1, 1955	••••••
Da		······································
	James How White	
	(Signature of applicant)	
Remark	: Irrigation to be by Sprinkler system, pumped by force pump d	riven
		**************************************
W18IL	1/3 Horse-power motor, using 450 ft, of 2 inch pipe,	••••••••
Land on whi	ich water is to be used is a part of that more explicitly described as follows:	р <b>у</b>
	Description of the tract of land to be irrigated:	
	Part of the Joseph Kellogg D.L.C., in T.1.B. R. 1 & 2 E. of	
•	W.M., and T.2.S. R. 1 & 2 B. W.M., described as: Beginning at a point in the center of the Poster and Milwaukie	******
	Road known as Lake Mead which is N. 10 W. 1146.42 feet and S. 670 00' M. 1809.06 feet from the Southeast corner of the Lot	
	whiteomb MC #56, in Section 56, T.l.S. R.l.E. W.M., said beginning point being the most Northerly corner of the Townplat of	
••••••	Atkinson; thence S. 21 00' W. following the Atkinson boundary	•••••
•••••	line to the Southwest corner of the Townplat of Atkinson, in the center of Hellogg Creek, and the true point of beginning of the	
• . • • •	tract herein described; (iron pipe on bank) themce following the center line of said Creek downstream 109.00 feet, more or	
• · · ·	less; thence E. 21° 35° E. (iron pipe on bank) 420,42 feet to an iron pipe; thence S. 67° 00° E. 30.00 feet to an iron pipe;	
	thence W. 21° 35° E. 20.00 feet to a point; thence 8. 67° 00° E. 77.30 feet, more or less, to the West boundary of the Townplat	
••	of Atkinson; thence S. 210 00' W. along said West boundary of	*****
•	Atkinson, 466.2 feet to the point of beginning.	
	Situate in Clackamas County, State of Oregon	
	Recorded in book 378 Page 611 Clackamas County	
STATE OF	\ee	
County of	Marion,	
This is	to certify that I have examined the foregoing application, together with the accom-	panying
maps and dat	ta, and return the same for	
In ord	er to retain its priority, this application must be returned to the State Engineer, with	correc
tions on or h	10	
	pefore	

STATE OF OREGON,

This is to certify that I have exemined the SUBJECT TO EXISTING RIGHTS and the follows tion and do hereby grant the same,

n from the
k
***************************************
bic foot per
ersion of
gation
*****
officer.
and shall
9.55 .
er 1, 1956 .
<u> </u>
n
TE ENGINEER
~
STATE ENGINEER
7 TT X
180
, ,

State Printing &