Permit No. 22187

6

The state of the section of the section of

The state of the s

## To Appropriate the Public Waters of the State of Oregon

<b>L</b>		ARTRY I. MC	DRROY	***************************************
of	Route 1. B	ox 314. Indepen	dence. Oregon	
State of	Oregon	do hareby me	ike application for a 1	permit to appropriate the
following describe	ed public waters of t	he State of Oregon, S	UBJECT TO EXIST	ING RIGHTS:
If the appli	cant is a corporation,	, give date and place	of incorporation	
1 The same	on of the manned or	ppropriation is	LaCreole (	Creek
	-		(Hame of a	treem)
		, a tributary of	***************************************	
2. The amo	runt of water which t	he applicant intends to	o apply to beneficial	use is 0.38
cubic feet per seco	ond	(If water is to be used from me	era than one source, give quant	Hy from each)
				Q
4. The poir	nt of diversion is loca	ited ft.	and	from the
				n boundaries
		scription betwe	bétvision)	
		f the Southeast		
•		f the Southwest		
	(If profe	erable, give distance and bearing	g to section corner)	
and the Sc	IIN the Southeas If there is more than one point Outh Half of the (Give smalle	t of diversion, each must be dee he Southwest Cu	itheast Quarter cribed. Use separate shoet if a larter of Sect:	of Section 29 ion 28, 7 South
	<b>,</b>	f Polk		(N or S)
(X. or W.)				
				(Miles or feet)
in length, termina	iting in the(s	Smallest legal subdivision)	of Sec	, Tp
R	. W. M., the propos	ed location being show	wn throughout on the	accompanying map.
		DESCRIPTION OF	WORKS	
Diversion Works-				
				feet, length at bottom
	feet; material to be u	sed and character of c	onstruction	(Loose rock, concrete masonry
rock and brush, umber er	ib, etc , wasteway over or arou			· · · · · · · · · · · · · · · · · · ·
(b) Descrip		(Timber, c	•.	
(c) If wate			pump is 3"x2	CN2 Coop Union
			Sprinklers 7 head water is to be lifted, etc.	g.p.m. 280 gal.
clency 80%	The state of the s	namic head. Sp	orinkler System	n. Pump effi-

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of muricipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, 3-53-4M

		10 (10 (10 (10 (10 (10 (10 (10 (10 (10 (		•
nal System or I 7. (a) Gis	Pipe Lineur dimensione at	each point o	condi where meterially chan	ged in size, stating miles from
idgale, At head	loute: splikk ja	top fal wate	( <b>Aug</b> )	feet; width on bottom
	76 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			feet fall per one
neend feet.				er line)
	feet; width on b	ottom	feet; depth of	water feet;
ıde	feet fai	l per one tho	usand feet.	
(c) Length	of pipe,	ft	.; size at intake,	in.; size at ft.
m intake	in.;	size at place	of use in.; d	ifference in elevation between
take and place	of use,	ft.	Is grade uniform?	Estimated capacity,
	sec. ft. n of area to be i	irrigated, or j	place of use	
Townskip North or South	Range X or W. of Willemette Meridian	Cortica	Forty-sore Tract	Number Acres To Be Irrigated
7 South	4 West	33	NW of NW	24
*	n	33	ME of NW	1
W	. ജ ്യ		NEt of NEt	5
the land	BYEZEEXDY	ARRY DICK	COO CERT OF COURSE OF CHEST OF PARTY OF	mitxinxxivitxxxivity-
the land : matrixatx applicati part here	mxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	zhexeiex elixeax "new". te descr	int proposed to be i There is also hereto	rigated under this attached and made a
the land : matrixatx applicati part here	mxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	zhexeiex elixeax "new". te descr	int proposed to be in There is also hereto iption by metes and	rigated under this attached and made a
the land : matrixatx applicati part here	mxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	zhexeiex elixeax "new". te descr	int proposed to be in There is also hereto iption by metes and	rigated under this attached and made a
the land matrix application part here farm upon (a) Charm upon (b) Kingwer or Mining	aracter of soil as of Wapand of crops raise	"new". te descrirrigat  "more see varies of to, Amity	There is also hereto iption by metes and ion will be made.  correquired, attach separate shoot) on different partes of Willamette, Chehal clover, alfalfa and	rigated under this attached and made a bounds of the entire of the place, but gen is and a sandy loam. I mixed pastures.
the land matrix application part here farm upon (a) Charm upon (b) Kingwer or Mining	aracter of soil as of Wapand of crops raise	"new". te descrirrigat  "more see varies of to, Amity	There is also hereto iption by metes and ion will be made.  correquired, attach separate shoot) on different partes of Willamette, Chehal clover, alfalfa and	rigated under this attached and made a bounds of the entire of the place, but gen is and a sandy loam. I mixed pastures.
(a) Chelly consis (b) Kinower or Mining 9. (a) To	aracter of soil ts of Wapa and of crops raise purposes— tal amount of p	"new". te descrirrigat  "trigat	There is also hereto iption by metes and ion will be made.  correquired, attach separate shoot) on different partes of Willamette, Chehal clover, alfalfa and	rigated under this attached and made a bounds of the entire of the place, but gen is and a sandy loam. I mixed pastures.
the land matrixer application part here farm upon (a) Chally consisted (b) King wer or Mining 9. (a) To (b) Quantum (b) Quantum (b) Quantum (c) quantu	aracter of soil ts of Wapa and of crops raise purposes— tal amount of purposes tantity of water	"new".  te descr irrigat  "umore see varies of to, Amity d Ladino ower to be do to be used fo	There is also hereto intion by metes and ion will be made.  The required attach separate shoet)  In different partes of the clover, alfalfa and eveloped	rigated under this attached and made a bounds of the entire of the place, but gen is and a sandy loam. I mixed pastures.
the land matrix application part here farm upon (a) Chilly consis (b) Kinower or Mining 9. (a) To (b) Quant (c) To	aracter of soil ts of Wapa and of crops raises tal amount of paractity of water tal fall to be utilized.	"new".  te descr irrigat  "varies of to, Amity and Ladino  ower to be described to be used for the second to be used to b	There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.	rigated under this attached and made a bounds of the entire of the place, but ger is and a sandy loam. I mixed pastures.  theoretical horsepower sec. ft.
the land matrix application part here farm upon (a) Chilly consis (b) Kinower or Mining 9. (a) To (b) Quant (c) To	aracter of soil ts of Wapa and of crops raises tal amount of paractity of water tal fall to be utilized.	"new".  te descr irrigat  "varies of to, Amity and Ladino  ower to be described to be used for the second to be used to b	There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.	rigated under this attached and made a bounds of the entire of the place, but ger is and a sandy loam. I mixed pastures.  theoretical horsepower sec. ft.
the land matrix application part here farm upon (a) Chilly consis (b) Kinower or Mining 9. (a) To (b) Quick (c) To (d) The constant of the con	aracter of soil aracter of which this of Wapa and of crops raises antity of water tal fall to be utilize nature of the	"new".  te descr irrigat  "M more see varies of to, Amity d Ladino ower to be do to be used fo	There is also hereto intion by metes and ion will be made.  The required attach separate shoet on different partes of the clover, alfalfa and eveloped  There is also hereto in the power is to be in the proper to be in the power is to be in the proper to be in the power is to be in the proper to be in the power is to be in the proper to be in the power is to be in the proper to be in the power is to be in the proper to be in the power is to be in the proper to be	rigated under this attached and made a bounds of the entire of the place, but gen is and a sandy loam. I mixed pastures.  theoretical horsepower sec. ft.
the land  RETRIXEN  application  part here farm upon  (a) Ch  lly consis  (b) Ki  ower or Mining  9. (a) To  (b) Qu  (c) To  (d) Th  (e) Su	aracter of soil aracter of which this ts of Wapa and of crops raises and amount of paratity of water tal fall to be utilize nature of the ach works to be	varies of to be used for ilized works by me	There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto in the result in the made.  There is also hereto iption in the result in the made.  There is also hereto iption in the result in the made.  There is also hereto iption in the result in the made.  There is also hereto iption in the result in the made.  There is also hereto iption in the result in the made.	rigated under this attached and made a bounds of the entire of the place, but gen is and a sandy loam. I mixed pastures.  theoretical horsepower sec. ft.
the land  RETRIXEN  application  part here farm upon  (a) Ch  lly consis  (b) Ki  ower or Mining  9. (a) To  (b) Qu  (c) To  (d) Th  (e) Su  (p. (No. N or S	aracter of soil aracter of soil aracter of which this ts of Wapand of crops raises and amount of parameters of water tal fall to be utilized and the works to be ach works to be an aracter of the control of the contro	varies of to be used for ilized works by me located in	There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.  There is also hereto in the power is to be in the power in the power is to be in the power in the power is to be in the power i	rigated under this attached and made a bounds of the entire of the place, but gen is and a sandy loam. I mixed pastures.  theoretical horsepower sec. ft.
the land  RETRIXEN  application  part here farm upon  (a) Ch  lly consis (b) Ki  ower or Mining  9. (a) To (b) Qu (c) To (d) Th  (e) Su  (p)  (No. N or S (f) Is	aracter of soil aracter of soil aracter of which this which this to of wapand of crops raises. Purposes—tal amount of purposes—tal fall to be utilized and the works to be aracter to be returned.	varies of to be used for ilized works by me located in	There is also hereto iption by metes and ion will be made.  There is also hereto iption by metes and ion will be made.	rigated under this attached and made a bounds of the entire of the place, but ger is and a sandy loam. I mixed pastures.  theoretical horsepower sec. ft.
the land  RETRIXEN  application  part here farm upon  (a) Ch  lly consis (b) Ki  ower or Mining  9. (a) To  (b) Qu  (c) To  (d) Th  (e) Su  (p)  (g) If	aracter of soil aracter of soil aracter of wapand of crops raises. Purposes—tal amount of putantity of water tal fall to be utilize nature of the ach works to be ach works to be ach water to be returned.	(If more we varies of to be used for ilized works by me located in	int proposed to be in there is also hereto in the proposed to be in the proposed in the prop	rigated under this attached and made a bounds of the entire of the place, but ger is and a sandy loam. I mixed pastures.  theoretical horsepower sec. ft.  e developed
the land  RETRINEN  application  part here farm upon  (a) Ch  lly consis  (b) Ki  ower or Mining  9. (a) To  (b) Qu  (c) To  (d) Th  (e) Su  (p)  (g) If	aracter of soil aracter of soil at sof wapand of crops raises and amount of parameters of the senature of the	(H more por varies of to be used for ilized works by me located in	There is also hereto intion by metes and ion will be made.  There is also hereto intion by metes and ion will be made.  There is also hereto intion by metes and ion will be made.  There is also hereto intion by metes and ion will be made.  There is also hereto intion by metes and ion will be made.  The made is also hereto into h	theoretical horsepower sec. ft. e developed

illus to be supplied IL Estimated seat of proposed works, \$3,000.00 12. Construction work will begin on or before APT11 1, 1953 13. Construction work will be completed on or before June 1, 1953 14. The water will be completely applied to the proposed use on or before November 1, 1954 Remarks: Property on which water is to be used is a part of that more explicitly described by applicant as follows:

A part of the Donation Land Claim of Elisha McDaniels, No. 48, and a part of the Donation Land Claim of Samuel Burch, No. 47, in Township 7 South, Range 4 West of the Willamette Meridian in Polk County, Oregon; beginning at a point 6.22 chains South the corners to Sections 28, 29, 32 and 33, Township and Range aforesaid; thence East 20.03 chains; thence South 22.43 chains; thence West 31.63 chains; thence North 22.43 chains; thence East 11.60 chains to the place of beginning, containing 70.95 acres, more or less.

Also, the following described tract of land, to-wit: Beginning 6.62 chains South and 11.60 chains West from the Southwest corner of Section 28, Township 7 South, Range 4 West of the Willamette Meridian in Polk County, State of Oregon, and running thence West 42 links; thence North 22.45 chains; thence South 85 degrees 15' Fast 32.21 chains; thence South 20.13 chains; thence West 31.63 chains to the place of beginning. Also beginning 20.03 chains Fast and 86 links South from the Southwest corner of said Section 28, and running thence North 14.57 chains; thence South 85 degrees 15' East 3.91 chains; thence South 8.50 chains; thence South 9 degrees Fast 2.00 chains; thence South 15 degrees 45' West 3.75 chains; thence West 3.22 chains to the place of beginning and containing 71 acres, more or less.

Save and except therefrom property sold to Salem-Falls City & Western Railway Co. in 1909.

STATE OF OREGON,

County of Marion,	(33.		
This is to certify	that I have examined ti	e foregoing application, together	with the accompanying
maps and data, and retu	rn the same for	completion	
In order to retain	i its priority, this applic	ration must be returned to the Sta	te Engineer, with correc-
tions on or before	May 21	<b>,19</b> 53	
WITNESS my ha	nd this 20th de	y of April	. <b>, 19</b> <u>5.3</u>

CHAS. E. STRICKLIN

m and do hereby grant the same,

stream, or it	s equivalent th on	cubic feet per	er water user	rs, fromIa	Creole Cre	rek
The w	se to which this w	pater is to be applied is	irrigat	Lea		
If for	irrigation, this ap	opropriation shall be lin	rited to	1/80	of one	cubic foot per
second or its	equivalent for eacced 23 acres	ach acre irrigatedand feet per acre for e	ach acre i	rrigated du	ring the i	rrigation
	each year.		*****************		<b></b>	······································
					••••	
•			i			
4			<u>.</u>			
		reasonable rotation sys			the proper sto	ite officer.
The Acti	priority date of th	his permit is	larch13,1 beforeAug	953 ust 21, 195	31	and shall
thereafter	be prosecuted wi	ith reasonable diligence	and be comp	leted on or be	fore October	1, 19.55
		of the water to the prochis 21st day			July 1953	FTATE ENGINEER
Application No. 28 187 Permit No. 22.187	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of M2rel M.	Returned to applicant: April 20, 1953	CV .	Recorded in book No. 56 of Permits on page	CHAS. E. STRICKLIN STATE ENGINEER

State Printing 6