

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Robert E. Wilson, of Be 27th, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Big Nestucca River, a tributary of Nestucca Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.4438 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 362.62 ft. S and 1451.5 ft. W from the corner of Between section 11 and 12 Twp. 10.S.R.10.W.W.M. Tillamook, Oregon

being within the NW 1/4 SE 1/4 of Sec. 11, Tp. 4.S., R. 10.W., W.M., in the county of Tillamook

5. The Pipe line to be 1080 ft in length, terminating in the SW 1/4 NE 1/4 of Sec. 11, Tp. 4.S., R. 10.W., W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 10 H.P. Centrifugal Electric, Approx. 40 ft.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2320 ft.; size at intake, 4" in.; size at 1080 ft. from intake 3" in.; size at place of use 3" in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? YNS Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Wisconsin Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4.S.	10.W.	11	SE $\frac{1}{4}$ NE $\frac{1}{4}$	1.00 ✓
4.S.	10.W.	11	SW $\frac{1}{4}$ NE $\frac{1}{4}$	9.2 ✓
4.S.	10.W.	11	NW $\frac{1}{4}$ SE $\frac{1}{4}$	25.3 ✓
				35.5 ✓
All that part of the SE $\frac{1}{4}$ NE $\frac{1}{4}$ and the West $\frac{1}{2}$ of the SE $\frac{1}{4}$ in section 11, Twp. 4.S. R. 10.W. W.M. Lying on the North side of the Big Nestucca River.				
Also; All that part of the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of section 11, Twp. 4.S. R. 10.W. W.M. Lying West of the Big Nestucca River.				

(If more space required, attach separate sheet)

(a) Character of soil Sandy Riverbottom

(b) Kind of crops raised grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
County having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of fixtures to be supplied _____
(Include kitchen, bath, and other fixtures)

- 11. Estimated cost of proposed works, \$ 2800.00
- 12. Construction work will begin on or before June 1953
- 13. Construction work will be completed on or before June 1953
- 14. The water will be completely applied to the proposed use on or before June 1953

Robert E. Wilson
(Signature of applicant)

Remarks: Most of the pasture in level ground approximately 6 acres in the North west corner is higher ground.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 20.444 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Big Lost River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August 1953

Chas. E. Stricklin STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 28201
Permit No. 22189

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of March 1953, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

August 21, 1953
Recorded in book No. 56 of 22189
Permits on page

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. / Page
Fees Paid \$5.75