

# To appropriate the Public Waters of the State of Oregon

I, Bruce Wilfert  
(Name of applicant)  
of Route #4, Box #2444, Hillsboro,  
(Mailing address)  
State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed creek, a tributary of  
(Name of stream)  
Rock Creek, a tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0625  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located \_\_\_\_\_ ft. \_\_\_\_\_ and \_\_\_\_\_ ft. \_\_\_\_\_ from the  
(N. or S.) (E. or W.)  
corner of \_\_\_\_\_  
(Section or subdivision)  
N71°30'E 1450 ft. from the southwest corner of Section 34, T1N,  
R2W, W.M.

(If preferable, give distance and bearing to section corner)  
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the SE 1/4 SW 1/4  
(Give smallest legal subdivision) of Sec. 34, Tp. 1N  
(N or S)  
R. 2W, W. M., in the county of Washington  
(E. or W.)

5. The 2 inch pipe  
(Main ditch, canal or pipe line) to be 800 feet  
(Miles or feet)  
in length, terminating in the SW 1/4 SW 1/4  
(Smallest legal subdivision) of Sec. 34, Tp. 1N  
(N or S)  
R. 2W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_ feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Engine Driven Centrifugal Pump  
(Size and type of pump)  
1 1/2 HP. 10 feet suction lift with 25 ft. head  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.  
3-33-4M



Municipal or Domestic Supply

12. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

11. Estimated cost of proposed works, \$ 900.00

12. Construction work will begin on or before July 1, 1953

13. Construction work will be completed on or before March 1954

14. The water will be completely applied to the proposed use on or before Aug. 1954

*Ernest Diefert*  
(Signature of applicant)

Remarks: \_\_\_\_\_

Property Description: (from vol. 147, p.627, Washington County, Oregon, Deed Records) Lots 10 and 12 in Alexander Acres, a duly recorded subdivision in the Elam Young D.L.C. #45 in T1N, R2W, W.M., Washington County, Oregon.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right heretofore granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.0625 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August 1953

Chas. E. Stricklin STATE ENGINEER

Application No. 28202

Permit No. 22190

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of March 1953, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 22190

CHAS. E. STRICKLIN STATE ENGINEER

62

State Printing 64240

15.00