

CERTIFICATE FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Ed. Turner, of Mt. St. Helens Oregon City State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is the Clackamas River a tributary of The Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 27.2 cubic feet per second

**3. The use to which the water is to be applied is Irrigation of 16 acres

4. The point of diversion is located 270 ft. S and 180 ft. W from the corner of Section 14, T. 2S, R. 2E, W.M. The point of diversion being located N 23 W, 2220 feet from the SE corner of Section 14, T. 2S, R. 2E, W.M.

Portable from a point N. 88° E. 1300' from the E. 1/4 corner of Section 14 to a point S. 86° E. 1400' from the same corner.

being within the Sec. of the NE, SW, SE, NE of Sec. 14, Tp. 2 S, R. 2E, W. M., in the county of Clackamas

5. The Pipe to be in length, terminating in the of Sec. 14, Tp. 2S, R. 2E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

22202

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1500 ft.; size at intake, 3 in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 10.0 ft. Is grade uniform? YES Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williamsburg Meridian	Section	Part-acre Tract	Number Acres To Be Irrigated
T 23	R 2 E	14	S. E. 1/4 of NE 1/4	10 10.19
			NE 1/4 of SE 1/4	6.43

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Vegetables

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed works, \$ 2500⁰⁰
- 12. Construction work will begin on or before Sept. 1, 1953
- 13. Construction work will be completed on or before Sept. 1, 1952
- 14. The water will be completely applied to the proposed use on or before Sept 1, 1952

[Handwritten Signature]
(Signature of applicant)

Remarks: _____

The legal description of the land to be irrigated is as follows:

Beginning at a point, an iron pipe driven, in the north boundary of block or tract No. 15, of the duly recorded plat of Outlook, which point is 369.4 feet west of the quarter section corner between sections 13 and 14 in Township 2 South Range 2 East of the Willemette Meridian; and running thence North 683.8 feet; thence West 1060.65 feet to a point in the U.S. meander line of the left bank of the Clackamas River; thence downstream tracing the U.S. meander line South 5° West 1059.12 feet; thence South 25° West 224.75 feet to a point; an iron pipe driven in the North boundary of Tract No. 14 of the Townsite of Outlook aforesaid; thence East, tracing the North boundary of Tracts Nos. 14 and 1 of said townsite, 951.29 feet to a stone monument set at the Northeast corner of Tract No. 1 of said townsite of Outlook; thence North 41° 41' East 302.9 feet along the center of said county road to a point; thence North 17° 45' East 261.20 feet along the center of said road to a point in the North boundary of Tract No. 15 of the aforesaid Townsite of Outlook; thence East 15.6 feet to the place of beginning, containing 30.3978 acres more or less.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.200 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Clackamas River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 18, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August, 1953

Chas E Stricklin STATE ENGINEER

Application No. 28216

Permit No. 22202

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of March 1953 at 2:05 o'clock P. M.

Returned to applicant:

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 22202

CHAS. E. STRICKLIN STATE ENGINEER