

RECEIVED

FEB 20 1953

STATE ENGINEER
SALEM, OREGON

Permit No. 22217

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Paul E. Schaff
of P.O. Box 572 - Oregon City, Oregon
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Clear Creek
(Name of stream)

, a tributary of Clackamas River

2. The amount of water which the applicant intends to apply to beneficial use is _____
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1380 ft. N and 2930 ft. W from the S.E.
corner of Section 30
(Section or subdivision)

The point of diversion is also located 1100 ft. South
11 West of the quarter section monument, which in turn is
located, 3670 ft. north 47° west of the S.E. corner of section 30
(If preferable, give distance and bearing to section corner)

The point of diversion is also located 3200 ft. North 64° 30' West of the SE corner
of section 30 (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the SW 1/4 of Sec. 30, Tp. 2 S
(Give smallest legal subdivision) (N. or S.)

R. 3 E, W. M., in the county of Clackamas
(E. or W.)

5. The Pipe to be _____
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the _____ of Sec. 30, Tp. 2 S
(Smallest legal subdivision) (N. or S.)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

No dam required

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____

feet; material to be used and character of construction _____
(Loose rock, concrete, masonry)

rock and brush, timber crib, etc. wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifugal - 3.45 HP
(Size and type of pump)

200 gal. Cap - 240 ft. head
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

26 revolving type sprinklers - 7 1/2 gal per min.

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

22217

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

8. Location of area to be irrigated, or place of use 10

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	3 E	30	NE 1/4 of the SW 1/4	25.70 25
			SE 1/4 of the SW 1/4	4.30
				30
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
Lot 4, and the Southeast 1/4 of the Southwest 1/4 of the section 30; also the following described tract; Beginning at the 1/4 section corner on the line between section 30 and 31 and running thence South 2.40 chs.; thence West 20.00 chs.; thence North 2.40 chs.; to the line between said sections 30 and 31; thence east along said section line 20.00 chs.; to the place of beginning, in all containing 75.20 acres, all in Township 2 South range 3 East of the Willamette Meridian, It being the intention to convey the North 1/4 of a certain tract of land described on page 114 of book "66" records of Deeds in and for Clackamas County, State of Oregon.				

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Vegetables - Grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed _____ theoretical horsepower

(b) Quantity of water to be used for power _____ sec. ft.

(c) Total fall to be utilized _____ feet.

(Head)

(d) The nature of the works by means of which the power is to be developed _____

(e) Such works to be located in _____ of Sec. _____

(Legal subdivision)

Tp. _____, R. _____, W. M. _____

(No. N or S)

(No. E or W)

(f) Is water to be returned to any stream? _____

(Yes or No)

(g) If so, name stream and locate point of return _____

Sec. _____

Tp. _____

R. _____

W. M. _____

(No. N or S)

(No. E or W)

(h) The use to which power is to be applied is _____

(i) The nature of the mines to be served _____

10. (a) To supply the city of _____
County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

- 11. Estimated cost of proposed works, *Plant already installed - will cost \$500. more*
- 12. Construction work will begin on or before " " "
- 13. Construction work will be completed on or before _____
- 14. The water will be completely applied to the proposed use on or before *August 1954*

Paul E. Scheff
(Signature of applicant)

Remarks: *This application is made for a permit to irrigate 20 acres. This 20 acres is to include 10 acres as listed in permit #21191 and an additional 10 acres joining the same plot of ground as listed in permit #21191.*

~~This application is made for a permit to irrigate 30 acres but it is not intended to irrigate in excess of 20 acres in any irrigation season. Under the practice of rotation in cropping, the entire 30 acres will ultimately be irrigated. It is requested that the quantity of water allowed be that required to irrigate 20 acres but made appurtenant to the entire 30 acres. Should it develop that the available supply is not sufficient to irrigate 20 acres, then it is desired that the available supply be made appurtenant to the entire 30 acres.~~

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Clear Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 30, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1956

WITNESS my hand this 21st day of August, 1953

Chas. E. Stricklin STATE ENGINEER

Application No. 28252

Permit No. 22217

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of March, 1953, at 3:07 o'clock P. M.

Returned to applicant:

Approved:

August 21, 1953

Recorded in book No. 56 of

Permits on page 22217

CHAS. E. STRICKLIN STATE ENGINEER