

To appropriate the Public Waters of the State of Oregon

I, Mrs. Paul D. Einke

of Route #1, Box #229, Gaston,

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek water stored in dam
(Name of stream)
Tualatin River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.291
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (supplemental)
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of
(Section or subdivision)

N52°E 2120 feet from the southeast corner of Section 30, T1S, R4W, W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 30, Tp. 1S,
(Give smallest legal subdivision) (N. or S.)

R. 4W, W. M., in the county of Washington
(E. or W.)

5. The pipeline to be 1000 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 SE 1/4 of Sec. 30, Tp. 1S,
(Smallest legal subdivision) (N. or S.)

R. 4W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— **(See Dam Application)**

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
15 HP Electric 3 Phase Motor
(Size and type of engine or motor to be used/total head water is to be lifted, etc.)
and will be set to be lifted

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.
3-13-42

22218

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 1040 ft.; size at intake, 4 in.; size at 570 ft. from intake 3 in.; size at place of use 1 in.; difference in elevation between intake and place of use, ~~150~~ 50 ft. Is grade uniform? Yes Estimated capacity, same as sent in before sec. ft.

8. Location of area to be irrigated, or place of use _____

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1S	4W	30	SW $\frac{1}{4}$ NE $\frac{1}{4}$	0.3 ✓
1S	4W	30	SE $\frac{1}{4}$ NE $\frac{1}{4}$	0.3 -
1S	4W	30	NW $\frac{1}{4}$ SE $\frac{1}{4}$	13.6 ✓
1S	4W	30	NE $\frac{1}{4}$ SE $\frac{1}{4}$	2.4 ✓
1S	4W	30	SW $\frac{1}{4}$ SE $\frac{1}{4}$	6.7
1S	4W	30	SE$\frac{1}{4}$SE$\frac{1}{4}$ Total	<u>23.3</u>

(If more space required, attach separate sheet)

(a) Character of soil Melborne

(b) Kind of crops raised pasture

Power or Mining Purposes— None

9. 22218

Zinke description continued

Parcel 4: That part of the Alanson Hinman D.L.C. #59 in T1S, R4W, W.M. particularly bounded and described as follows: Beginning at the northwest corner of the said D.L.C. from which an iron bar 48 inches long and 1 $\frac{1}{2}$ x1 $\frac{1}{2}$ inches square, bears S58°E 150 links distant, running thence from point of beginning S7.87 chains to a stone; thence N71 3/4°E 2.86 chains to angle 1 in road No. 165; thence S51 3/4°E 0.54 chains to an iron bar; thence N78 $\frac{1}{2}$ °E 6.50 chains to the north line of said D.L.C. #59; thence N58°W 11.20 chains to the place of beginning.

Parcel 5: Commencing at a point on the north side of the Market Road in Patton Valley at its intersection with the east line of the John J. Gerrish D.L.C. #56 in Section 31, T1S, R4W, W.M., Washington County, Oregon; running thence North 397 feet to the south line of old county road; thence westerly along said road 125 feet; thence southerly 349 feet to the north line of said Market Road; thence easterly along said road 125 feet to the place of beginning.

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied _____

11. Estimated cost of proposed works, \$ 2770⁰⁰ plus 700⁰⁰ for Motor

12. Construction work will begin on or before Finished

13. Construction work will be completed on or before Finished

14. The water will be completely applied to the proposed use on or before May-1-1953

Mrs. Paul D. Jenke by -
Paul D. Jenke
(Secretary of applicant)

Remarks: Legal Description: Parcel 1: Beginning at an iron pipe at the northeast corner of the John J. Gerrish D.L.C. #56 in Section 30, T1S, R4W, W.M., Washington County, Oregon, running thence S88°35'W on the north line of said Gerrish D.L.C. #56 a distance of 1150.3 feet to a stone at the northeast corner of that certain tract conveyed February 28, 1906, to Chas. S. and Sarah E. White; thence SO°50'W on the east line of said White tract a distance of 4162.8 feet to the southeast corner of said White tract; thence S88°18'E 960.8 feet to an iron pipe at the southwest corner of that certain 100 acre tract deeded July 2, 1898, to Nancy E. McCloud; thence North on the west line of said McCloud tract, 2409.5 feet to an iron pipe at the northwest corner of said McCloud tract; thence S89°30'E on the north line of said McCloud tract a distance of 1798.1 feet to an iron pipe on the east line of said Section 30, being also the northeast corner of said McCloud tract; thence NO°02'E on said east line of said Section 30 a distance of 1575.0 feet to an iron pipe at the northeast corner of the SE¼ of the NE¼ of said Section 30; thence N89°37'W on legal subdivision line 1555.0 feet to an iron pipe on the east line of the said Gerrish D.L.C. #56; thence N1°27'E on said east line of said Gerrish D.L.C. #56 a distance of 240.1 feet to the place of beginning.

Parcel 2: Beginning at a point on the north side of the Market Road at its intersection with the east line of the John J. Gerrish D.L.C. #56 in Section 31, T1S, R4W, W.M.; running thence North 397.0 feet to the southerly line of the old county road; thence Westerly, along said south line to an intersection with the northerly line of said Market Road and thence easterly along said northerly line to the place of beginning; excepting therefrom tract conveyed to Jennie Bingham by deed recorded in Book 142, page 284, deed records of Washington County, Oregon.

Parcel 3: Beginning at the southeast corner of Section 30, T1S, R4W, W.M.; running thence South 7 chains to north boundary of the A. Hinman D.L.C. in said section 31; thence N58°W on such boundary 27 chains to the northwest corner of the A. Hinman D.L.C. on the eastern boundary of the J. J. Gerrish and wife D.L.C.; thence South on last named boundary 7.97 chains; thence West 3.75 chains; thence North to a point so situated that a line running due east to eastern boundary of said Section 30 and thence South to the place of beginning, will, within the abovescribed boundaries, include 100 acres of land. (continued on attached sheet.)
item 9

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19____

WITNESS my hand this _____ day of _____, 19____

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 9.5 acre feet of stored water only measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Reservoir to be constructed under Application No. R-28253, Permit No. R-1488.

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to a diversion of 2 1/2 acre feet or its equivalent for each acre irrigated during the irrigation season of each year and shall be further limited to a total diversion of not to exceed 9.5 acre feet per year; provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 31, 1953

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 21st day of August 1953.

Chas. E. Stricklin STATE ENGINEER

Application No. R2253
Permit No. 22218

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21 day of March 1953, at 11:33 o'clock A.M.

Returned to applicant:

Approved:

August 21, 1953
Recorded in book No. 56 of 22218
Permits on page

CHAS. E. STRICKLIN STATE ENGINEER