The same of the same of the same

Public Waters of the State of Oregon

t, Robert P. Jook	
Rt. 1. Den 360, Silverton, Ores	
(manual conven	y make application for a permit to appropriate the
na na <u>a</u> n anta-ara-ara-ara-ara-ara-ara-ara-ara-ara-a	
following described public waters of the State of Orogo	on, Subject to Existing Rights:
If the applicant is a corporation, give date and plants	ace of incorporation
1. The source of the proposed appropriation is	Butte Creek
, e tributar	y of Pudding River
2. The amount of water which the applicant inten	nds to apply to beneficial use is1/80
cubic feet per second. PRR ROPO. (22 weeks to be use to see to which the water is to be applied is	
4. The point of diversion is located 1050 ft.	
corner of NW tof NE Quater of Sect	oer aubdivision)
	*
(M preferable, give distance and l	bearing to section corner)
(If there is more than one point of diversion, each must being within the NW 1 Of NE Qtuarter (Give smallest legal subdivision)	•
R 1. E, W. M., in the county of Marion	
5. The	to be
in length, terminating in the(Smallest legal subdivision	
R, W. M., the proposed location being	shown throughout on the accompanying map.
DESCRIPTION	OF WORKS
Diversion Works—	
6. (a) Height of dam feet, len	igth on top feet, length at bottom
feet; material to be used and characte	r of construction (Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	imber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general descri	ption 15 HP electric motor (Size and type of pump)
centrifugal pump, 18 7½ (Size and type of engine or motor to be used	gpm sprinklers d. total head water is to be lifted. etc.)

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

3-33-4M

Canal System of	Phys. Line		and ethers sustants	By change	in size, stating miles from
				MA CHEMAN	
	and the second s				
	• •	•	•		feet; width on bottom
•	. feet; depth of w		feet; gred		feet fall per one
thousand foot. (b) At	,	miles from he	ndgete: width on to	p (at water	line)
	feet; width on b	ottom	feet;	depth of w	nter feet
	foet fal				
•					in.; size at f
					ierence in elevation betwee
intake and plac	e of use,501	eat ft. I	grade uniform?	X.0.5	Estimated capacity
	sec. ft.	i cripated or nl	are of use		
6. Locui	ion of area to be t	irrigatea, or pe	1		
Township North or Bouth	2. or W. of Willemette Moridian	Gection	Porty-sere Tre	net	Number Acres To Be Irrigated
T 6 S	lB	16	SWE of NB Q	uarter	12
T 6 S	.1 B	16	SB of NB	Ħ	6
T 6 S	1 E	16	NET of SE	**	6
			- Not SE	*	ŝ - ·
T 6 E	1 B	16	Wiff of DP		<u> </u>
follog 7.73 of the Townsh thence road;	ws: Begining chains north s donation laip 6 South, s South 78 thence sout	at a point of the Soland claim Range 1 I 30' East St 15'	of in the mide outhwest corner of Mitchell M East of the W 5.95 chains a east 5.87 ch	dle of the rotal of the whitlock illamete the long the sins also	middle of said ong the middle of
follow 7.73 of the Townsh then cond; the Content of Bu Creek donat 55.21 land Range	ss: Begining chains north a donation laip 6 South 78 thence sout ounty Road; iddle of saitte Creek; to the division land claim of Mit least of W	at a point of the Soland claim Range 1 I 30' East Soland Range 1 I 30' East Soland Range 1 I should be place of Mitchell White Schell W	of in the mide outhwest corner of Mitchell Mast of the Wi 5.95 chains at east 5.87 charth 61 45' ea mence north 50 at the middle of the middle of beginning; lock and wife Meridian.	dle of the of the of the congress of the congr	the County Road, ne east one half a and wife, in te Meridian; middle of said ong the middle of Chains along ains to the middle channel of Butte d west half of the lfe; thence south ed in the donation whip 6 South,
follow 7.73 of the Townsh then cond; the Content of Bu Creek donat 55.21 land Range	ss: Begining chains north a donation laip 6 South 78 thence sout ounty Road; iddle of saitte Creek; to the division land claim of Mit least of W	at a point of the Soland claim Range 1 I 30' East Soland Range 1 I 30' East Soland Range 1 I should be place of Mitchell White Schell W	of in the mide outhwest corner of Mitchell Miss of the Wisses 5.87 charth 61 45' each ence north 50 the middle of beginning; lock and wife	dle of the of the of the congress of the congr	the County Road, ne east one half a and wife, in te Meridian; middle of said ong the middle of Chains along ains to the middle channel of Butte d west half of the lfe; thence south ed in the donation whip 6 South,
followers of the Townshithen conditions of the Control of Bu Creek donat 55.21 land Range (a)	ss: Begining chains north a donation laip 6 South, a South 78 thence soutounty Road; iddle of saitte Creek; to the division land clachains to telaim of Mit Least of W Character of soil	at a point of the Schand claim Range 1 I 30' East Sch 87 15' thence not depend on the sion line	of in the mide outhwest corner of Mitchell Mast of the Wissers of the Wissers of the Ast of the middle of the middle of beginning; lock and wife Meridian.	dle of the of the conditions also ast 2.50 l.07 che of the conditions and with a situate, in Toropato	the County Road, ne east one half a and wife, in te Meridian; middle of said ong the middle of Chains along ains to the middle channel of Butte d west half of the lfe; thence south ed in the donation whip 6 South,
follow 7.73 of the Townsh then cond; the Conther mof Bu Creek donat 55.21 land Range (a) (b) Power or Mir	ses: Begining chains north a donation laip 6 South, a South 78 thence sout ounty Road; iddle of saitte Creek; to the division land claim of Mit least of W. Character of soil Kind of crops raising Purposes—	at a point of the Scand claim Range 1 I 30' East Stand 15' thence nor dependent of Mitchen of Mitchen Chel White Schel White S	of in the mide outhwest corner of Mitchell in East of the Wissess 5.87 charth 61 45' entered for the middle of beginning; lock and wife Meridian.	dle of the of the whitlock illamett long the ains alo ast 2.50 l.07 che of the ceast and with ain Too pato	the County Road, ne east one half and wife, in te Meridian; middle of said ong the middle of Chains along ains to the middle channel of Butte di west half of the life; thence south ed in the donation whip 6 South,
follow 7.73 of the Townsh then cond; the Conther mof Bu Creek donat 55.21 land Range (a) (b) Power or Mir	ses: Begining chains north a donation laip 6 South, a South 78 thence sout ounty Road; iddle of saitte Creek; to the division land claim of Mit least of W. Character of soil Kind of crops raising Purposes—	at a point of the Scand claim Range 1 I 30' East Stand 15' thence nor dependent of Mitchen of Mitchen Chel White Schel White S	of in the mide outhwest corner of Mitchell in East of the Wissess 5.87 charth 61 45' entered for the middle of beginning; lock and wife Meridian.	dle of the of the whitlock illamett long the ains alo ast 2.50 l.07 che of the ceast and with ain Too pato	the County Road, ne east one half a and wife, in te Meridian; middle of said ong the middle of chains along ains to the middle channel of Butte di west half of the life; thence south ed in the donation wmship 6 South,
follow 7.73 of the Townsh then cond; the Conther mof Bu Creek donat 55.21 land Range (a) (b) Power or Mir 9. (a)	ses: Begining chains north a donation laip 6 South, a South 78 thence south ounty Road; iddle of saitte Creek; to the division land claim of Mit least of W. Character of soil Kind of crops raising Purposes— Total amount of the chains to the chains of t	at a point of the Scand claim Range 1 I 30' East State 15' thence nor depend of the sion line im of Mitchell White Schell	of in the mide outhwest corner of Mitchell in East of the Wissess 5.87 charth 61 45' entered for the middle of beginning; lock and wife Meridian.	dle of the of the of the land the ains alo ast 2.50 l.07 che of the ceast and with situate, in Tour pato	the County Road, ne east one half and wife, in te Meridian; middle of said ong the middle of chains along ains to the middle channel of Butte d west half of the lfe; thence south ed in the donation whip 6 South,
follow 7.73 of the Townsh then con ad; the Contact the mof Bu Creek donat 55.21 land Range (a) (b) Power or Mir 9. (a) (b)	ses Begining chains north a donation laip 6 South, a South 78 thence south ounty Road; iddle of saitte Creek; to the division land clachains to the claim of Mittal East of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of wate	at a point of the Scand claim Range 1 I 30' East State 15' thence not droad; thence down sion line im of Mitchen place concluded white state 1 I amette 1 I amete I ame	of in the mide outhwest corne of Mitchell in East of the Wisser S.87 charts at east 5.87 charts for the first of the middle of beginning; lock and wife Meridian. Lay loam & Waure and veget eveloped	dle of the of the of the long the ains alo ast 2.50 l.07 che of the ceast and with ain Toronato	the County Road, ne east one half and wife, in te Meridian; middle of said ong the middle of chains along ains to the middle channel of Butte d west half of the lfe; thence south ed in the donation whip 6 South,
follow 7.73 of the Townsh then con the Control of Bu Creek donat 55.21 land Range (a) (b) Power or Mir 9. (a) (b) (c)	ses Begining chains north a donation laip 6 South, a South 78 thence south ounty Road; iddle of saitte Creek; to the division land clachains to the claim of Mit least of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of water to the unity of water to the unity of water total fall to be	at a point of the Scand claim Range 1 I 30' East State 15' thence not depend of the sion line im of Mitchen place of the place of the Mitchen Mitty Cased Past Power to be used for the side of the si	of in the mide outhwest corner of Mitchell Mast of the Wissers and east 5.87 charth 61 45' embed of beginning; lock and wife Meridian. Lay loam & Waure and veget eveloped and veget eveloped (Heed)	dle of the of the sins along the ains along the of the of the of the of the of the situate, in Total pato	the County Road, ne east one half and wife, in te Meridian; middle of said ong the middle of chains along ains to the middle channel of Butte d west half of the lfe; thence south ed in the donation whip 6 South,
follow 7.73 of the Townsh then con the Control of Bu Creek donat 55.21 land Range (a) (b) Power or Mir 9. (a) (b) (c)	ses Begining chains north a donation laip 6 South, a South 78 thence south ounty Road; iddle of saitte Creek; to the division land clachains to the claim of Mit least of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of water to the unity of water to the unity of water total fall to be	at a point of the Scand claim Range 1 I 30' East State 15' thence not depend of the sion line im of Mitchen place of the place of the Mitchen Mitty Cased Past Power to be used for the side of the si	of in the mide outhwest corner of Mitchell Mast of the Wissers and east 5.87 charth 61 45' embed of beginning; lock and wife Meridian. Lay loam & Waure and veget eveloped and veget eveloped (Heed)	dle of the of the long the ains aloast 2.50 l.07 che of the ceast and winsituate, in Total pato	the County Road, ne east one half a and wife, in the Meridian; a middle of said ong the middle of the chains along ains to the middle channel of Butte i west half of the ife; thence south and in the donation whip 6 South, theoretical horsepout ec. ft.
follow 7.73 of the Townsh then cond; the Condition of Bu Creek donat 55.21 land Range (a) (b) Power or Mir 9. (a) (b) (c) (d)	ses Begining chains north a donation I hip 6 South 78 thence south ounty Road; iddle of saitte Creek; to the division land claim of Mit I East of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of wate Total fall to be u. The nature of the sains of the control	at a point of the Scand claim Range 1 I 30' East State 15' thence nor deposit of Mitchen for Mitchen line of Mitchen Mitchen Mitchen Mitchen Mitchen Mitchen Mitchen Past Sed Past Past Sed Past	of in the mide outhwest corner of Mitchell in East of the Wissers of the Wissers of the Wissers of the Middle of the middle of the between the chell Whitlock of the middle of the middl	dle of the of the whitlock illamett long the ains alcast 2.50 l.07 che of the ceast and wisituate, in Toxon pato	the County Road, no east one half and wife, in the Meridian; middle of said ong the middle of Chains along ains to the middle channel of Butte di west half of the life; thence south ed in the donation which a South, cops theoretical horsepout ec.ft.
follow 7.73 of the Townsh then cond; the Contact the Contact the most self and Range (a) (b) Power or Mir 9. (a) (b) (c) (d)	ses Begining chains north a donation I hip 6 South 78 thence south ounty Road; iddle of saidte Creek; to the division land claim of Mit I East of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of wate Total fall to be w. The nature of the Such works to be so the control of t	at a point of the Scand claim Range 1 I 30' East State 15' thence nor depend of the sion line im of Mitche place in the pl	of in the middenthwest cornor of Mitchell in East of the Wisser of the Wisser of the Wisser of the Sast 5.87 charth 61 45' each of the middle of the between the chell Whitlock of beginning; lock and wife Meridian. Lay loam & Waller of the	dle of the of the whitlock illamett long the ains alcast 2.50 l.07 che of the ceast and wisituate, in Toxon pato	the County Road, ne east one half a and wife, in the Meridian; a middle of said ong the middle of the chains along ains to the middle channel of Butte i west half of the ife; thence south and in the donation whip 6 South, theoretical horsepout ec. ft.
follow 7.73 of the Townsh then cond; the Contact the most support of the most standard for the most standard follow (a) (b) Power or Mir 9. (a) (b) (c) (d) (reconstruction of the most standard for the most support	sessining chains north a donation I nip 6 South, so South 78 thence south ounty Road; iddle of saitte Creek; to the division land claim of Mit I East of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of wate Total fall to be used to the nature of the Such works to be the constant.	at a point of the Scand claim Range 1 I 30' East State 15' thence nor depend of the sion line im of Mitchen Place Cachel White State 11 I amette Maity Cachel White I lamette Maity Cachel Maity Cac	of in the middenthwest corner of Mitchell Mast of the Wissess 5.87 character of the Middle of the mi	dle of the of the whitlock illamett long the ains alo ast 2.50 l.07 che of the ceast and wisituate, in Toxon pato	the County Road, no east one half and wife, in the Meridian; middle of said ong the middle of Chains along ains to the middle channel of Butte di west half of the life; thence south ed in the donation which a South, cops theoretical horsepout ec.ft.
follow 7.73 of the Townsh then conditions the Condition of Bu Creek donat 55.21 land Range (a) (b) Power or Mir 9. (a) (c) (d) (c) (d)	sessining chains north a donation I nip 6 South, a South 78 thence south ounty Road; iddle of saitte Creek; to the division land clackains to the claim of Mit I East of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of wate Total fall to be used to the nature of the Such works to be reserved.	at a point of the Scand claim Range 1 I 30' East Stand road; the scand road; the control of Mitchence down sion line im of Mitchen Place of the plac	of in the middenthwest corner of Mitchell Mast of the Wissess 5.87 chains at east 5.87 charth 61 45' each ence north 5 at the middle at the mi	dle of the of the of the long the ains aloast 2.50 l.07 che of the ceast and with ain Toron pato able cr sable cr wer is to b	the County Road, no east one half and wife, in the Meridian; middle of said ong the middle of the chains along ains to the middle channel of Butte if west half of the ife; thence south and in the donation whip 6 South, ops theoretical horsepout ec.ft. of Sec.
follow 7.73 of the Townsh then conditions the Condition of Bu Creek donat 55.21 land Range (a) (b) Power or Mir 9. (a) (b) (c) (d) (f) (g)	sessining chains north a donation laip 6 South, a South 78 thence south ounty Road; iddle of saitte Creek; to the division land clachains to to claim of Mit least of W. Character of soil Kind of crops raising Purposes— Total amount of Quantity of wate Total fall to be used to the nature of the Such works to be soil in Such works to be soil is water to be resulted to the soil is water to be resulted.	at a point of the Scand claim Range 1 I 30' East Stand road; the Scand road; the chance down sion line im of Mitchence down sion line im of Mitchence down the place of the pl	of in the middenthwest corner of Mitchell Mast of the Wissers of the Wissers of the Wissers of the Middle of the middle of the between the chell Whitlock of the middle of	dle of the of the of the claims along the claims along the claims along the claims along the claims and with and with and with and with and with a claim feet. Wer is to be a claim of the claim feet. Wer is to be a claim feet.	the County Road, no east one half and wife, in the Meridian; middle of said ong the middle of Chains along ains to the middle channel of Butte di west half of the life; thence south ed in the donation which a South, cops theoretical horsepout ec.ft.

	222
	\$500.
13. Construction week will begin on or but	ore May 1, 1955
	n or before <u>Pall 1954</u>
14. The water will be completely applies to	the proposed use on or before Fall 1954
	Rakes to ale tres
•	(Departure of explanat)
Remerks:	**************************************
	·

······································	•

	<u> </u>

	······································
County of Marion,	•
This is to certify that I have examined th	ne foregoing application, together with the accompanying
aps and data, and return the same for	
In order to materia its majority, this small	cation must be returned to the State Engineer, with correc-
in order to retain its priority, this applic	
ms on or before	, 19
ns on or before	ay of, 19, 19

County of Marion, dist

ion and do heroby grant the same, This is to certify that I have assessed the foregoing SUBJECT TO EXISTING RIGHTS and the following limits

nd shell not (tream, or its	equivalent in case	is United to the smoon cubic feet per se of rotation with other ter is to be applied is	cond measured at water users, from	the point of diver	eion from the
second or its	equivalent for eac	ropriation shall be limit th acre irrigatedanda	hall be further	limited to a	diversionoi
season of	each year,				
and shall be	e subject to such r	easonable rotation syste	em as may be order	ed by the proper s	tate officer.
The particular Actust thereafter	priority date of thi al construction we be prosecuted wit	is permit is	efore August 2 and be completed a	1. 1954 m or before Octobe	and sho
		of the water to the prop		E Stu	le fin
Application No. 28277 Permit No. 2223	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Language of April. 1953, at 3:21 o'clock R. M.	Returned to applicant: . Approved:	August, 21, 1953 Recorded in book No. 56 22233 Permits on page	CHAS. E. STRICKLIN STATE ENGINEER

State Printing 600