0

27/28

·APPLICATION FOR PURSE

## To Appropriate the Public Waters of the State of Oregon

I, Rarl O. Christophers  Route 2, Box 384. Sher	(Mone of		
tate of Oregon			•
ollowing described public waters of		•	
If the applicant is a corporatio		•	
1. The source of the proposed	appropriation is	Baker Creek and a	mall unnamed creek
tributary thereto	, a tributar	y of Tualation	River
2. The amount of water which	the applicant inter	ids to apply to benefic	tal use is 0.29
cubic feet per second. total - 0.25	from Paker Gre	ek and 0.04 from	unnamed creek.
**3. The use to which the water	is to be applied is	TRIGA	#10 M manufacturing, domestic supplies, etc.)
4. The point of diversion is lo	ocated 170 ft.	No. and 100	ft
corner of property, at center	of Section 15,	for pumping from	unnamed oreek.
Portable pumping from Faker	Greek along we	ct laundary of pro	pperty, in the SW2 NW2,
	point of diversion, each must	be described. Use separate she	et if monacy)
R. 2 , W. M., in the county			(N. or S.)
5. The(Main di	toh canal or nine line)	to be	(Miles or feet)
in length, terminating in the			
R, W. M., the proj			
	DESCRIPTION	OF WORKS	
Diversion Works—  6. (a) Height of dam	feet, le	ngth on top	feet, length at botton
feet; material to b			
rock and urush, timber crib, etc., wastaway over or	around dam)		
(b) Description of headgate			
(c) If water is to be pumped		iption 1." x 1."	Son trifugal nump, with
2 F. P. electric motor, and	l 1'" x 2" porto		oump, with automobile
engine. Fortable pipe: 4'			

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

3-85-CM

			*	
22246			ing the second s	
anal System or P	be Line	Same the first seems to be seen to		a comment
7. (a) Give	dimensions at a	each point of a	mal where waterially cha	nged in size, stating miles from
eadgate, At head	pote: width ou t	up fat water l	lnc)	
housend feet.	est; depth of w	ster	foot; grade	feet fall per on
wasang jeet.			*	ster line)
		-		f water fee
rade	feet fall	per one thous	and feet.	
				in.; size at f
				difference in elevation betwee
		•		Estimated capacity
			grade unijorni:	Battmatea capacity
8. Location	•	rigated, or pla	ce of use	
Township North or South	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
	O W	15	CTL - A WILL	20.00
2 S.	2 W.	15	SE of NW	-
			Swit of Nwit	3.84
				1 5: 34
See Rer	arks for des	cription of	property owned.	
<del></del>		(If more space r	equired, attach separate sheet)	
(a) Cha	racter of soil	Sandy loam	n	
(b) Kin	d of crops raised	Alfali	fa, pasture, garden t	ruck., beenied.
Power or Mining	Purposes—			
9. (a) Total	al amount of po	wer to be deve	loped	theoretical horsepower
(b) Qu	intity of water t	o be used for p	оwет	. sec. ft.
(c) Total	al fall to be util	ized	feet.	
(d) The	nature of the u	vorks by means	s of which the power is to	be developed
	•	•		
(a) Sa.	sh angula da ha la		`	
				of Sec
Tp(No. N. or S.)				
(f) Is t	vater to be retu	rned to any str	eam?(Yes er Ho)	
(g) If s	o, name stream	and locate poi	int of return	
		, Sec	, Тр	, R, W.
				•
(h) Th	e use to wnich p	ower us to be a	pplied is	***************************************

Continued population of the state of proposed country of public to be supplied.  11. Estimated cost of proposed country, g. 80000.00  12. Construction work will be completed on or before Jana 1, 1955.  13. Construction work will be completed on or before Jana 1, 1955.  14. The vector will be completed on or before Jana 1, 1955.  15. The vector will be completed on or before Jana 1, 1955.  Remerks: Description of property owned: Commencing at a state on the seat line of Peter C. Swank Js. L. S. in Section 15, T. 2 S., R 2 M., W. M., and point being H. 1 does S min. R. 2.972 chains from the southwest corner of said south being H. 1 does S min. L. 25 chains, more or less, to the center of the Jana southwest corner of a tract of land sourceyed by serab to Commings to J. B. Maishman by deed reported on Face 272, 20ck 25 of deeds for Asabiliation Aunity, Crayan, being also the tract of land source to said serab, as Surviva in Inc. of said aichman tract to a stone on the west line of said serab and survival serab southwest connecting the seat of said serab se	Membelpat er Demastie Supply-	<b>.</b>	22240
11. Estimated acet of proposed work, \$ 2000.00  12. Construction work will begin on or before	22. (a) To supply the only of		•
11. Estimated cost of proposed work, \$ 2000.00  12. Construction work will begin on or before . Place 1, 1985.  13. Construction work will be completed on or before . Place 1, 1985.  14. The water will be completely applied to the proposed use on or before .ARE	County having a pro-	ns gepulation of	•
11. Estimated cost of proposed work, \$ 2000.00  12. Construction work will begin on or before . Place 1, 1985.  13. Construction work will be completed on or before . Place 1, 1985.  14. The water will be completely applied to the proposed use on or before .ARE	ind an estimated population of	do 70	•
11. Estimated east of proposed work, \$ 2000.00  12. Construction work will begin on or before Page 1, 1988.  13. Construction work will be completed on or before Page 1, 1988.  14. The water will be completely applied to the proposed use on or before ARE 1, 1989.  Remarks: Description of property ontoid; Commanding at a stake on the west line of Peter G. Swank D. L. C. in Section 15, T. 2 S., R 2 M. M. said point being H. 1 dags, S. min. S. 9.973 chains from the southwest corner of said Sank being S. 89 dags. 50 min. 1. 25 chains, more or less, to the canter of the content of land conveys, by Sarah A. Cumings to J. B. Jaichman by doed recorded on Fage 222, 1908; 52 of deeds for isobination Juney, Oregon, being also the treat of land convey to said worth a June in Deed 3008 33, Page 17; thence it. 89 dag, 23 min. 3, 20.11 chains on the South line of Said Maidreau treat to a stone on the Mast line of Alain Peter C. Swank claim, thence it likes. 8 min. 1, 9.97, chains on the Mast line of Said Maidreau treat to a stone on the Mast line of point of beginning.  STATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	(b) If for demonts was after minder to		·*
11. Estimated east of proposed work, \$ 2000.00  12. Construction work will begin on or before Page 1, 1988.  13. Construction work will be completed on or before Page 1, 1988.  14. The water will be completely applied to the proposed use on or before ARE 1, 1989.  Remarks: Description of property ontoid; Commanding at a stake on the west line of Peter G. Swank D. L. C. in Section 15, T. 2 S., R 2 M. M. said point being H. 1 dags, S. min. S. 9.973 chains from the southwest corner of said Sank being S. 89 dags. 50 min. 1. 25 chains, more or less, to the canter of the content of land conveys, by Sarah A. Cumings to J. B. Jaichman by doed recorded on Fage 222, 1908; 52 of deeds for isobination Juney, Oregon, being also the treat of land convey to said worth a June in Deed 3008 33, Page 17; thence it. 89 dag, 23 min. 3, 20.11 chains on the South line of Said Maidreau treat to a stone on the Mast line of Alain Peter C. Swank claim, thence it likes. 8 min. 1, 9.97, chains on the Mast line of Said Maidreau treat to a stone on the Mast line of point of beginning.  STATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for			***************************************
12. Construction work will be completed on or before IEEE 1, 1985.  13. Construction work will be completed on or before IEEE 1, 1985.  14. The water will be completely applied to the proposed use on or before AUE 1, 1986.  **Construction work will be completely applied to the proposed use on or before AUE 1, 1986.  **Construction work will be completely applied to the proposed use on or before AUE 1, 1986.  **Construction work will be completely applied to the proposed use on or before AUE 1, 1986.  **Construction work will be completely applied to the proposed use on or before AUE 1, 1986.  **Construction work will be completely applied to the proposed use on or before AUE 1, 1986.  **Construction work P. L. C. in Section 15. T. 2 S., R.2 W. W. M. said point be single N. J. deep. S. M. S. S. S. S. S. S. S. R. S. W. W. M. said point be claim. It is a southwest corner of said Smale claim, thence of said construction being also the treat of land convey to said seral as Swall Saint Saint Convey to said seral as Swall Saint Saint Saint Said Said Fago 17; thence is 89 dag. 22 min. 3.  **County of Marion, Saint Peter C. Swank Slaim, thence is 1 dag. 8 min. is, 9.37, plaint on said west line to point of beginning.  **STATE OF OREGON, Saint Slaim, thence is 1 dag. 8 min. is, 9.37, plaint on said west line to point of beginning.  **STATE OF OREGON, Saint Slaim, thence is 1 dag. 8 min. is, 9.37, plaint on said west line to point of beginning.  **This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	11 Polymeted and advanced annual A 200		
18. Construction work will be completely applied to the proposed use on or before ARE 1, 1955.  14. The water will be completely applied to the proposed use on or before ARE 1, 1955.  Cash D. Classification  Remarks: Description of property exped: Commencing at a stake on the west.  Line of Peter C. Swank D. L. C. in Section 15. T. 2 S., R. 2 M. W. W. said point.  being N. 1 deg. 8 min. R. 9.273 chains from the southwest corner of said Swank  claim, thence S. 89 degs. 50 min. M. 25 chains, more or less, to the center of the Creek to the southwest corner of a tract of land conveyed by Barah & Cummings to J. R. weichman by deed recorded on Face 272.  100k 52 of deeds for Mashington Munity, Gregon, being also the tract of land convey to said warsh a Summings in Deed work 33, Page 17; thence ii. 89 dag. 23 min. S.,  20.11 chains on the south line of said waishnam tract to a stone on the west line of said Peter C. Swank claim, thence S. 1 deg. 8 min. M., 9.97, chain on said west line to point of beginning.  STATE OF OREGON,  This is to certify that I have examined the foregoing application, together with the accompanying maps and date, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	gropess as in quantities		4 . Mar
Remarks: Description of property extends. Commanding at a stake on the scat.  line of Peter G. Smank D. L. C. in Section 15, T. 2 S., R 2 M. W. M. said point being M. I deg. 8 min. E. 9.973 chains from the southwest corner of said Smank claim, thence S. 89 deg. 50 min. J., 25 chains, more or less, to the center of Take June don't stake done the Sante of Land conveyed by Earsh & Cumnings to J. R. saidman by deed recorded on Face 272, look 52 of deeds for isobliction stanty, Oregon, being also the treat of land convey to said Earsh & European June 3.  20.11 chains on the south line of Said Saidman tract to A stone on the west line of Said Peter S. Smank slaim, thence J. I deg. 8 min. J., 9.97, chairs on caid west line to point of beginning.  STATE OF OREGON,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	•	<b>4</b> = 0, 0000,	· vr
Remarks: Description of property owned; Commencing at a stake on the weat.  line of Peter G. Smank D. L. G. in Section 15. T. 2 S., R 2 W., W. M., said point teing N. 1 deg. 8 min. R. 2.975 chains from the southwest corner of said Swank claim, thence S. 83 deg. 50 min. J. 25 chains, more or less, to the conter of Jaco Freek, thence down the center of said creek to the southwest corner of a tract of land conveyed by Serah A. Cumnings to J. B. Maichman by deed recorded on Face 272, look 58 of deeds for isobilition Munty, Cragon, being also the treat of land convey to said serah A. Cumings in Deed Mock 33. Page 17; thence H. 89 deg. 23 min. 3., 20.11 chains on the south line of Said Maichman tract to a stone on the west line of said Maichman tract to a stone on the west line of said Peter S. Smank Slaim, thence J. 1 deg. 8 min. M., 9.97, chairs on caid reat line to point of Poginning.  STATE OF OREGON, County of Marion, 12.  County of Marion, 12.  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.		•	•
Remerks: Description of property owned: Commencing at a stake on the west line of Peter G. Swank D. L. G. in Section 15. T. 2 S., R. 2 M., W. H., said point being H. I dag. S min. R. 9.972 chains from the southwest corner of said Swank claim, thence S. 89 deg. 50 min. J. 25 chains, more or less, to the center of Lord Greek, thence does the center of said creek to the southwest corner of a tract of land conveyed by Pereb A. Commings to J. H. Maichean by deed recorded on Fage 272, look 52 of deeds for sashington munty, Cregon, being also the tract of land convey to said serel A. Summings in Deed Sook 33, Page 17; thence H. 89 deg. 23 min. 3.  20.11 chains on the south line of said saidman tract to a stone on the west line of said Peter C. Swank slaim, thence S. I deg. S min. J., 9.97, chairs on said west line to point of beginning.  STATE OF OREGON,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	14. The water will be completely applied to t	he proposed use on or be	fore AUE 1, 1955.
Remerks: Description of property owned: Commencing at a stake on the west line of Peter G. Swank D. L. G. in Section 15. T. 2 S., R. 2 M., W. H., said point being H. I dag. S min. R. 9.972 chains from the southwest corner of said Swank claim, thence S. 89 deg. 50 min. J. 25 chains, more or less, to the center of Lord Greek, thence does the center of said creek to the southwest corner of a tract of land conveyed by Pereb A. Commings to J. H. Maichean by deed recorded on Fage 272, look 52 of deeds for sashington munty, Cregon, being also the tract of land convey to said serel A. Summings in Deed Sook 33, Page 17; thence H. 89 deg. 23 min. 3.  20.11 chains on the south line of said saidman tract to a stone on the west line of said Peter C. Swank slaim, thence S. I deg. S min. J., 9.97, chairs on said west line to point of beginning.  STATE OF OREGON,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	**************************************	······	<i>A</i>
line of Peter C. Swank D. L. G. in Section 15, T. 2 S., R 2 W. W. M., said point being M. 1 deg. 8 min. R. 9.972 chains from the southwest corner of said Swank claim, thence S. 89 deg. 50 min. is. 25 chains, more or less, to the center of Nove Stock, thence down the center of said creek to the southwest corner of a tract of land conveyed by Barsh & Cumnings to J. R. whichman by deed recorded on Fage 272. Nock 52 of deeds for Ashincton Munty, Cregon, being also the tract of land convey to said seral a Cumning in Deed Nock 33, Page 17; thence is. 89 deg. 23 min. 3., 20.11 chains on the south line of Said Maishman tract to a stone on the Next line of Said Peter 2. Swank claim, thence is. 1 deg. 8 min. is. 9.97; chains on said rest line to point of beginning.  STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		Earl D. C	laistofelisson.
line of Peter G. Swank D. L. G. in Section 15, T. 2 S., R 2 W. W. M., said point being N. 1 deg. 8 min. R. 9.972 chains from the southwest corner of said Swank claim, thence S. 69 deg. 50 min. J. 25 chains, more or less, to the center of Nac Swank thence S. 69 deg. 50 min. J. 25 chains, more or less, to the center of Nac Swank thence down the center of said crock to the southwest corner of a tract of land conveys by Barch & Cumnings to J. R. which and by deed recorded on Fage 272, hock 52 of deeds for Machineton Munty, Oragon, being also the tract of land conveys to said sarah as Swank claim Deed work 33, Page 17; thence if 89 deg. 23 min. 3, 22.11 chains on the south line of said Maishman tract to a atome on the west line of Said Peter 2. Swank claim, thence 3, 1 deg. 8 min. J., 9.97; chains on said rest line to point of beginning.  STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		***************************************	······································
being H. 1 deg. 8 min. E. 2.971 chains from the southwest corner of said Smank.  claim, thence S. 89 deg. 50 min. J. 25 chains, more or less, to the center of like  drught, thence S. 89 deg. 50 min. J. 25 chains, more or less, to the center of like  land conveyed by Barah A. Cumnings to J. H. Maichnan by deed recorded on Face 272,  lock 52 of deeds for Mashington Mainty, Gragon, being also the treat of land convey  to said parsh a. Rumings in Paed Lock 53. Page 17; thence M. 89 deg. 23 min. S.,  20.11 chains on the South line of said Maishman tract to a stone on the west line  of said Peter C. Swank Slaim, thence J. 1 deg. 8 min. M., 9.97; chains on said west  line to point of beginning.  STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying  maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  19	Remarks: Description of property of	wned: Commencing a	a stake on the west
claim, thence S. 89 deg. 50 min. J., 25 chains, more or less, to the center of like Greek, thence down the center of said greek to the southwest corner of a tract of land conveyed by Sarah A. Cumnings to S. B. Meichman by deed recorded on Fa.s. 272, lock 52 of deeds for fashington funty, Gregon, being also the tract of land convey to said earth A. Cumnings in Daed work 33, Page 17; thence M. 89 deg. 25 min. E., 20.11 chains on the south line of said faichman tract to a stone on the wast line of said Peter S. Swank claim, thence S. 1 deg. 8 min. J., 9.97, chairs on said west line to point of beginning.  STATE OF OREGON,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	line of Peter C. Swank D. L. C. in Sect	ion 15, T. 2 S., R	R. W. M. said point
claim, thence S. 89 deg. 50 min. J., 25 chains, more or less, to the center of like Grock, thence down the center of said grack to the southwest corner of a tract of land conveyed by Sarah A. Commings to S. B. Meichman by deed recorded on Fa.s. 272, 1001; 52 of deeds for "ashington landy, Oregon, being also the tract of land convey to said earth A. Commings in Daed 2008; 33, Page 17; thence M. 89 deg. 25 min. E., 20.11 chains on the south line of said maintract to a stone on the west line of said Peter S. Swank slaim, thence S. 1 deg. 8 min. M., 9.97, Chairs on said west line to point of beginning.  STATE OF OREGON,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
State of Oregon, as a comming.  State of Oregon, beginning.			
land conveyed by Sarah A. Cumnings to J. B. Maichman by deed recorded on Fage 272.  Noch 52 of deeds for Mashington Munity. Cregon, being also the treat of land convey to said March A. Curnings in Deed Mook 53. Page 17; thence N. 89 deg. 25 min. F.,  20.11 chains on the south line of said Maichman treat to a stone on the west line of Maid Peter 2. Awank claim, thence 3. 1 deg. 8 min. M., 9.97, Chairs on Said West line to point of beginning.  STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before  19			
to said sarah A. Survines in Daed Look 33. Page 17; thence H. 89 day, 23 min. 3.,  23.11 chains on the south line of said laidman tract to a stone on the west line  f raid Peter 2. Swank claim, thence 3. 1 dag. 8 min. 4., 9.97; chains on said rest line to point of beginning.  STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
20.11 chains on the south line of said sichman tract to a atone on the west line  f said Peter 2. Swank claim, thence 3. 1 dag. 8 min. 1. 9.97, chains on said rest line to point of beginning.  STATE OF OREGON, County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for  In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	•		
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before			
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before		l deg. 8 min. N., 9	9.97 chairs on said west
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	line to point of beginning.		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	<u></u>		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for		······	
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	•		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for	•		
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for			
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for			
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for			
County of Marion,  This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for			
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	>22.		
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	This is to certify that I have examined the	foregoing application, to	gether with the accompanying
tions on or before, 19	maps and data, and return the same for	•	
tions on or before, 19			
			10
		<u> </u>	

STATE OF OREGON, County of Mart

cation and do hereby grant the same, This is to certify that I have examined the foregoing appli SUBJECT TO EXISTING RIGHTS and the following limitations

	_	od to Husball'to the a				
		220 cubic feet 1				
		from unnessed stay				
The		water is to be applied				
If for	r irrigation, this a	ppropriation shall be	limited to	1/80	of one	cubic foot per
		ach acre irrigatedR				
		Ceet per acre for nd shall be still				
		KA SHALL ON SELLI				
			•		•••••••••••••••••••••••••••••••••••••••	<u></u>
••••••					••••	<del></del>
•					•••••	
••••••						
		reasonable rotation s				
		his permit is work shall begin on o				and shall
		th reasonable diligen				
		of the water to the p			or before Oc	ctober 1, 19.56
WI:	TNESS my hand t	his 21st da	y of Coli	as Ed	Tuck	fm
						STATE ENGINEER
Application No. 20294  Permit No. 22246	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Letter day of April 1973 at 10.00 o'clock A.M.	Returned to applicant:	Approved:	Recorded in book No. 56 of Permits on page 22246	CHAS, B. STRICKLIN STATE ENGINEER