To Appropriate the Public Waters of the State of Oregon

	Roy Haldeman			
	(Muse of applicant) Drain			
of	Chilles shires			
State	of			
follor	ving described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:			
	If the applicant is a corporation, give date and place of incorporation			
•••••••	1. The source of the proposed appropriation is Pass Creek			
••••	, a tributary of Elk Creek and Umpqua diver			
' 2	2. The amount of water which the applicant intends to apply to beneficial use is $\frac{0.075}{}$			
cubic	feet per second.			
•	(If water is to be used from more than one source, give quantity from each) *3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)			
	4. The point of diversion is located 2450 ft. South and 55 ft. cst from the			
COMP.	(R. or w.) **Corner on the North line of Section 1, T. 22 S. T. 5			
• · · · · · · · · · · · · · · · · · · ·				
· **				
•••••	(If preferable, give distance and bearing to section corner)			
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)			
being	within the SECTION of Sec. Tp. (Nors)			
R.	5, W. M., in the county of Douglas			
	5. The Sprinkling System to be (Miles or feet)			
in len	igth, terminating in the			
	DESCRIPTION OF WORKS			
Diver	rsion Works—			
	6. (a) Height of dam feet, length on top feet, length at bottom			
•••••	feet; material to be used and character of construction (Loose rock, concrete, mesonry,			
	d brush, timber crib, etc., wasteway over or around dam)			
rock an	(b) Description of headgate			
	(c) If water is to be pumped give general description Cent. 1 pump			
·•	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)			
	(and the open of motion in the used, total need water is to be lifted, etc.)			

^{*}A different form of application is provided where storage works are contemplated.

ALL

agete. At need	hass: moth of	s solls (no moset to	ne)	jeet, widen on ooteo
usand foet.	eet; depth of t	yater	jest; grade	feet fall per or
		- . miles from hos	daute: width on top (at ro	ster line)
				f water fee
		ll per one thouse		, —————————————————————————————————————
	• •	•	•	in.; size at
				difference in elevation between
		•		Estimated capacit
			grade unijorm:	Estimatea capacii
······································	•			
8. Location Township	of area to be	irrigated, or place	Ce of use	Number Acres To Be Irrigated
MALAMETTE ME				
22 s.	5 W	14	SEŽNIŽ	6
		'	W.32.3111 4	
the North ence Sout Profisast 1 re or loss	boundary 12.45 ch 6.10 chau in Dougle	of Section ains;Thence ns to the p as County,O	Hest 10.20 chain	s;Thence Thence Nort containing 6.3 act
the North once Sout once Sout on Southast 1 re or loss	boundary 12.45 ch 6.10 chau in Dougle	26.10 chain of Section ains; Thence ns to the pas County, Ornoses.	Hest 10.20 chain lace of beginning regon, excepting d	s;Thence Thence Nort containing 6.3 acr
the North once Sout ***O'East 1 re or loss egon for H	boundary 12.45 chs 6.10 chaus in Dougls ighway pu	26.10 chain of Section ains; Thence us to the plas County, Crooses.	Hest 10.20 chain lace of beginning regon, excepting d	s;Thence Thence Nort containing 6.3 acr
the North once Sout once Sout once Sout re or less egon for H	boundary 12.45 che 6.10 chaus in Dougle ighway pur ter of soil	26.10 chain of Section ains; Thence ns to the pas County, Ornoses.	Hest 10.20 chain lace of beginning regon, excepting d	s;Thence Thence Nort containing 6.3 acreeds to Tourlan Cour
the North cance Sout cancer Sout	boundary 12.45 che 6.10 chaus in Dougle ighway pur ter of soil forops raised	26.10 chain of Section ains; Thence ns to the pas County, Ornoses.	Hest 10.20 chain lace of beginning regon, excepting d	s;Thence Thence Nort containing 6.3 acreeds to Tourlan Cour
the Morth once Sout once Sout once Sout re or less egon for M (a) Charac (b) Kind of ower or Mining M	boundary 12.15 che 6.10 chaus in Dougle ighway pur ter of soil forops raised Purposes—	26.10 chain of Section ains; Thence us to the plas County, Crooses.	Hest 10.20 chain lace of beginning regon, excepting deguired, stuch separate sheet) Sandy-loam Prace and pas	s;Thence Thence Nort containing 6.3 acreeds to Pourlan Cour
the North cance Sout cance Sout cance Sout cance Sout cance Sout cance loss cance for M cance (b) Kind of cover or Mining 1 g. (a) Total	boundary 12.45 che 6.10 chaus 6.10 chaus in Dougle ighway pur ter of soil forops raised Purposes— all amount of p	of Section of Section ains; Thence ns to the plas County, Ornoses.	Hest 10.20 chain lace of beginning regon, excepting deguired, attach separate sheet) Sandy-loam Prace and passioned	s;Thence Thence Nort containing 6.3 acreeds to Fourth Court
the North once Sout once Sout once Sout re Sout re or less egon for H (a) Charac (b) Kind of over or Mining H 9. (a) Tota (b) Qua	boundary 12.45 che 6.10 chaus 6.10 chaus in Dougle ighway pur ter of soil forops raised Purposes— al amount of pur ntity of water	of Section of Section ains; Thence us to the pas County, Ornoses.	Hest 10.20 chain lace of beginning regon, excepting deguired, attach separate sheet) Sandy-loam Prace and passioned	s;Thence Thence Nort containing 6.3 acreeds to Fourth Court
the Morth once Sout O'East 1 re or loss egon for M (a) Charac (b) Kind of over or Mining M 9. (a) Tota (b) Qua (c) Tota	boundary 12.45 che 6.10 chaus in Dougle ighway pur ter of soil frops raised Purposes— al amount of p ntity of water	of Section ains; Thence ns to the pas County, Ornoses.	Hest 10.20 chain lace of beginning regon, excepting degrees, stack separate sheet) Sandy-loam Page and pass loped ower (Head)	s; Thence Thence Nort containing 6.3 acreeds to Fourth Court Court turns theoretical horsepownsec. ft.
the Morth once Sout O'East 1 re or loss egon for M (a) Charac (b) Kind of over or Mining M 9. (a) Tota (b) Qua (c) Tota	boundary 12.45 che 6.10 chaus in Dougle ighway pur ter of soil frops raised Purposes— al amount of p ntity of water	of Section ains; Thence ns to the pas County, Ornoses.	Hest 10.20 chain lace of beginning regon, excepting deguired, attach separate sheet) Sandy-loam Prace and passioned	s; Thence Thence North containing 6.3 acreeds to Fourth Court Court turns theoretical horsepownsec. ft.
the North cance Sout cance Sout cance Sout re or less egon for H (a) Charac (b) Kind of ower or Mining 9. (a) Tota (b) Qua (c) Tota (d) The	boundary 12.15 che 6.10 chaus 6.10 chaus in Dougle ighway pus ter of soil ferops raised Purposes— al amount of p ntity of water al fall to be ut nature of the	of Section of Section ains; Thence ns to the pas County, Ornoses. Our more space recover to be developed to be used for pailized works by means	Lest 10.20 chain lace of beginning regon, excepting deguired, stuch separate sheet) Sandy-loam Prace and pas loped ower (Head) of which the power is to be	s; Thence Thence Nort containing 6.3 acreeds to Fourth Court
the North conce Sout C	boundary 12.15 che 6.10 chaus 6.10 chaus in Dougle ighway pus ter of soil ferops raised Purposes— al amount of pus ntity of water al fall to be ut nature of the	of Section ains; Thence as to the pas County, Ornoses. (If more space related to be used for pailized works by means docated in	Head subdivision)	theoretical horsepou sec. ft. be developed
the Morth once Sout once S	boundary 12.15 che 6.10 chaus 6.10 chaus in Dougle ighway pus ter of soil ferops raised Purposes— al amount of pus nature of the h works to be many of the mature of the	of Section ains; Thence as to the pas County, Ornoses. (If more space relative to be used for pailized works by means docated in, W. M.	Hest 10.20 chain lace of beginning regon, excepting degulard, attach separate sheet) Sandy-loam Prace and pas loped feet. (Head) of which the power is to be the subdivision)	s; Thence Thence Nort containing 6.3 acreeds to Fourth Court Court theoretical horsepownsec. ft.
the North conce Sout conce Sout conce Sout re or less con for M (a) Charac (b) Kind of (b) Kind of (c) Tota (d) The (e) Such (f) Is u	boundary 12.15 che 6.10 chaus 6.10 chaus in Dougle ighway pur ter of soil forops raised Purposes— al amount of p ntity of water al fall to be ut nature of the h works to be in, R. cater to be rete	of Section ains; Thence as to the pas County, Ornoses. Our to be development to be used for passive works by means alocated in the county, W. M.	Hest 10.20 chain lace of beginning regon, excepting dependence and passoner feet. Sandy-loam Prace and passoner feet. (Hesd) of which the power is to be the control of	s; Thence Thence North containing 6.3 acreeds to Fourth Court Court theoretical horsepownsec. ft. be developed of Sec.
the North conce Sout conce Sout conce Sout re or loss con for M (a) Charac (b) Kind of ower or Mining M (a) Tota (b) Qua (c) Tota (d) The (e) Such (f) Is u (g) If s	boundary 12.15 che 6.10 chaus 6.10 chaus 6.10 chaus 6.10 chaus 6 in Dougle 1ghway pur ter of soil forops raised Purposes— al amount of p ntity of water al fall to be ut nature of the h works to be h, R. cater to be rete o, name stream	constant of Section ains; Thence as to the pas County, Ornoses. If more space relative to be used for particled works by means docated in the county, W. M.	Legal subdivision) Legal subdivision (Legal subdivision)	s; Thence Thence North containing 6.3 acreeds to Tourlan Course theoretical horsepownsec. ft. be developed of Sec.
the Morth once Sout once Sout once Sout re or less egon for H (a) Charac (b) Kind of ower or Mining 9. (a) Tota (b) Qua (c) Tota (d) The (e) Such (f) Is u (g) If s	boundary 12.15 che 6.10 chaus 6.10 chaus in Dougle ighway pus fer of soil ferops raised Purposes— al amount of p ntity of water al fall to be ut nature of the h works to be h, R. cater to be rete o, name stream	of Section ains; Thence as to the pas County, Ornoses. (If more space relative to be used for particled works by means located in the passes of the passes	Legal subdivision) Legal subdivision (Legal subdivision)	s; Thence Thence North containing 6.3 acreeds to Foundam Course eeds to Foundam Course theoretical horsepowersec. ft. theoretical horsepowersec. ft. be developed of Sec.

# 10 main water	
on collected payables of Marie M.	
(0) If you discuss the date of	punities to be supplied
The second secon	Continue St. St. St. and St. St. St. and St. St. and St. St. and St. St. and St. St. St. and St. St. St. and St. St. St. and St.
11. Estimated cost of proposed work	4,
12. Construction work will begin or	n or before
•	pleted on or before
	oplied to the proposed use on or before
	Loy Haldeman
	(Signature of applicant)
3	
Remarks:	
460 lin.feet 3" main li	ne pipe
ó Sprinklers (36 gp	m.)
,	
to.	
•	
	······································
······································	
	······································
	· · · · · · · · · · · · · · · · · · ·
•••••••••••••••••••••••••••••••••••••••	<u> </u>
TATE OF OREGON, ss.	
County of Marion,	•
	nined the foregoing application, together with the accompanyin
In order to retain its priority, thi	s application must be returned to the State Engineer, with correc
	-
ons on or before	, 19

STATE OF ORBOOM,

County of Merien,

Application No. 2842

This is to certify that I have ensumed the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall not exceedOx075 cubic feet per second measured at the point of diversion from the					
reem,	or its equivalent in case of rotation with other water users, from				
	The use to which this water is to be applied is irrigation.				
	f for irrigation, this appropriation shall be limited to				
	or its equivalent for each acre irrigated and shall be further limited to a				
	ion of not to exceed 22 acre feet per acre for each acre irrigated during the				
rigat	ion season of each year,				
· · · · · · · · · · · · · · · · · · ·					
· · · · · · · · · · · · · · · · · · ·					
	· · · · · · · · · · · · · · · · · · ·				
	La				
nd sh	all be subject to such reasonable rotation system as may be ordered by the proper state officer.				
	The priority date of this permit is				
	Actual construction work shall begin on or before				
	fter be prosecuted with reasonable diligence and be completed on or before				
	er 1, 1955				
	Complete application of the water to the proposed use shall be made on or before				
	er 1, 1956				
	WITNESS my hand this 21st day of August 1953.				
	Permits for power development are subject to the payment of sanual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1				

CHAS. E. STRICKLIN STATE ENGINEER Salem, Oregon, received in the Division No. District No. TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON M. on the 15th day of May Permit No. 22275 1953, at 8:00 o'clock A Permits on page PERMIT This instrument was first office of the State Engineer at Corrected application received August 21, 1953 Recorded in book No. Returned to applicant: Approved:

Drainage Basin No. 12

Fees Paid . 15.00