The same of the same of the

that Waters of the State of Oregon **्रिक्त व्यवस्था अनुस्य अनुस्य अन्तर्भक्ष अन्तर अन्तर्भक्ष स्था अन्तर्भक्ष स्थापित अन्तर्भक्ष स्थापित अन्तर्भक्ष**

7. Stone C. Michele	areasa a reinfortati dia ai linka kalkara areasa areasa areasa areasa areasa areasa areasa areasa areasa areas	* Marie 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
of Sta Lo Ben 357. Beachur		***************************************
State of	do hereby make app	lication for a permit to appropriate the
	re of the State of Oregon, SUBJEC	• • •
	ration, give date and place of inco	•
	the page of the	portuson
1. The source of the propo	osed appropriation is South Ung	qua River (Name of stream)
	, a tributary of Theps	ma River
2. The amount of water w	phich the applicant intends to apply	to beneficial use is . e.2.2
cubic feet per second.	(If water is to be used from more than or	
•c3. The use to which the w	pater is to be applied is Irrigati	
4 700	3 46°20'W 1919	
	is located ft. an (N. or 8.)	dft from the Sec.
corner of 9, 10, 15 & 16	(Section or subdivision)	
(If there is more than	(If preferable, give distance and bearing to section one point of diversion, each must be described. Us	
being within the Sit of the	NR of a smallest legal subdivision)	**
R. 6 W , W. M., in the cor	inty of Donglas	
5. The pipeline (Ma	in ditch, canal or pipe line)	to be 15001
in length, terminating in the	SET of the EEL of (Smallest legal subdivision)	Sec. 16 Tp. 27 S
R 6 W	proposed location being shown thro	ughout on the accompanying map.
Diversion Works—	DESCRIPTION OF WORK	S
	feet, length on top	feet, length at bottom
feet; material t	o be used and character of construc	·
rock and brush, timber crib, etc., wasteway over	r or around dam) ite	x , number and size of openings:
· · · · · · · · · · · · · · · · · · ·	······································	
	ped give general description	• • •
·Sue and to	ppe of engine or motor to be used, total head water	Is to be lifted (etc.)

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, 3-33-4M

^{*}A different form of application is provided where storage works are contemplated.

22296			/ 4.	
			consi where materially cha	enged in size, stating miles from
	1 i i			feet; width on bottom
wienen di facet				pater line)
			••	of water feet;
	feet fall		•	,
		-		in.; size at ft.
				difference in elevation between
				Estimated capacity.
	sec. ft.			
8. Locatio	m of area to be i	rrigated, or p	lace of use	
Township North or South	Range E. or W. of Willsmotte Moridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S	R 6 W	16	Suc of the suc	15.5
			SWE . REL	2,1

adalggas generalises in transportation administration discussed allers as 1767 a 1777 a 4				
angle allega magdata description (Allega angle and allega allega angle and allega angle and allega angle and a	The state of the s			
			ce required, attach separate sheet)	
			re & forege	
o) کر Power or Minir		eaa.		•
9. (a) T	otal amount of p	ower to be d	evelop ed	theoretical horsepowe
(b) G	Quantity of water	to be used fo	r power	sec. ft.
(c) T	otal fall to be ut	ilized	(Heed)	t.
(d) 7	The nature of the	works by me	eans of which the power is	to be developed
		····		······································
			(Legal subdivision)	of Sec.
	, R(No			
			stream?(Yes or No)	•
(g) l			point of return	
		, sec	, Tp	$(R, 0, R)$ $(No \ E \ or \ W)$

Law -	22296
20. (a) To supply the stage	
was the same of the same of the	respiration to the second
(b) If for demostic use slide symbor of	fainities to be supplied
party and a	M. M. and M. Le all counts
A. Estimated cost of proposed works, \$24	10.00
12. Construction work will begin on or befor	- April 30, 1959
	or before
•	
14. The water will be completely applied to the	he proposed use on or before April 30, 1957
	A true
	X MR Mubuhi
	(fignation of applicant)
Para and a	
Remarks:	
DEED DESCRIPTION	
Beginning at a point 20 che. Horth.	and 14.50 che. West of the door, between
ec. 15 & 16, T 27 S, R 6 W,	
Thence S 10,25 chs.	
The same of the sa	
Thence W, 8,50 ehs.	
Themse H 16° R. 11.50 cha, to a notw	t due W of the place of Res
Themse H 16° E, 11.50 chs. to a point. Themse E, 3.50 chs. to Beg.	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. containing 6.15 accrs + er -	t due W of the place of Res
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. containing 6.15 acors + er - 1se. Beginning at a point 20 chs. H of the	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. containing 6.15 acors + er - lse. Beginning at a point 20 chs. H of the Themse W, 14.50 chs.	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. entaining 6.15 accrs + er - lac Beginning at a point 20 chs. H of the Themse W, 14.50 chs. Themse S, 7.00 chs.	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. containing 6.15 accrs + er - lse. Beginning at a point 20 chs. H of the Themse W, 14.50 chs.	t due W of the place of Bog.
Themse N 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. certaining 6.15 accrs + cr - lac Beginning at a point 20 chs. N of the Themse N, 14.50 chs. Themse S, 7.00 chs. Themse E, 1450 chs	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. entaining 6.15 accrs + cr = 1.se Beginning at a point 20 chs. H of the Themse W, 14.50 chs. Themse S, 7.00 chs. Themse E, 1450 chs	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. entaining 6.15 accrs + cr = 1.se Beginning at a point 20 chs. H of the Themse W, 14.50 chs. Themse S, 7.00 chs. Themse E, 1450 chs	t due W of the place of Bog.
Themos H 16° E, 11.50 chs. to a point Themos E, 3.50 chs. to Beg. centaining 6.15 accrs + cr = 1.50 Beginning at a point 20 chs. H of the Themos W, 14.50 chs. Themos S, 7.00 chs. Themos E, 1450 chs.	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. entaining 6.15 accrs + cr = 1.se Beginning at a point 20 chs. H of the Themse W, 14.50 chs. Themse S, 7.00 chs. Themse E, 1450 chs	t due W of the place of Bog.
Themse H 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. entaining 6.15 accrs + cr = 1.se Beginning at a point 20 chs. H of the Themse W, 14.50 chs. Themse S, 7.00 chs. Themse E, 1450 chs.	t due W of the place of Bog.
Themos H 16° E, 11.50 chs. to a point Themos E, 3.50 chs. to Beg. centaining 6.15 accrs + cr = 1.50 Beginning at a point 20 chs. H of the Themos W, 14.50 chs. Themos S, 7.00 chs. Themos E, 1450 chs.	t due W of the place of Bog.
Themse N 16° E, 11.50 chs. to a point Themse E, 3.50 chs. to Beg. certaining 6.15 accrs + cr - lac Beginning at a point 20 chs. N of the Themse N, 14.50 chs. Themse S, 7.00 chs. Themse E, 1450 chs	t due W of the place of Bog.
Themos H 16° E, 11.50 chs. to a point Themos E, 3.50 chs. to Beg. centaining 6.15 accrs + cr = 1.50 Beginning at a point 20 chs. H of the Themos W, 14.50 chs. Themos S, 7.00 chs. Themos E, 1450 chs.	t due W of the place of Bog.
Themos N 16° N, 11.50 chs. to a point Themos N, 3.50 chs. to Neg. entaining 6.15 accrs + er - lee Beginning at a point 20 chs. N of the Themos N, 14.50 chs Themos N, 1450 chs Themos N, 7.00 chs to Beg., containing	t due W of the place of Bog.
Themos N 16° N, 11.50 chs. to Beg. Themos B, 3.50 chs. to Beg. entaining 6.15 acors + er - lee Beginning at a point 20 chs. N of the Themos N, 7.00 chs. Themos N, 7.00 chs. Themos N, 7.00 chs to Beg., containing the Beg., containing t	t due W of the place of Bog.
Themce N 16° E, 11.50 chs. to Beg. Containing 6.15 accrs + er - Beginning at a point 20 chs. N of the Themce W, 14.50 chs. Themce S, 7.00 chs. Themce N, 7.00 chs to Beg., containing STATE OF OREGON. County of Marion, Ss. County of Marion,	t due W ef the place of Beg.
These # 16° E, 11.50 chs. to a point These E, 3.50 chs. to Beg. centaining 6.15 access + er - 1cc Beginning at a point 20 chs. H of the Thence W, 14.50 chs Thence E, 1450 chs Thence E, 1450 chs Thence E, 7.00 chs to Beg., centaining STATE OF OREGON. County of Marion, This is to certify that I have examined the point of the second of	foregoing application, together with the accompanyin
Themos H 16° E, 11.50 chs. to a point Themos E, 3.50 chs. to Beg. centaining 6.15 access + er - 1.50 chs. H of the Themos W, 14.50 chs. Themos E, 1450 chs. Themos E, 1450 chs. Themos H, 7.00 chs to Beg. centaining STATE OF OREGON. County of Marion, This is to certify that I have examined the property of the state of the tenth of the state	foregoing application, together with the accompanyin
These B 16° B, 11.50 chs. to a point These B, 3.50 chs. to Beg. entaining 6.15 acors + er - lee Beginning at a point 20 chs. N of the Thence W, 14.50 chs Thence B, 1450 chs Thence B, 17.00 chs to Beg., containing STATE OF OREGON. County of Marion, This is to certify that I have examined the page and data, and return the same for	foregoing application, together with the accompanyin
These B 16° B, 11.50 ehs. to a point These B, 3.50 ehs. to Beg. Sentaining 6.15 acors + er - Lee Baginning at a point 20 ehs. N of the Thence W, 14.50 ehs Thence B, 1450 ehs Thence B, 17.00 ehs to Beg., containing STATE OF OREGON. County of Marion, This is to certify that I have examined the page and data, and return the same for	foregoing application, together with the accompanyin

į k

This is to cartify that I have seen SUBJECT TO EXISTING RESIDENT and t s foregoing application and do hereby grant the same,

The right herein granted to limited to the emount of water which can be applied to beneficial
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from South Umpqua River.
The use to which this water is to be applied isirrigation
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion
not to exceed 23 acre feet per acre for each acre irrigated during the irrigation
season of each year,
·
•
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is May 27, 1953
Actual construction work shall begin on or beforeAugust 21, 1954 and s
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.
Complete application of the water to the proposed use shall be made on or before October 1, 19
WITNESS my hand this 21st day of highest
WITNESS my hand this 21st day of August , 1953.
STATE ENGINE

received in the office of the State Engineer at Salem, Oregon, g

X

on the 27th day of May

This instrument was first

CHAS. E. STRUCKLIN STATE ENGINEER 195 3, at 6:00 o'clock A. August 21, 195 Permits on page 222 State Printing 66240 Recorded in book No. Returned to applicant: Approved:

•• 5/

7

Application No. 28469.

36 Permit No. 222 TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT