

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Joseph W. Buller and Lena E. Buller
of Clatsop, Oregon Ex 249 St.
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring branch
(Name of stream)
a tributary of Padonig River

2. The amount of water which the applicant intends to apply to beneficial use is 400
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
corner of Section 12 in T. 4. S. R. 1. W. of the
and east 2222.47 ft. from said corner
(If preferable, give distance and bearing to section corner)

being within the 4th 1/4 of Sec. 22, Tp. 4, R. 1, W. M., in the county of Clatsop

5. The Main ditch, canal or pipe line to be in length, terminating in the of Sec. Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3/4 x 1/2 Centrifugal pump 1/2 H.P. Electric Motor Lawn Sprinklers
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

22316

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, ... ft.; size at intake, ... in.; size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, ... ft. Is grade uniform? ... Estimated capacity, ... sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 4 S, 1 E, 12, S.W. 1/4 of the S.W. 1/4, 0.25.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised Garderit

Power or Mining Purposes—

9. (a) Total amount of power to be developed ... theoretical horsepower.

(b) Quantity of water to be used for power ... sec. ft.

(c) Total fall to be utilized (Head) ... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ... of Sec. ... (Legal subdivision)

Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

... Sec. ... Tp. ... R. ... W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

12. (a) To supply the city of

..... County, having a present population of
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 25,000.00

12. Construction work will begin on or before immediately

13. Construction work will be completed on or before 6/17/20

14. The water will be completely applied to the proposed use on or before 6/17/20

Joseph W Buller
(Signature of applicant)

Remarks:

Beginning at an iron pipe in the center of the County Road at a point which is 11.64 chains North, and 17.19 chains North 19° 45' East, and 2.183 chains North 24° East, from the South West corner of Section 12, in Township 4 South, Range 1 West of the Willamette Meridian, in Marion County, Oregon; thence North 46° West 130.00 Ft. to an iron pipe; thence North 24° East 157.7 feet to an iron pipe; thence South 46° East 134.3 feet to an iron pipe; thence South 24° West 110 feet to the point of beginning.

LS: Beginning at an iron pipe in the center of the County Road at a point which is 11.64 chains North, and 17.19 chains North 19° 45' East, and 2.183 chains North 24° East, from the South West corner of Section 12, in Township 4 South, Range 1 West of the Willamette Meridian, in Marion County, Oregon; thence North 46° West 130 feet to an iron pipe; thence South 24° West 112 feet to an iron pipe; thence South 46° East 130 feet to an iron pipe; thence North 24° West 112 feet to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of, 19

STATE ENGINEER

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.006 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed spring branch.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 8, 1953.

Actual construction work shall begin on or before August 21, 1954 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1955.

Complete application of the water to the proposed use shall be made on or before October 1, 1956.

WITNESS my hand this 21st day of August, 1953.

[Signature] STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 14, Oregon Laws 1933.

Application No. 28504

Permit No. 22316

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of June, 1953, at 12:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

August 21, 1953

Recorded in book No. 57 of

22316

Permits on page

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 357

Fees Paid 15.00