blic Waters of the State of Oregon

(Fluste of applicant)				
ofRoute 1 Box 56Jacksonville	· · · · · · · · · · · · · · · · · · ·			
State of	ate the			
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:				
If the applicant is a corporation, give date and place of incorporation				
1. The source of the proposed appropriation is a spring; waste and seepage wa	ter			
from drain ditch , a tributary of Big Applagate River				
2. The amount of water which the applicant intends to apply to beneficial use is u.b.	Cafas			
cubic feet per second. haing 0.15. C.f. S. from spring and 0.10. C.f. S. from (If water is to be used from more than one source, give quantity from each)	.N.9 3. t €			
Seepage water from drain ditch. Seepage water from drain ditch. The use to which the water is to be applied is supplemental irrigation, store (frigation, power, mining, manufacturing, domestic supplied)	ek.			
domestic, and operation of hydraulic ram. (See remarks "A" and "E	r, etc.)			
4. The point of diversion is located 1095 ft. S. and 2170 ft. F. from the	. iNfr			
corner of Section 33 (Section or subdivision)				
(If preferable, give distance and bearing to section corner)				
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)				
being within the NET NWT of Sec. 32, Tp. 3000 (Give smallest legal subdivision)	•			
R. 3 W. , W. M., in the county of Jackson				
5. The main ditch to be 700 feet (approximate or feet)	Y • 1			
in length, terminating in the Sec. 35 of Sec. 35				
R 3 W				
DESCRIPTION OF WORKS				
Diversion Works—				
6. (a) Height of dam 2.0 feet, length on top 75 feet, length at				
	ma 4 mr			
rock and brush, timber crib, etc., wasteway over or around dam)				
(b) Description of headgate none (Timber, concrete, etc., number and size of openings				
(c) If water is to be pumped give general description 5.0 inch centrificated profile and type of pump.	1111			
powered by 5.5 H.P. electric motor. (See remarks = "C").				
(Size and type of engine or motor to be used, total head water is to be lifted eigh				

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be nade to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer Salem 3-55-4M.

dents At his	distance width on	top (at water	Hne)3.	Q feet; width on botto
2.4	feets depth of u	eter	1.0. feet; grade	2.5 feet fall per or
resend feet. (b) At		miles from he	eadgate: width on top (at w	ater line)
				f water fee
•	feet fal			,
				1.00
			size at intake,	
				difference in elevation between
ake and place	of use,	4.0 ft. 1	s grade uniform? yes	Estimated capacit
2 Locatio	•		lania ad assa	
6. Docume	-,	rrigatea, or p	lace of use	
Township Forth or Bouth	Range B. er W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
38 S.	3 W.	33	NE NW	11:.0
38 S.	3 W.	33	SET NWT	8 . 0
38 s.	3 W.	33	NW4 NE	10.0
38 S.	3 W.	33	SW NE	ರ.೨
			Total	40.0 gcres
38 S.	3 W.	33	NE# NW#	Stock on . Jomes
				Average 2 for the second

		(If more mea	e required, attach separate sheet)	
(a) C	haracter of soil .		L. SCECT LOAM.	
(b) K	ind of crops raise	ed hay,	grain, sno pasture	♀
ower or Minin	•	• ,		
9. (a) To	otal amount of p	ower to be de	veloped	theoretical horsepou
(b) Q	uantity of water	to be used for	power	sec. ft.
(c) T	otal fall to be uti	lized	feet.	
			ins of which the power is to	be developed
		•••••••••		
(e) S	uch works to be	located in		of Sec.
			(Legal subdivision)	in the contract of the contrac
(114 17 41	, R. (No.			
(T) 13	s water to be ret		(Yes or No)	
	_	n and locate t	point of return	
(g) I		_	-	
(g) I		_	, Tp	R. (No E or W)

Backley Property

As copied from Probate Journal, Vol. 48, Pages 482, 483, & 484.

1200

Beginning at a 3/4" iron pipe which is set in ground 441.3 feet east of the NW corner of Jacob S. Tollelmiers Land Claim No. 37, thence South 600 feet to a 3/4" iron pipe set in ground; thence east 1822.4 feet to a 3/4" iron pipe set in ground; thence 600 feet North to wooden stake (iron pipe 3 feet North) thence West along DLC line 1822.4 feet to place of beginning, containing 25.1 acres, more or less, and lying in Section 33, Township 38 South, Range 3 West of the Willamette Meridian; said property being described in deed recorded in Vol. 194, at page 90 of the Peed Records of Jackson County, Oregon.

As copied from Deed Records of Jackson County, Oregon, Vol. 30., Page 91.

Beginning at original SW corner of Jacob S. Tollelmiers Land Claim No. 37 from which a 34" yellow pine lies South 30° 30.1 for and running east along DLC line 2682.2 feet to a 3/4" iron outros; thence North 1008 feet to a 3/4" iron pipe set in ground; trans West 1822.4 feet to iron pipe; thence South 175 feet to iron the thence West 441.3 feet to iron pipe; thence South 861.9 fort to place of beginning, containing 50.6 acres more or less, and old being in Section 33, Township 38 South, Pange 3 West, William Veridian.

is copied from Deed Records of Jackson County, Ordson, Mel. " Page 39.

Teginning at the SE corner of Jacob S. Tollelriers lend to the 77 and running thence North along old PLC line bol. 7 feet to a 74" iron pipe set in ground; thence West 2260.5 feet to a 4/4" than tipe set in ground; thence South Bolt feet to a 4/4" than tipe set in ground; thence East on 1d DLC line D2**. The tipe set in ground; thence East on 1d DLC line D2**. The tipe set in ground; thence East on 1d DLC line D2**. The tipe set in ground; thence East on 1d DLC line D2**. The tipe set in Sections 33 and 3' in Township 70 Coutt.

. And I like from Deed Reco**rds of** Jackson County, I record, Marke 92.

is replace from Dead Records of Jackson County, Operon, War.

Franching at the NE corner of Jacob S. Tollelmiers land of the 27 and renning thence West along old DLO line 2060. I feet take iron pip offset 3 feet North); thence fouth the control of the 37 iron pipe; thence East 2260. France feet to 37 iron pipe; thence East 2260. France feet to 37 iron thence North slong DLO Land Claim line tol. Organization beginning, containing blocapres, more or less and the swinting feetien. Section 37 and the swinting to South, leave to 37 and the swinting to South, leave to 38 and the swinting to 30 and the swinting to 30 and 30 and

Municipal or Domestic Supply—	22323
10. (a) To supply the city of	7
	st population of
	in 19
(b) If for demostic use state number of	families to be supplied LWO
	A. Lil, and M in all cases)
11. Estimated cost of proposed works, \$3,00	00.00
12. Construction work will begin on or before	l year from date of priority.
13. Construction work will be completed on a	r before 2 years from date of priority.
14. The water will be completely applied to th	e proposed use on or before3. years from dete priori
	Proce & Buckley (Signature of applicant)
) Remarks: This permit if granted	, to be supplemental to a water
right in the Rogue River decree P	age 30, Column 1, initiated in the
name of Maggie Buckley with source	of water supply from Iiisla it is
River.	
b) The amount of water f	or each kind of use is as follows
supplemental irrigation 0.50 c.f.s	.; stock use 0.01 c.f.s., u restic
0.02 c.f.s.; and water needed to c	pperate hydraulic ram is 0.0% c.f.r.
c) Hydraulic ram to have	3.0 inch intake and 1.0 inch putlet;
using the feet of 3.0 inch steel in	take pipe with 11 feet of fall in a
ditch to ram. Ram will lift the w	
	tic purposes. Approximately Landert
of 1.0 inch galvanized iron pipe i	.s to be used from part to place of
use within home.	
· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, county of Marion, ss.	
This is to certify that I have examined the fo	oregoing application, together with the accompanying
maps and data, and return the same for	
	n must be returned to the State Engineer, with correc-

WITNESS my hand this day of

. 19

STATE OF OREGON, County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of wa	ster which can be applied to beneficial use							
stream, or its equivalent in case of rotation with other water users, from a spring, seepage and waste water, being 0.46 cfs. from waste & seepage and 0.04 cfs. from spring for supplemental irrig., 0.01 cfs. from spring for stock & 0.02 cfs. from spr. for dom. O.08 cfs. from spr. for operation of ram. The use to which this water is to be applied is supplemental irrigation, stock, domestic								
							and operation of a ram.	
							If for irrigation, this appropriation shall be limited to	
							second or its equivalent for each acre irrigatedand shall b	e further limited to a diversion of
							not to exceed h acre feet per acre for each acre	irrigated during the irrigation
season of each year; provided further that the s	mount of water allowed herein, to-							
gether with the smount secured under any other r								
shall not exceed the limitation allowed herein,								
	•••••							
•••••••••••••••••••••••••••••••••••••••								
<u></u>								
and shall be subject to such reasonable rotation system as may	y be ordered by the proper state officer.							
The priority date of this permit is June 10, 1953								
Actual construction work shall begin on or before.	August 21, 1954 and shall							
thereafter be prosecuted with reasonable diligence and be con	mpleted on or before October 1, 19 🖽							
Complete application of the water to the proposed use s	hall be made on or before October 1 100 100							
WITNESS my hand this 21st day of hug								

Application No. 283 Permit No. 223.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the Salem, Oregon, office of the State Engineer at on the 10th day of Lune

1953, at 8:00 o'clock: A.

Returned to applicant:

M.

Approved.

Permitte on police [22]

CHAD. E. SIN.CKLI

Access to the second

August 21, 1953

Post raid to be of No