## To Appropriate the Public Waters of the State of Oregon

1 Albert Dunifer
of 1140 So. Water Sty Silverton
Charles address de Lande and Lande a
State of, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is 5 1/2 = 7 = 1. (Name of stream)
, a tributary of Ludding But
2. The amount of water which the applicant intends to apply to beneficial use is .
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
(If water is to be used from more than one source, give quantity from each)  **3. The use to which the water is to be applied is
4. The point of diversion is located 1968 ft. and 3012 ft. from the 1969
corner of Sec. 2 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SN. 2-17/4 N. L. of Sec. 27.6 Tp.
R. (R. or W.) W. M., in the county of Anti-Color Color
5. The
in length, terminating in the of Sec Tp
R
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate . (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description of principles to be used
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

iph by a bar ducer a made a pady base week	igate: wiath on	top (at water li	ine)	feet; width on bottom
	feet; depth of u	pater	feet; grade	feet fall per one
rousand feet.				
				er line)
	feet; width on b	oottom	feet; depth of u	vater feet;
rade	feet fal	l per one thouse	and feet.	
(c) Length	of pipe,	ft.; s	ize at intake,	in.; size at ft.
rom intake	in.,	; size at place of	use in.; di	fference in elevation between
ntake and place	of <b>use,</b>	ft. Is	grade uniform?	Estimated capacity,
**************************	_			
	•			
5. LOCATION	Range E or W. of Williamotto Moridian	section	Ce of use	Number Acres To Be Irrigated
		3	( ) // // // //	A CONTRACTOR OF THE PROPERTY O
	/ V1		Shagette NEG	The state of the s
		is to be appoint as follow	olied is a part of that	!
•	1	l t		
Beginning a	t Southeast	corner of tr	ct of land deeded by A	• F. Ekman and wife
to Alica M.	Aiken on th	e 12th day of	September 1882, said	Deed being recorded
in Book of	Doods, Vol.	28, Page Illu	Marion County, Oregon	Records, and running
thence Sout	553° West	3.63 chains;	thence North 342 West	2.75 chains; thence
			South 342 East 2.75 c	
beginning a	nd containin	one acre of	land, situated in Mar	ion County. State of
Oregon.		P		
	1			
•	t a point wh	ich is North		
Beginning a			343° West 2.75 chains	from the South east
Beginning a	tract of la	nd deeded by	342 West 2.75 chains	from the South east to Alice M. Aiken on the
Beginning a	tract of la	nd deeded by	342 West 2.75 chains	from the South east to Alice M. Aiken on the
Beginning a corner of a 12th day of page 1111, D	tract of la September, eed Records thence Nor	nd deeded by 1882, said dof Marion Co	343° West 2.75 chains A. F. Ekman and wife, ed being recorded in b inty, Oregon; and runni 2.75 chains: thence No	from the South east to Alice M. Aiken on the cok of Deeds, Volume 25, ing thence South 553° Wes orth 553° East 3.63 chair
Beginning a corner of a 12th day of page 1111, D	tract of la September, eed Records thence Nor	nd deeded by 1882, said dof Marion Co	343° West 2.75 chains A. F. Ekman and wife, ed being recorded in b inty, Oregon; and runni 2.75 chains: thence No	from the South east to Alice M. Aiken on the cok of Deeds, Volume 25, ing thence South 553° Wes orth 553° East 3.63° chair
Beginning a corner of a 12th day of page 444, D 3.63 chains themse Nost of beginning	tract of la September, eed Records thence Nor * Section Sites the section of the	nd deeded by 1882, said dof Marion Co th 315 West 263 chains 1ated in the	342° West 2.75 chains  A. F. Ekman and wife,  ed being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and	from the South east to Alice M. Aikan on the cok of Beeds, Volume 28, ing thence South 55% Wes orth 55% East 3.63 chair 2.75 chains to the place in Section 2, in Townsh
Beginning a corner of a 12th day of page 444, D 3.63 chains themse Nost of beginning	tract of la September, eed Records thence Nor tracking Situates ing: being situage 1 West of	nd deeded by 1882, said dof Marion Co th 342 West 360 chainer hated in the f the Willam	343° West 2.75 chains A. F. Ekman and wife, ed being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 343° East James Smith Claim, and ette Meridian, in Mario	from the South east to Alice M. Aiken on the cook of Beeds, Volume 25, and thence South 55% West 1.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cress
Beginning a corner of a 12th day of page 444, D 3.63 chains themse Nost of beginning	tract of la September, eed Records thence Nor tracking Situates ing: being situage 1 West of	nd deeded by 1882, said dof Marion Coth 345 West Bushainer lated in the fillem	342° West 2.75 chains  A. F. Ekman and wife,  ed being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and	from the South east to Alice M. Aiken on the cook of Beeds, Volume 25, and thence South 55% West 1.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cress
Beginning a corner of a 12th day of page 1111, D 3.63 chains thereo North of beginning 7 South, Ra	tract of la September, eed Records thence Nor wife Manager ing: being sit inge 1 West of	nd deeded by 1882, said dof Marion Co th 342 West 343 West 343 whenever nated in the f the Willam	343° West 2.75 chains A. F. Ekman and wife, sed being recorded in tanty, Oregon; and runni 2.75 chains; thence No thence South 343° East James Smith Claim, and ette Meridian, in Mario (Continued	from the South east to Alice M. Aiken on the cook of Beeds, Volume 25, and thence South 55% West 1.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cress
Beginning a corner of a 12th day of page 1414, D 3.63 chains themas North of beginnin 7 South, Ra	tract of la September, eed Records thence Nor wife Manager ing: being sit inge 1 West of	nd deeded by 1882, said dof Marion Co th 342 West 343 West 343 whenever nated in the f the Willam	342° West 2.75 chains  A. F. Ekman and wife,  sed being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired attach separate sheet)	from the South east to Alice M. Aiken on the cook of Beeds, Volume 25, and thence South 55% West 1.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cress
Beginning a corner of a 12th day of page 444, D 3.63 chains themas North of beginnin 7 South, Ra  (a) Chara  (b) Kind of	tract of la September, eed Records thence Nor thence No	nd deeded by 1882, said dof Marion Co th 342 West 343 West 343 whenever nated in the f the Willam	342° West 2.75 chains  A. F. Ekman and wife,  sed being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired attach separate sheet)	from the South east to Alice M. Aiken on the cook of Beeds, Volume 25, and thence South 55% West 1.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cress
Beginning a corner of a 12th day of page will, D 3.63 chains themse who a corner of beginning 7 South, Ra  (a) Chara  (b) Kind of Power or Mining	tract of la September, eed Records thence Nor thence No	nd deeded by 1882, said dof Marion Contact West Buckensing uated in the f the Willam	343° West 2.75 chains A. F. Ekman and wife, end being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 343° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)	from the South east to Alice M. Aiken on the cook of Beeds, Volume 25, and thence South 55% West 1.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cress
Beginning a corner of a 12th day of page 4444, D 3.63 chains themse North of beginning 7 South, Ra  (a) Chara  (b) Kind of Power or Mining 9. (a) Total	tract of la September, eed Records themce Nor themce No	nd deeded by 1882, said dof Marion Con the Just West Budge chairs was lated in the f the Willam (If more space r	342° West 2.75 chains  A. F. Ekman and wife, end being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired attach separate sheet)	from the South east to Alice M. Aiken on the cook of Deeds, Volume 20, ing thence South 555° Wes of the 552° East 3.63 chain 2.75 chains to the place lin Section 2, in Townshon County, State of Cress lunder Remarks)
Beginning a corner of a 12th day of page 4444, D 3.63 chains themse North of beginning 7 South, Ra  (a) Chara  (b) Kind (control of the control of the contr	tract of la September, eed Records it thence Nor less being situage I West of cter of soil of crops raised Purposes— tal amount of p tantity of water	ind deeded by 1882, said do f Marion Co the July West Budge chairs at the Willam ower to be deve to be used for p	342° West 2.75 chains  A. F. Ekman and wife, end being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)	from the South east to Alice M. Aiken on the cok of Beeds, Volume 26, ing thence South 55% Wespith 55% East 3.63 chain 2.75 chains to the place in Section 2, in Townshon County, State of Cressi under Remarks)
Beginning a corner of a 12th day of page 1414, D 3.63 chains the analysis of beginning 7 South, Ra  (a) Chara  (b) Kind (c) To  (b) Qu  (c) To	tract of la September, eed Records it thence Nor less being situated of crops raised Purposes— tal amount of p tantity of water tal fall to be ut	ind deeded by 1882, said dof Marion Contact Marion Contact Mest Mest Mest Mest Mest Mest Mest Mes	342° West 2.75 chains  A. F. Ekman and wife, end being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)  cloped  cloped  cower  fict	from the South east to Alice M. Aiken on the cok of Beeds, Volume 26, and thence South 55% Wester 55% Wester 55% East 3.63 chain 2.75 chains to the alaction 2, in Townshor County, State of Cresul under Remarks).  Theoretical hersepoister sec. ft.
Beginning a corner of a 12th day of page 1414, D 3.63 chains the analysis of beginning 7 South, Ra  (a) Chara  (b) Kind (c) To  (b) Qu  (c) To	tract of la September, eed Records it thence Nor less being situated of crops raised Purposes— tal amount of p tantity of water tal fall to be ut	ind deeded by 1882, said dof Marion Contact Marion Contact Mest Mest Mest Mest Mest Mest Mest Mes	342° West 2.75 chains  A. F. Ekman and wife, end being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired attach separate sheet)	from the South east to Alice M. Aiken on the cok of Beeds, Volume 26, and thence South 55% Wester 55% Wester 55% East 3.63 chain 2.75 chains to the alaction 2, in Townshor County, State of Cresul under Remarks).  Theoretical hersepoister sec. ft.
Beginning a corner of a 12th day of page lilli, D 3.63 chains themse North of beginning 7 South, Ra  (a) Chara  (b) Kind of Power or Mining 9. (a) To (b) Qu (c) To (d) Th	tract of la September, eed Records it thence Nor less being situated of crops raised Purposes— tal amount of p tantity of water tal fall to be ut	ower to be developed by the works by means	342° West 2.75 chains  A. F. Ekman and wife, end being recorded in banty, Oregon; and runni 2.75 chains; thence No thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)  cloped  cloped  cower  fict	from the South east to Alice M. Aiken on the cok of Beeds, Volume 26, and thence South 55% Wester 55% Wester 55% East 3.63 chain 2.75 chains to the alaction 2, in Townshor County, State of Cresul under Remarks).  Theoretical hersepoister sec. ft.
Beginning a corner of a 12th day of page little, D 3.63 chains thereon North of beginning 7 South, Ra  (a) Chara (b) Kind of Chara (b) Kind of Chara (c) To (d) Th  (e) Su	cter of soil corps raised purposes— tal amount of purposes tal fall to be ut e nature of the	ower to be development of the Willam  Of more space related in the Willam  Of the Willam  Of more space related in the Willam  Of the Willam  Of more space related in the Willam  Of the Willam  Of more space related in the Willam  Of the Wi	A. F. Ekman and wife, sed being recorded in banty, Oregon; and running thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)  Alloped  Continued feet  (Heid)  Sof which the power is to be (Legal subdivision)	from the South east to Alice M. Aiken on the cook of Beeds, Volume 26, and the processor of 55% Wester 55% East 3.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cressi under Remarks).  Theoretical hersepances acc. ft.  developed
Beginning a corner of a 12th day of page 4444, D 3.63 chains themas North of beginning 7 South, Ra  (a) Chara (b) Kind (c) To (d) Th  (e) Su  Tp.	tract of la September, eed Records it thence Nor it being sit inge I West of corps raised Purposes— tal amount of p cantity of water tal fall to be ut e nature of the ch works to be R.	ower to be deve to be used for pullized works by means located in . W. M.	A. F. Ekman and wife, sed being recorded in banty, Oregon; and running thence Not thence South 343° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)  Ploped  Cloped  Cl	from the South east to Alice M. Aiken on the cook of Beeds, Volume 26, and the processor of 55% Wester 55% East 3.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cressi under Remarks).  Theoretical hersepances acc. ft.  developed
Beginning a corner of a 12th day of page little, D 3.63 chains thereon North, Ra (a) Chara (b) Kind (c) To (d) Th (e) Suction (f) Is	tract of la September, bed Records it thence Nor  Established it being sit  the late of the late of crops raised  Purposes— tal amount of p  tantity of water tal fall to be ut e nature of the  ch works to be  R.  water to be rete	ower to be development of the Willam  (If more space r  ilized  works by means  located in  Located in  works by means  works by means  works by means	A. F. Ekman and wife, seed being recorded in banty, Oregon; and running thence Not thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)  **Continued feet*  **Cont	from the South east to Alice M. Aiken on the cook of Beeds, Volume 26, and the processor of 55% Wester 55% East 3.63 chain 2.75 chains to the place in Section 2, in Townshor County, State of Cressi under Remarks).  Theoretical hersepances acc. ft.  developed
Beginning a corner of a 12th day of page little, D 3.63 chains thereon North, Ra (a) Chara (b) Kind (c) To (d) Th (e) Suction (f) Is	tract of la September, bed Records it thence Nor  Established it being sit  the late of the late of crops raised  Purposes— tal amount of p  tantity of water tal fall to be ut e nature of the  ch works to be  R.  water to be rete	ower to be deve to be used for pullized works by means located in . W. M.	A. F. Ekman and wife, seed being recorded in banty, Oregon; and running thence Not thence South 342° East James Smith Claim, and ette Meridian, in Mario (Continued equired, attach separate sheet)  **Continued feet*  **Cont	from the South east to Alice M. Aiken on the cook of Beeds, Volume 26, and thence South 55% Wester 55% East 3.63 chain 2.75 chains to the place lin Section 2, in Townshor County, State of Cress in under Remarks).  Theoretical horsepoists are developed.

<sup>(</sup>i) The nature of the mines to be served

<b>—</b> (a) 30 =				<b> </b>		
	Combe.	having a present p	opulation of	*******************		
al an estimated ;	togulation of	inducino deplánçana infonéncia va que atracca va	, in <i>1</i> 9			
(6) 21 %	r domestie was et	ate number of fer	milias to be supp	plied		
•		(Access accessed by 18, 18, 18	, and 16 to all eases)			
11. Estimate	d cost of proposed	works, \$ 250	<b>.11</b>			
-		gin on or before s	_	1059		
		completed on or l	_		~~	
					_	
14. The toste	r will be complete	ely applied to the p	roposed use on	or before	746	:び
P		•••••••••••••••••••••••••••••••••••••••		***************************************		• / **
						** *****
			Elber	(Bignature of applica	nt)	2
		ي	con	- Du	ons	
Remarks:	••••					
Continued fr	com item 8					
chains from	the Southeast	Beginning at a corner of a tra	at point which act of land c	onveyed by A	. F. Ekman a	.5.∙50 and wife
28 page lill	Aiken on 12th	corner of a traday of September	m 1882 said	deed being r	ecorded in V	Iol.
3-63- <b>-ehein</b> s;	-thence South	of Marion Count	5feet;thenc	e North 55°	B South 55° 301 East 3.6	wes الكر S chair (5
thence North	1 34° 30' West	65 feet to place	se of beginni	.ng.		
		• • • • • • • • • • • • • • • • • • • •				,
	****	•••••••••••••••••••••••••••••••••••••••			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
······································					** *	
•• •••••		• • • • • • • • • • • • • • • • • • • •		• • •	•	
•		· · · · · · · · · · · · · · · · · · ·				
	· · ·	· · · · · · · · · · · · · · · · · · ·				
				••••	•	
				•		
•		• • •	•			
•				****		
STATE OF ORE	· 1					
County of Man	rion,					
This is to o	certify that I have	e examined the for	egoing applicati	ion, together wi	ith the accomp	panying
		e for				
		ty, this application				
				ea to the State 1	angineer, with	correc-
tions on or befor			, <b>19</b>			
WITNESS	my hand this	. day of		. 1	9 .	

## STATE OF OREGON,

This is to certify that I have examined the foregoing application and do hereby grant the same, STIRIECT TO EXISTING RIGHTS and the following limitations and conditions:

r 1, 1956  ITNESS my hand this 21st day of August 1953.  STATE ENGINEER  rmits for power development are subject to the payment of annual fees as provided in sections 1 and 2 chapter 76. Oregon Laws 1833.	Application No. <b>28531</b> Permit No. 22327	thereafte Octobe W		second .QI diversio	••••••	
is appropriation shall be limited to 1/80 of one cubic foot per ant for each acre irrigated and shall be further limited to a exceed 2½ acre feet per acre for each acre irrigated during the each year,  such reasonable rotation system as may be ordered by the proper state officer.  of this permit is June 16, 1953 and work shall begin on or before August 21, 1954 and shall with reasonable diligence and be completed on or before  ion of the water to the proposed use shall be made on or before  and this 21st day of August 19 23.  STATE NOUNEER  STATE NOUNEER  STATE NOUNEER  STATE NOUNEER	PERMIT PPROPRIATE THE PUBLIC ATERS OF THE STATE OF OREGON	the subject to some priority date of tual construction or be prosecuted or 1, 1955 complete applicator 1, 1956	.,,***	n of not to		not exceed! its equivalent
priation shall be limited to		of this point work with reminder of this and this and this are the second secon		entfo		
e rotation system as may be ordered by the proper state officer.  is June 16, 1953  begin on or before August 21, 1954 and shall able diligence and be completed on or before  atter to the proposed use shall be made on or before  st day of August 1953.  STATE ENCINEER  to the payment of manual fees as provided in sections 1 and 2 chapter 76. Oregon Laws 1221.	This instrument was first received in the	sonable sermit shall eason the wo	·•·········	read	•••••	
pplied is irrigation  all be limited to 1/80 ef one cubic foot per re irrigated and shall be further limited to a feet per acre for each acre irrigated during the  tion system as may be ordered by the proper state officer.  June 16, 1953 a on or before August 21, 1954 and shall  filigence and be completed on or before  the proposed use shall be made on or before  day of August 19 53.  STATE ENGINEER  PAYMENT OF STATE ENGINEER  PAYMENT OF STATE ENGINEER  PAYMENT OF STATE ENGINEER  STATE ENGINEER  STATE ENGINEER	office of the State Engineer at Salem, Oregon,	e rota is begir able d		ch.ac acre	••••••	
elimited to 1/80 ef one cubic foot per irrigated and shall be further limited to a tiper acre for each acre irrigated during the system as may be ordered by the proper state officer.  1. System as may be ordered by the proper state officer.  1. 10, 1953 or before August 21, 1951 and shall ence and be completed on or before  1. STATE ENCINEER STATE E	6 day of June.	Jur on liligo		re	•••••	
irrigation  irrigation  inted to 1/80 ef one cubic foot per  igated and shall be further limited to a  arracra for each acre irrigated during the  iem as may be ordered by the proper state officer.  6, 1953  iefore August 21, 1954 and shall  and be completed on or before  if August 1953  STATE ENGINEER	ď.	or tence		irri tpe		
irrigation  1/80 of one cubic foot per d and shall be further limited to a re for each acre irrigated during the may be ordered by the proper state officer.  153 and shall be completed on or before  1 use shall be made on or before  2 use shall be made on or before	to applicant:	em as 6, 19 efore and b		gate erac	. <b></b>	
1/80 of one cubic foot per d shall be further limited to a for each acre irrigated during the be ordered by the proper state officer.  and shall impleted on or before  shall be made on or before  shall be made on or before  pust  19 53.  STATE ENGINEER  provided in sections 1 and 2 chapter 76. Oregon Laws 1833.		may 053Al ne con		dan ref	••••	
on.  O ef one cubic foot per  Il be further limited to a  ch acre irrigated during the  dered by the proper state officer.  21, 195h and shall d on or before  be made on or before  19 33.  STATE ENCINEER  or made on or before  to made on or before  19 33.  STATE ENCINEER  or made on or before	application received:	be ordered by the shall be shall by the shall be shall by the shall be		dsha		,
of one cubic foot per  further limited to a  re irrigated during the  ony the proper state officer.  251  and shall  refore  e on or before  19 53  STATE ENGINEER  ons 1 and 2 chapter 74, Oregon Laws 1531  ON  ON  ON  ON  ON  ON  ON  ON  ON  O		21, I d on on the mad		illbe		
e proper state officer.  and shall  or before  19 33.  STATE ENCINEER  or before  19 33.  STATE ENCINEER  or before  19 33.  ON STATE ENCINEER  or before	August 21, 1953	954 r befo		fur rei		
of one cubic foot per limited to a ated during the mapter to Oregon Laws 1833.	57	proporte		ther rrig		
e cubic foot per ited to a during the and shall state officer.  The Oregon Laws 1833.	·	fore		lim ated		
ficer.  and shall	E. STRICKLIN	STATI		ited duri	e cubi	
hall isss.	2 Page 36			to a	c foot	
	15.00				рет	